```
DDDDDDDDDDD   EEEEEEEEEEEEEEEE  BBBBBBBBBBBBB    UUU          UUU       GGGGGGGGGGGG
DDDDDDDDDDD   EEEEEEEEEEEEEEEE  BBBBBBBBBBBBB    UUU          UUU       GGGGGGGGGGGG
DDDDDDDDDDD   EEEEEEEEEEEEEEEE  BBBBBBBBBBBBB    UUU          UUU       GGGGGGGGGGGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG
DDD     DDD   EEEEEEEEEEEE     BBBBBBBBBBBBB     UUU          UUU   GGG
DDD     DDD   EEEEEEEEEEEE     BBBBBBBBBBBBB     UUU          UUU   GGG
DDD     DDD   EEEEEEEEEEEE     BBBBBBBBBBBBB     UUU          UUU   GGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG     GGGGGGGGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG     GGGGGGGGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG     GGGGGGGGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG           GGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG           GGG
DDD     DDD   EEE              BBB         BBB   UUU          UUU   GGG           GGG
DDDDDDDDDDD   EEEEEEEEEEEEEEEE  BBBBBBBBBBBBB    UUUUUUUUUUUUUUUU      GGGGGGGGG
DDDDDDDDDDD   EEEEEEEEEEEEEEEE  BBBBBBBBBBBBB    UUUUUUUUUUUUUUUU      GGGGGGGGG
DDDDDDDDDDD   EEEEEEEEEEEEEEEE  BBBBBBBBBBBBB    UUUUUUUUUUUUUUUU      GGGGGGGGG
```

SSIDEF

REQ

```
!---

        Definitions for SSI written in BLISS

! Version 'V04-000'
!
!*************************************************************************
!*                                                                      *
!*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY                             *
!*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.              *
!*  ALL RIGHTS RESERVED.                                                *
!*                                                                      *
!*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
!*  ONLY IN  ACCORDANCE WITH  THE  TERMS  OF  SUCH  LICENSE  AND WITH THE *
!*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR  ANY  OTHER *
!*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
!*  OTHER PERSON.  NO TITLE TO AND OWNERSHIP OF  THE  SOFTWARE IS  HEREBY *
!*  TRANSFERRED.                                                         *
!*                                                                      *
!*  THE INFORMATION IN THIS SOFTWARE IS  SUBJECT TO CHANGE WITHOUT NOTICE *
!*  AND  SHOULD  NOT  BE  CONSTRUED AS  A COMMITMENT BY DIGITAL EQUIPMENT *
!*  CORPORATION.                                                         *
!*                                                                      *
!*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE  OR  RELIABILITY OF ITS *
!*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.             *
!*                                                                      *
!*                                                                      *
!*************************************************************************

!++
! ABSTRACT:

        This is the common require file for any module written
        in BLISS

! ENVIRONMENT:

        VAX/VMS operating system.

! AUTHOR:  David Thiel, 31-Dec-1981

! MODIFIED BY:
        Ping Sager,  20-Sep-1983

!----
```

```
!
!         Equated symbols
!

PSECT
    NODEFAULT = lkcode_1 (EXECUTE, NOWRITE, READ, SHARE),
    NODEFAULT = lkdata_1 (NOEXECUTE, NOWRITE, READ, SHARE);

!
!         Define structure type for VMS structures
!
STRUCTURE
    bblock [o, p, s, e; n] =
                [n]
                (bblock+o)<p,s,e>:

MACRO
    return_if_error(command) =
        BEGIN
        LOCAL
            status;

        status = command;
        IF NOT .status
        THEN
            RETURN .status
        ELSE
            .status
        END%;

LITERAL
    ssi_entry = 0,              ! normal system serice call
    ssi_rundwn = 1,            ! sys$rundwn call
    ssi_srch = 2,              ! jump to SYS$SRCHANDLER
    ssi_cond = 3;              ! call handler dispatch

FIELD
    tvb =
        SET
        ptr = [-4, 0, 32, 0],
        pg0 = [-8, 0, 32, 0],
        pg1 = [-12, 0, 32, 0],
        pg2 = [-16, 0, 32, 0]
        TES;
```