

# PROGRAMMING IN C

Digital Equipment Corporation  
Educational Services

EY-1925E-HO-0002

Second Edition, August 1985

The information in this document is subject to change without notice and should not be construed as a commitment by Digital Equipment Corporation. Digital Equipment Corporation assumes no responsibility for any errors that may appear in this document.


The software described in this document is furnished under a license and may be used or copied only in accordance with the terms of such license.

Digital Equipment Corporation assumes no responsibility for the use or reliability of its software on equipment that is not supplied by DIGITAL.

Copyright © 1985 Digital Equipment Corporation. All rights reserved.

Portions of this text are based on LEARNING TO PROGRAM IN C, a book by Thomas Plum, copyright 1983, Plum Hall Inc. and on the course C PROGRAMMING WORKSHOP, written by Thomas Plum, copyright 1983 by Plum Hall, Inc.

The following are trademarks of Digital Equipment Corporation:

ALL-IN-1	DNC	PRO/NAPLPS
BAL-8	DNC	PRO/RMS
CDP	EduSystem	PRO/Videotex
COMPUTER LAB	FLIP CHIP	PROSE
COMSYST	FOCAL	QUICKPOINT
COMTEX	GLC-8	RAD-8
CTBUS	IAS	Rainbow
DATATRIEVE	IDAC	ReGIS
DDT	IDACS	RSTS
DEC	IDAC	RSX
DECCOM	KA10	RT-11
DECgraph	KL10	RTM
DECmail	LAB-K	SABR
DECmate	MASSBUS	Tool Kit
DECnet	OMNIBUS	TYPESET-8
DECspell	OS 8	TYPESET-10
DECsystem-10	PDP	TYPESET-11
DECSYSTEM-20	PDT	ULTRIX
DECtape	PHA	UNIBUS
DECUS	PS 8	VAX
DECWORD	P/OS	VMS
DECwriter	Professional	VT
DIBOL	PRO/BASIC	VAX VTX
	PRO/FMS	

Programming in C  
Course Outline

TEXT: "Learning to Program in C"

by Thomas Plum, Plum Hall Inc.

Monday:

- Introduction to C
- C Operands and Operators
- C Control Flow - if, else if, switch, while, for

Tuesday:

- C Control Flow - comma, do while, break, goto
- C Functions
- The C Preprocessor

Wednesday:

- C Pointers and Arrays - to and including array arguments
- The C Library - to and including sprintf and sscanf

Thursday:

- Structures and Unions - to and including pointers to structures
- The C Library - File I/O
- C Pointers and Arrays - pointer arrays

Friday:

- C Pointers and Arrays - cmd line args, pointers to functions
- The C Library - system level I/O, heap allocation
- Structures and Unions - arrays of structures, unions

TEXT ASSIGNMENTS

It is recommended that the following reading in the text "Learning to Program in C" be performed and the questions in that reading answered. Programming exercises are provided at the end of this workbook as a replacement for those in the text.

## Monday:

Optional assignment - computer concepts (as needed)  
"Learning to Program in C" - Chs. 1, 2.1

"Learning to Program in C"

Sections 2.6, 2.7, 2.8

Sections 3.4, 3.5, 3.6

## Tuesday:

"Learning to Program in C"

Sections 3.8, 3.9, 3.11

Sections 5.4, 5.7

## Wednesday:

"Learning to Program in C"

Section 3.12

Sections 7.2, 7.4

## Thursday:

"Learning to Program in C"

Sections 7.3, 7.7

Sections 8.1, 8.2, 8.6

## Friday: (or following the completion of the course)

"Learning to Program in C"

Ch. 6

"Programming in C Workbook"

Ch. 9

TABLE OF CONTENTS

## intro

What is C?.....	8
Why C?.....	9
A quick overview.....	10
Identifiers, keywords, comments, constants.....	11
Data types.....	12
Compile and execute a simple C program.....	13
A program to copy input to output.....	14
A program to count lines, word, chars.....	15
Sample formats for printf.....	16
Buffering of input.....	17

## operands

Data types.....	18
Constants.....	19
String constants.....	20
Declarations.....	21
Arithmetic operators.....	22
Relational operators.....	23
Expressions, operators, and operands.....	24
Logical operators.....	25
Type conversions.....	26
Type conversion examples and cast.....	27
Lvalue and rvalue.....	28
increment and decrement operators.....	29
Arrays.....	30
Arrays of characters.....	31
The array indexing formula.....	32
String functions.....	33
Bitwise operators.....	34
Bitwise "right rotate" function.....	36
Assignment operators.....	37
Operator precedence.....	38
The conditional operator (thenelse).....	40

TABLE OF CONTENTS (continued)

## control

Statements and blocks.....	41
If (else) statement.....	42
Else if statement.....	43
Switch statement.....	44
While and for statements.....	45
Comma operator.....	46
Do while statement.....	47
Break and continue.....	48
Goto statement.....	49

## functions

What is a function?.....	50
Basic function syntax.....	51
Non-integer functions.....	52
Argument passing.....	53
Recursive functions.....	55
Initializing automatic scalars.....	56
Storage class.....	57
Static storage class.....	58
Initializing arrays.....	60
External variables.....	61
Register storage class.....	62
Scope rules.....	63
Initialization summary.....	64
Empty brackets: three cases in C.....	65
Passes of C compiler.....	66

## preprocessor

Define.....	67
Define and macros.....	68
Include.....	70
Conditional compilation.....	71
Line.....	73

TABLE OF CONTENTS (continued)

pointers	
What is a pointer?.....	74
Declaring and using pointers.....	75
Simple examples using pointers.....	76
Pointers as function arguments: swap.....	77
Pointers as function arguments: scanf.....	78
Pointers and arrays.....	79
Pointer and array examples: hex.c, index.c.....	81
Array arguments: strcpy, strncpy.....	82
Array arguments: read.....	84
Array arguments: write.....	85
Pointer arithmetic.....	86
Multidimensional arrays.....	87
Pointer arrays.....	88
Command line arguments to C.....	89
Variable number of function arguments: cpystr.....	91
Pointers to functions.....	92
structures	
Structure basics.....	93
Members of structures.....	94
Members and nesting.....	95
Defined types for structures.....	96
Pointers to structures.....	97
Formats for structure definitions.....	99
Unions.....	100
Typedef.....	101
Arrays of structures.....	102
Bit fields.....	104
Linked lists.....	106

TABLE OF CONTENTS (continued)

## Clibrary

Standard input, standard output, and standard error.....	108
Character input/output: getchar, putchar.....	109
Line input/output: gets, puts.....	110
Formatted output: printf.....	111
Formatted input: scanf.....	112
I/O to and from strings: sprintf, sscanf.....	113
File I/O.....	114
Example of File I/O.....	116
Error output: perror, fprintf.....	117
System level I/O.....	118
lseek.....	120
Heap allocation: malloc, free.....	121

## style

Data and variables.....	122
Operators.....	123
Control structures.....	124
Functions.....	125
Common C bugs.....	126

## labs

Monday Programming Assignments.....	128
Tuesday Programming Assignments.....	129
Wednesday Programming Assignments.....	130
Thursday Programming Assignments.....	131
Friday Programming Assignments.....	132



Table of ASCII characters: ASCII, decimal, octal, hexadecimal

nul	0	0000	0x00	+	43	0053	0x2b	V	86	0126	0x56
soh	1	0001	0x01	,	44	0054	0x2c	W	87	0127	0x57
stx	2	0002	0x02	-	45	0055	0x2d	X	88	0130	0x58
etx	3	0003	0x03	.	46	0056	0x2e	Y	89	0131	0x59
eot	4	0004	0x04	/	47	0057	0x2f	Z	90	0132	0x5a
enq	5	0005	0x05	0	48	0060	0x30	[	91	0133	0x5b
ack	6	0006	0x06	1	49	0061	0x31	\	92	0134	0x5c
bel	7	0007	0x07	2	50	0062	0x32	]	93	0135	0x5d
bs	8	0010	0x08	3	51	0063	0x33	^	94	0136	0x5e
ht	9	0011	0x09	4	52	0064	0x34	_	95	0137	0x5f
nl	10	0012	0x0a	5	53	0065	0x35	`	96	0140	0x60
vt	11	0013	0x0b	6	54	0066	0x36	a	97	0141	0x61
np	12	0014	0x0c	7	55	0067	0x37	b	98	0142	0x62
cr	13	0015	0x0d	8	56	0070	0x38	c	99	0143	0x63
so	14	0016	0x0e	9	57	0071	0x39	d	100	0144	0x64
si	15	0017	0x0f	:	58	0072	0x3a	e	101	0145	0x65
dle	16	0020	0x10	;	59	0073	0x3b	f	102	0146	0x66
dcl	17	0021	0x11	<	60	0074	0x3c	g	103	0147	0x67
dc2	18	0022	0x12	=	61	0075	0x3d	h	104	0150	0x68
dc3	19	0023	0x13	>	62	0076	0x3e	i	105	0151	0x69
dc4	20	0024	0x14	?	63	0077	0x3f	j	106	0152	0x6a
nak	21	0025	0x15	@	64	0100	0x40	k	107	0153	0x6b
syn	22	0026	0x16	A	65	0101	0x41	l	108	0154	0x6c
etb	23	0027	0x17	B	66	0102	0x42	m	109	0155	0x6d
can	24	0030	0x18	C	67	0103	0x43	n	110	0156	0x6e
em	25	0031	0x19	D	68	0104	0x44	o	111	0157	0x6f
sub	26	0032	0x1a	E	69	0105	0x45	p	112	0160	0x70
esc	27	0033	0x1b	F	70	0106	0x46	q	113	0161	0x71
fs	28	0034	0x1c	G	71	0107	0x47	r	114	0162	0x72
gs	29	0035	0x1d	H	72	0110	0x48	s	115	0163	0x73
rs	30	0036	0x1e	I	73	0111	0x49	t	116	0164	0x74
us	31	0037	0x1f	J	74	0112	0x4a	u	117	0165	0x75
sp	32	0040	0x20	K	75	0113	0x4b	v	118	0166	0x76
!	33	0041	0x21	L	76	0114	0x4c	w	119	0167	0x77
"	34	0042	0x22	M	77	0115	0x4d	x	120	0170	0x78
#	35	0043	0x23	N	78	0116	0x4e	y	121	0171	0x79
\$	36	0044	0x24	O	79	0117	0x4f	z	122	0172	0x7a
%	37	0045	0x25	P	80	0120	0x50	{	123	0173	0x7b
&	38	0046	0x26	Q	81	0121	0x51		124	0174	0x7c
'	39	0047	0x27	R	82	0122	0x52	}	125	0175	0x7d
(	40	0050	0x28	S	83	0123	0x53	~	126	0176	0x7e
)	41	0051	0x29	T	84	0124	0x54	del	127	0177	0x7f
*	42	0052	0x2a	U	85	0125	0x55				

What is C?

- o A general purpose programming language.
- o Low level -- "portable assembler"
  - Can access many computer objects directly.
  - No storage allocation or heap mechanism.
  - Weak typing rules.
  - No I/O facilities.
  - Cannot access composite objects as a whole.
- o Single thread control flow
- o Minimal run time environment
- o Modern machines:
  - Byte addressing
  - Address similar to integer
  - Stack is cheap

Why C?

- o Efficient code generation on a variety of modern machines.

UNIX consists of 12,000 lines of C and 800 lines of assembler language.

C is on a variety of machines.

- o Portable  
Both the compiler and the library are easily ported to other machines.
- o Easy to learn and use.

A quick overview

- o Fundamental data types:  
characters, integers, and floatings.
- o Composite data types:  
pointers, arrays, structures, unions,  
functions.
- o Flow control:  
if, while, for, do, switch.
- o Recursion and reentrancy 'for free':  
automatic storage.
- o Scope of data:  
internal to a function or block,  
or  
global within a file,  
or  
global through all files.
- o Weakly typed:  
many data conversions  
permitted.

Identifiers, keywords, comments, constants

- o Identifiers are strings of letters (including underscore) and digits, beginning with letter.  
Upper and lower case are distinct.

Variables must be declared before use.

First eight characters are significant  
(less for externals)

Names that start with underscore should be reserved for system programs

- o Keywords (reserved):

auto	double	if	static
break	else	int	struct
case	entry	long	switch
char	extern	register	typedef
continue	float	return	union
default	for	short	unsigned
do	goto	sizeof	while

- o Comments consist of any text between /\* and \*/ .

- o Constants:

1	3.07	'x'	"help"
---	------	-----	--------

- o Separators:

, ;{ } = ( ) :

- o Whitespace:

blank or newline or horizontal tab,  
(Whitesmiths: any other non-printing character.)

- o Suggestion: 80-character line limit.

Data types

Bytes	Type	Description
1	char	a single byte.
2	short	a short integer.
2 or 4	int	an integer (same size as pointer).
4	long	a long integer.
4	float	a single precision floating point number.
8	double	a double precision floating point number.

Compile and execute a simple C program

```
main()
{
    printf("this is a C program.\n");
}
```

To run using the UNIX operating system:

## o EDITING

\$ vi myprog.c	
i<new text>ESC	insert new text (before cursor)
a<new text>ESC	append new text (after cursor)
h	move cursor left one column
j	move cursor down one line
k	move cursor up one line
l	move cursor right one column
x	"gobble" character under cursor
:wq	write output file and quit

## o COMPILING &amp; LINKING

```
$ cc -o myprog myprog.c
```

## o RUNNING PROGRAM

```
$ myprog
```

To run using the VMS operating system:

## o EDITING

\$ EDIT MYPROG.C	
*C	to enter character mode
arrow keys	to move cursor on screen
delete key	to delete characters
PF2 key	to get help on using keypad
<CTRL-Z>EX	to exit editor

## o COMPILING

\$ CC/LIST MYPROG	listing file MYPROG.LIS
	object file MYPROG.OBJ
\$ PRINT MYPROG	to get hard copy of listing file

## o LINKING

```
$ ASSIGN SYS$LIBRARY:CRTL.LIB LNK$LIBRARY !V1.0
$ ASSIGN SYS$LIBRARY:VAXCRTL.LIB LNK$LIBRARY !V2.0

$ LINK MYPROG          image file MYPROG.EXE
```

## o RUNNING PROGRAM

```
$ RUN MYPROG
```

A program to copy input to output

```
#include <stdio.h>

/* copy input to output
 */
main()
{
    char c;

    c = getchar();
    while (c != EOF)
    {
        putchar(c);
        c = getchar();
    }

    exit (0);      /*exit(1) in VAX-11C*/
}
```

At the top of each source file that performs I/O

```
#include <stdio.h>

defines:      EOF      -1

              getchar()

              putchar()

              ...
```



A program to count lines, words, chars

```
#include <stdio.h>

/* count lines, words, chars in input
 */
main()
{
    int inword;      /* currently in a word? */
    short nc;        /* number of chars */
    short nl;        /* number of lines */
    short nw;        /* number of words */
    char c;          /* most recently read: char or EOF */

    inword = NO;
    nc = nl = nw = 0;

    while ((c = getchar()) != EOF)
    {
        ++nc;

        if (c == '\n')
            ++nl;

        if (c == ' ' || c == '\n' || c == '\t')
            inword = NO;

        else if (inword == NO)
        {
            inword = YES;
            ++nw;
        }
    }

    printf("%d %d %d\n", nl, nw, nc);

    exit (0);        /*exit(1) in VAX-11C*/
}
```

Sample formats for printfInteger types

%d                    integer (printed decimal, signed)

%x                    hex integer

%o                    octal integer

%03o                 3-digit octal integer with 0-fill

%c                    ASCII character

Strings of characters

%s                    ASCII character string (null-terminated)

%.5s                 A maximum of 5 ASCII characters from a string

Floating point

%8.2f                 fixed-point, 8 wide, 2 places:   -2345.78

%12.5e                e-format:   -2.45678e-12

Buffering of input

On most systems, input from terminals is buffered one line at a time. This allows correction of typing mistakes on that one line.

Thus, the program does not see the input until the newline is typed. (Each operating system has its own method of over-riding this buffering to allow a program to see each character as typed.)

## EXAMPLE

```
#include <stdio.h>

/* copy input to output
 */
main()
{
    char c;

    c = getchar();
    while (c != EOF)
    {
        putchar(c);
        c = getchar();
    }
}
```

## THIS WILL HAPPEN

```
$ program
dog and cat
dog and cat
```

## THIS WILL NOT HAPPEN

```
$ program
ddoogg aanndd ccaatt
```

Data types

- o The fundamental C data types are:

char	: a byte.	8 bits
short	: a 'short' integer	16 bits
long	: a 'long' integer	32 bits
float	: single-precision.	32 bits
double	: double-precision.	64 bits
int	: a pointer (address)	16 or 32 bits

- o Signed/Unsigned

short                    range of values -32768 -> +32767

unsigned short   range of values 0 -> 65535

```
unsigned long num;  
unsigned int ab;  
unsigned char x;
```

- o Defined data types

```
#define tiny char
```

```
tiny x;  
unsigned tiny y;
```

```
#define ushort unsigned short  
#define bool int
```

Advantages to defined data types:

semantic distinctions

portable data (different defines -  
different hardware)

enhance readability

Constants

## o Character constants:

one char within single quotes  
'x', '\n', '\t', '\10'

## o Integer constants:

decimal:

142, 17, 3421

octal: a leading zero indicates an octal constant,  
042, 01, 0732

hexadecimal: a leading 0x indicates hex constant,  
0x6f, 0x238, 0x17

integer constants are represented in int (2/4 bytes)  
(on PDP - 200000L is long constant)

## o Floating constants:

1.23

.23

1.00

17e-23

floating constants are represented in double (8 bytes)

String constants

String constants: characters written within double quotes:

- o "Hi there"  
""
- o Stored in memory as array of chars.
- o By convention, the last character of a string is the null character, '\0'.

## QUESTIONS:

- o What is the size of these two strings?

"hello" \_\_\_\_\_ "" \_\_\_\_\_

- o What is the difference between  
"0" and '0' ?

Declarations

- o Variables must be declared before use.
- o Declarations specify a type, followed by a list of things having that type:

```
short a, b, c;  
char q, r, s[100];
```

- o The most readable format is an alphabetized list, one variable per line, with a comment:

```
short i;          /* buffer index counter */  
int more;         /* is there more data? */  
char tbuf[80];    /* terminal I/O buffer */  
double x;         /* the unknown */
```

Arithmetic operators

+, -, \*, /, % (remainder)

- o % gives remainder;

5 % 2 = \_\_\_\_

4 % 2 = \_\_\_\_

8 % 3 = \_\_\_\_

a % b

gives the remainder of dividing a by b.

Not valid for double, float.

- o \* and / and %  
have higher precedence than  
+ and - .

- o Unary -  
has higher precedence than  
any of the above.

- o No guarantee of evaluation sequence:

func(a()) + func(b()) \* func(c())

could call a(), b(), or c() first.

- o  $x + (y+z) = (x+y) + z = (x + z) + y$   
 $x * (y*z) = (x*y) * z = (x * z) * y$

Compiler can rearrange across these parentheses.  
Parentheses are not adequate for specifying the  
order of calculation. Allows optimization:

(x + 1) + (y + 2) becomes x + y + 3

Value of: 23 + 4 \* -5 + 1 - 6 % 5 \_\_\_\_



Relational operators

- o The relational operators are:

`> >= < <=`

of lower precedence are:

`== (is equal) != (not equal)`

- o produce 0 or 1 result (0=FALSE, 1=TRUE)
- o Assignment operator is still lower precedence (and not relational):

`= (assignment)`

- o All are of lower precedence than arithmetic operators.

`x + 1 < y + 2`

- o Previously we wrote:  
`while ((c = getchar()) != EOF)`

why not:

`while (c = getchar() != EOF)`

Always parenthesize embedded assignments.

QUESTIONS: What is the value of:

`3 == 5` \_\_\_\_\_

`1 >= 0` \_\_\_\_\_

`4 > 4` \_\_\_\_\_

`-1 < 0` \_\_\_\_\_

Expressions, operators, and operands

## o Operators:

+ \* - / % etc.

## o Operands (the data being operated upon):

constant	1234	'x'	0xFF
variable	x	n	c

## o Expression (examples):

operand	operator	operand	x + 1	n * 2
unary-operator		operand	-40	&x
constant			40	'0'
variable			x	n

## o Subexpression = an expression that is part of a larger expression

## o x = (y + z) \* 46

operator	+	*
operand	x	46
expression	y+z	x=(y+z)*46
subexpression	y+z	46

Logical operators

- o "semi-Boolean":
 

zero	means	NO (FALSE)
non-zero	means	YES (TRUE)
- o The logical operators are
  - && (and)
  - || (or) (pipe characters)
  - ! (negation) (exclamation point)
- o Precedence of && greater than that of ||.
- o Both have lower precedence than relational operators:

`x < y && y < z`

- o Negation is monadic (unary): takes one operand.  
Converts YES (non-zero) into NO (zero),  
NO (zero) into YES (one).
- o "Short-circuit": guarantee left-right sequence,  
stop evaluating when result is determined:

`if (j < MAX && ((c=getchar()) != '\n'))`

- o Sequence guarantees in C:

`full-expr            &&            ||            (more to come...)`

- o Truth Table

p	q	p && q	p    q	!p
0	0	0	0	1
0	1	0	1	1
1	0	0	1	0
1	1	1	1	0

Type conversions

## 1) Widening of operands ("coercion"):

Register "int" sizes:

2-byte (16 bit):	PDP-11, 8080, Z80, ...
4-byte (32 bit):	68000, VAX, ...

Operands shorter than int are loaded into int-sized temporaries.

long remains long-size.

float operands are loaded into double temporaries.

## 2) Type balancing:

After coercion, if one operand is smaller than the other, it is further widened to equal size.

unsigned operand is "slightly wider" than signed.

2-byte machine

- \* double
- float
- \* unsigned long
- \* long
- \* unsigned int, unsigned short
- \* int, short
- unsigned char
- char

4-byte machine

- \* double
- float
- \* unsigned int, unsigned long
- \* int, long
- unsigned short
- short
- unsigned char
- char

\* means a preferred type for this machine architecture.

Type conversion examples and cast

- o For assignments, the right side value is converted to the type of the left side.

```
short i;
tiny t;
float f;

i = t; /* t is sign extended */
t = i; /* t gets low-order byte */
f = i; /* i is converted to float */
i = f; /* f is truncated */
```

- o Types can be coerced by using a cast.

```
short i;
double d;

d = sqrt((double) i);
```

- o From Standard library: sqrt()

Lvalue and rvalue

- o Left side of an assignment is an object with a location in storage. This object is called an lvalue.  
  
An lvalue has:  
    type, storage class, name, location.  
  
A simple case of an lvalue is an identifier.
  
- o Right hand side of an assignment may be any object that has a value. This object is called an rvalue if it is not an lvalue.  
  
An rvalue has:  
    type, name, value.  
  
A simple case of an rvalue is a constant.
  
- o Making a value from an lvalue simply fetches its value from its location.

```
x = y;  
  
x = 0;  /* legal */  
  
0 = x;  /* illegal */
```

QUESTIONS:      Which of the following are lvalues?

x	_____
2 * x + 3	_____
y = 0	_____

increment and decrement operators

- o     ++     adds one to a variable (lvalue).  
     --     subtracts one from a variable.

- o     ++ or -- used before the name (prefix):

```
      b = a;  
      ...++b...
```

      value of expression is a + 1

- ++ or -- used after the name (postfix):

```
      b = a;  
      ...b++...
```

      value of expression is a

- o     Fill in the missing parts:

```
      short x, y;
```

```
      x = 0;
```

```
      y = x++;                /* y == ____ */
```

```
      y = ++x;                /* y == ____ */
```

- o     Do not rely on exact time of ++, --.  
      It will be done by the next sequence-guarantee point.

```
      s[i++] = t[j++];        /* GOOD */  
      s[i++] = t[i];         /* BAD */  
      s[i]    = t[i++];       /* BAD */
```

- o     Simpler rule: if you increment or decrement a variable,  
      do not refer to it again in that statement.

## Arrays

A composite data type

- o The declaration:

```
short scores[30];
```

declares that scores is an array of 30 short integers.

- o A declaration contains a "sandwich" of type + name.

```
char msg[80];
```

name is: msg

type is: char[80]

- o Arrays are subscripted starting at zero  
(just like birthdays and anniversaries!)

```
scores[0], scores[1], ... scores[29]
```

- o To initialize the array scores to zero:

```
for (i=0 ; i<30 ; ++i)  
    scores[i] = 0;
```

The for statement used above:

init:	i=0	- done once before loop
test:	i<30	- if YES, do body and step
body:	scores[i] = 0;	
step:	++i	- prepare for next test

- o scores[i] is an lvalue.




Arrays of characters

- o Strings are represented in C as arrays of characters.
- o By convention, the null character, '\0', whose value is zero, is put on the end of all strings. This eliminates the need to store string lengths.
- o For the string "april", the C compiler generates:  
  
    'a', 'p', 'r', 'i', 'l', '\0'
- o Programs which build strings must append  
    '\0' to those strings.

The array indexing formula

```
char s[512];
```

"type" of s is: char[512]



Basic indexing formula:

address of jth element =  
address of zero-th element +  
 $j * (\text{size of each element})$

**QUESTIONS:**

Suppose  $\&s[0] = 2000$  (monadic "&" means address-of)

What is  $\&s[101]$ ? \_\_\_\_\_

Suppose a is declared:

```
short a[512];
```

and  $\&a[0] = 4000$

What is  $\&a[101]$ ? \_\_\_\_\_

String functions

```

cpyastr (s1, s2, 3);

```

s2
'D'
'A'
'\0'

s1

```

#include <stdio.h>

```

```

/*cpyastr - copy a string from s2 to s1
*/

```

```

cpyastr (s1, s2, n)

```

```

char s1[];          /*destination string*/
char s2[];          /*input string*/
unsigned int n;      /*number of characters to copy*/
{
    short i;

    for (i=0 ; i<n ; ++i)

        s1[i] = s2[i];

}

```

- o Manipulation of strings must be done explicitly.  
In standard C, no statement will process an aggregate.

- o Alternative to above:

```

for (i=0 ; i<=n && (s1[i] = s2[i]) != '\0' ; ++i)
    ; /*null body*/
s1[i] = '\0';

```

Bitwise operators

&amp; bitwise and (bit-and)

&	0	1
0	0	0
1	0	1

| bitwise or (bit-or)

( )	0	1
0	0	1
1	1	1

^ bitwise exclusive or

^	0	1
0	0	1
1	1	0

o Example: char x = 0x16;

x &amp; 0xF

```

0 0 0 1 0 1 1 0
0 0 0 0 1 1 1 1

```

x | 1

```

0 0 0 1 0 1 1 0
0 0 0 0 0 0 0 1

```

o What is the difference between &amp;&amp; and &amp; ?

2 &amp;&amp; 1 is 1

2 &amp; 1 is 0

QUESTIONS: What are the values of the following expressions?

0x3F &amp; 0x67

\_\_\_\_\_


0x3F | 0x67

\_\_\_\_\_

Bitwise operators (continued)

~        unary ones complement (bit-not)  
~0    is   0xFFFF or 0177777        16 bit  
~1    is   0xFFFE or 0177776        machine

<<        bitwise left shift (zero fill)  
>>        bitwise right shift (signed fill)



007 << 3 is 070

07 >> 1 is 03


QUESTION:        What is the value of:

5 >> 2        &&        07 & 010        \_\_\_\_\_

Bitwise "right rotate" function

Right rotate     -   bits shifted off to the right are to be  
                              rolled into the left

Example using 8 bits:



```

/* right rotate function
*/

short rightrot (n, b)

short n;          /* 16 bit word to rotate */
short b;          /* number of bits to rotate */
{
    for ( ; b>0 ; --b)      /* repeat b times */
    {
        if (n & 01)
            n = (((unsigned)n >> 1) | 0100000);
        else
            n = ((unsigned)n >> 1);
    }
    return (n);
}

```

- o Always parenthesize bitwise expressions;  
 bitwise precedence is tricky.

Assignment operators

- o Expressions of the form;  
$$x = x + 2;$$
can be written in the compressed form;  
$$x += 2;$$
- o  $x -= 5;$                  $/* \text{ subtract 5 from } x */$   
 $x *= z;$                  $/* \text{ multiply } x \text{ times } z */$   
 $x /= y - 1;$              $/* \text{ } x \text{ gets divided by } (y - 1) */$
- o operators:  
$$+ - * / \% \ll \gg \& \wedge |$$
- o Usefulness:  
$$a[100 * i + j] = a[100 * i + j] + n;$$
can be written:  
$$a[100 * i + j] += n;$$
$$a[100 * i + j] \text{ is evaluated only once!}$$
- o The form += is preferred to the form =+  
consider  $x=-1;$
- o  $\#define \text{ tiny char}$   
 $\text{tiny } x, y;$   
 $x += y;$                  $/* \text{ not widened to int } */$
- o Expression result is value from operation,  
converted to type of left-hand side.

Operator precedence
$$a + b * c$$

- o Which binds more tightly, the + or the \*?
- o By historical agreement, the \*
- o Fully parenthesized:  $a + (b * c)$
- o Or, in words, "multiply b times c, then add a"

## QUESTION:

Put into words  $(a + b) * c + d$

---



Table of precedence

Precedence Level	Operators
15	() [] -> .
14	! ~ ++ -- - (type) * &
13	* / %
12	+ -
11	>> <<
10	< <= > >=
9	== !=
8	&
7	^
6	
5	&&
4	
3	?:
2	= += -= (etc., op=)
1	,

QUESTIONS: Parenthesize to show the binding:

a == b && c != d

x = y = 3.14 \* - d

The conditional operator (thenelse)

- o The 'thenelse' "?:" operator provides a conditional expression in C.
- o Ternary (triadic) operator: takes three operands.
- o 

```
if (q > 25)
    x = z;
else
    x = y;
```

is rewritten:  

```
x =    q > 25    ?    z    :    y    ;
```
- o Examples:  

```
absx =    x < 0 ? -x : x;
```

```
minxy =    x < y ? x : y;
```

Statements and blocks

- o An expression plus a semi-colon makes a statement.

```
++x;
```

```
c = getchar();
```

```
x + 1; /* useless but a statement*/
```

- o Curly braces { } denote a block (compound statement)

```
{  
++j;  
x = y;  
}
```

- o Null statement:  
one lonely semicolon

```
;
```

If (else) statement

- o      if (expression)                      0       => FALSE  
    non-0 => TRUE

```

      statement1
+-      |      +-
|  else      |
|      statement2  |
+-      |      +-

```

- o      Statement can be simple or compound

```

if (i<4)                                if (i<4)
    x[i] = i;                            {
    y[i] = i;                            x[i] = i;
                                           y[i] = i;
                                           }

```

- o      The else clause is associated  
                                  with the closest un-elses if statement.

```

if (i != 0)                            if (i != 0)
    if (b[j] == 0)                      {
        b[i] = 1;                      if (b[j] == 0)
                                           b[i] = 1;
else                                     }
    printf ("error\n");                else
                                           printf ("error\n");

```

- o      Always put braces around a nested if.

Else if statement

- o       if (expr1)  
            statement1  
else if (expr2)  
            statement2  
else if (expr3)  
            statement3  
else  
            default statement
- o       Last else clause is optional.
- o       only one statement is executed

QUESTION: What does this program print?

```
for (i = 1; i <= 8; ++i)
{
    if (i < 4)
        printf("A");
    else if (i % 2 == 0)
        printf("B");
    else if (5 < i)
        printf("C");
    else
        printf("D");
}
putchar('\n');
```

1	2	3	4	5	6	7	8
-	-	-	-	-	-	-	-

Switch statement

- o Example:

```
switch (cmdchar)
{
    case 'a':
        add(n1);
        break;

    case 'd':
        delete(n1, n2);
        break;

    case 'c':
        change(n1, n2);
        break;

    default:
        remark("?", "");
        break;
}
```

- o Execution starts at the case label whose constant is equal to the expression, and continues til the end of the switch, or the next break.
- o Default is optional.
- o You should always escape the switch after each case with a break.
- o Prefer switch to elseif unless different conditions are tested or tests must be in sequence.

while and for statements

- o       while (expr)  
              statement
  
- o       test is at top of the loop
  
  
- o       for (expr1; expr2; expr3)  
              statement  
  
          same as  
  
          expr 1;  
          while (expr2)  
          {  
              statement  
              expr 3;  
          }
  
  
- o       Use for rather than while when:  
          loop to be performed a known number of times  
          there is loop initialization
  
  
  
  
  
  
  
  
  
  
- o       "Endless" loop  
  
          #define   FOREVER   for (;;)   
  
          FOREVER  
          {  
              wait 1 sec  
              print time  
          }

Comma operator

- o     j=k,   num=i++,   ct=i++;
- o     Evaluated left to right.
- o     Complete list of sequence-guarantee  
       full-expression   {}   &&   ||   ,
- o     Function to reverse a string in place  
       ("SPOON" becomes "NOOPS")

```
int reverse (s)
```

```
char s[];
```

```
{
```


```
  char t;
```

```
  short i, j;
```

```
  for (i=0, j = strlen (s) - 1 ; i<j ; ++i, --j)
```

```
      t = s[i], s[i] = s[j] , s[j] = t;
```

```
}
```





Do while statement

- o       do  
          statement  
      while (expr);
- o       test at bottom of the loop
- o       The do while statement  
          is desirable only when the  
          problem dictates that statement  
          be executed at least once.

```
do
{
    printf("Answer y or n: ");
    ans = getchar();
    while (getchar() != '\n')
        ;
}
while (ans != 'y' && ans != 'n');
```

Break and continue

- o Break causes an early exit from for, while, do, or switch.

```
while (expr)
{
    statement
    if (expr)
        break;
    statement
}
```

- o N + 1/2-time loop

```
FOREVER
{
    statement(s)
    if (expr)
        break;
    statement(s)
}
```

## Continue statement

- o Continue causes the next iteration of the for, while, or do.


```
while (expr)
{
    statement
    if (expr)
        continue;
    statement
}
```

Goto statement

- o Goto is never needed.
- o 

```
goto label;  
...  
label:
```
- o 

```
for (...)  
    for (...)  
        for (...)  
            ...  
            if (error)  
                goto error;  
...  
  
error: /*code to fix the error*/
```

What is a function?VMS

```
$ CC PGM
$ CC SUB1
$ CC SUB2
$ LINK PGM,SUB1,SUB2
```

ULTRIX

```
% cc -c pgm.c
% cc -c sub1.c
% cc -c sub2.c
% ld pgm.o sub1.o sub2.o -lc
```

Basic function syntax

```

/* pow - return x to the power y
 */
double pow(x, y)

double x;          /* base */
long y;            /* exponent */
{
    ----          body
    ----
    ----
    return ( ... );
}

```

```

[return type] name ([parmlist])

```

```

[parmlist declarations];

```

```

{
    body
}

```

- o More power and complexity than a single statement.
- o independent building block
- o Take time to become familiar with existing libraries, to avoid re-inventing the wheel.
- o default return type is "int"

```

reverse (s)

```

```

char s[];
{
    --
}

```

Non-integer functions

- o Function must be declared in the calling function

```
#include <stdio.h>
```

```
main()
```

```
{
    short i, convert();
    long j;
```

```
---
```

```
---
```

```
    i = convert (j);
```

```
---
```

```
}
```

```
short convert (num)
```

```
long num;
```

```
{
```

```
---
```

```
---
```

```
    return ( ... );
```

```
}
```

- o If a function return is not declared integer is assumed.
- o The return statement expression will be converted to the type of the function.

QUESTION: What is the data type of

convert

\_\_\_\_\_

convert(j)

\_\_\_\_\_

Argument passing

```

/* test integer power function
*/
main()
{
    short i;
    short power();

    for (i = 0; i < 10; ++i)
        printf("%d %d\n", i, power(2, i));
}

```

## AUTOMATIC STORAGE

i	0
---	---

## PARAMETER STACK

2	<- 1st param
0	

copy of variable i ==> parameter stack

- o Precise usages of the terms "argument" and "parameter":

In calling function:

actual parameter, actual argument,  
dummy argument;

In called function:

formal parameter, formal argument,  
parameter, real argument;

Argument passing (continued)

```
/* power - raise integer x to integer n-th power
*/
```

```
short power(x, n)
```

```
int x;                /*base*/
short n;              /*exponent*/
{
    short p;

    for ( p=1 ; n > 0; --n)
        p *= x;

    return(p);
}
```

## AUTOMATIC STORAGE

p     


## PARAMETER STACK

x     


n     


o     Width of actual arguments in parameter stack:

Always widened to int, long, or double.

QUESTION: What does the stack look like as we enter power  
and as we leave power after the call:

power(12, 3)

before


after




Recursive functions

```
#include <stdio.h>

main()
{
    long factorial();

    printf ("3 factorial is %d\n",
            factorial (3));
    exit (0);
}

/* factorial - return n!
 */
long factorial(n)

long n;          /* parameter, local storage */
{
    if (n <= 1)
        return (1);
    else
        return (n * factorial(n - 1));
}
```

- o Variables declared within a function are local to that function and come into being with the dynamic invocation of the function. They disappear at function termination.
- o The parameter stack comes into being with the dynamic invocation of the function. It disappears at function termination.

Initializing automatic scalars

- o An "initializer" may be attached to the declaration of an automatic scalar (but not an array).

Automatic arrays CAN be initialized in VAX-11C.

```
main()
{
    char c = 'x';
    short i = 1;
    short j = i * 2;

    printf("%d %d %c\n", i, j, c);

    exit (0);
}
```

QUESTION: What does this program print?

- o The initialization is done by instructions that are executed each time the function is entered.

```
main()
{
    short receipt();

    printf("First = %d\n", receipt());
    printf("Second = %d\n", receipt());

    exit (0);
}

short receipt()
{
    short number = 1;

    return (number++);
}
```

QUESTION: What does this program print?

Storage class

- o Picture of C program in computer memory

TEXT	contains the machine instructions for the program
DATA	contains variables which remain in FIXED locations -- "static" storage
STACK	contains automatic variables arguments, and function-call bookkeeping; changes as functions are called and returned

Static storage class

## o Internal static:

Declared inside a function or block, and is known only inside that block (private memory).  
Stays put; is not in the stack.

Remembers values between function calls.

Initialization is done only once, when the program is loaded into the machine.

```
main()
{
    short receipt();

    printf("First = %d\n", receipt());
    printf("Second = %d\n", receipt());

    exit (0);
}

short receipt()
{
    static short number = 1;

    return (number++);
}
```

QUESTION: What is the output of this program?

Static storage class (continued)

## o External static:

Data that is common (global) to several functions

Declared OUTSIDE the body of any function

Shared by all functions that follow in that source file

```
#include <stdio.h>
```

```
static short rnum = 0;          /* random number */
```

```
/* rand - return a random short integer  
*/
```

```
short rand()  
{  
    rnum = rnum * 12047 + 13911; /*period=8192*/  
    return (rnum >> 1);  
}
```

```
/* srand - set random seed  
*/
```

```
int srand(seed)
```

```
short seed;  
{  
    rnum = seed;  
}
```

QUESTION: In which memory segment does rnum reside:  
TEXT, DATA, or STACK?

---

Initializing arrays

- o UNIX static arrays can be initialized  
automatic arrays cannot be initialized
- o VMS both static and automatic arrays can  
be initialized
- o static data is initialized into the program file  
at link time

```
static short digits[10] = {0,1,2,3,4,5,6,7,8,9};  
static char msg[13] = "hello, world";
```

- o If the array bound is bigger than the number of  
initializers, the extra elements are  
initialized to zero.

If the array bound is less than the number of  
initializers, a compiler error is generated.

If no bound is given, it is taken to be the number  
of initializers.

QUESTION: What are the initial values?

```
static char st[5] = "std";
```


```
static char s[2] = "abc";
```


```
static short a[5] = {1, 2, 3};
```


```
static short b[] = {1, 3, 5, 7};
```


```
static char x[] = "abc";
```


External variables

- o data that is common (global) to several functions  
declared outside the body of any function  
functions that wish to share access to external data  
use the `extern` keyword

```
#include <stdio.h>
```

```
short a = 0;    /*external data can be initialized*/
```

```
main()
```

```
{
    extern short a;
    short i = 17;
    long l;
    ...
    l = subfn (i);
    ...
    if (a <= 25)
    ...
}
```

```
long subfn (arg)
```

```
short arg;
```

```
{
    extern short a;
    ...
    a = 32 / arg;
    ...
    return ( ... );
}
```

Register storage class

- o register int x;

data will be allocated in general purpose registers,  
instead of memory

reduce execution time since a memory access is not  
needed

for variables that are used often, eg. loop index

VAX-11C will ignore - it will choose which variables  
to place into registers

- o Register storage class may be assigned  
to formal parameters in a function  
or to automatic variables.

```
int power(x, n)
```

```
register int x, n;  
{  
    register int p;  
  
    ...  
}
```

- o Cannot take address of (&) register.
- o For maximum portability, register should be  
used only with int and pointer variables.  
However, most compilers will do sensible  
things with char and short register  
declarations, also.



Scope rulesInternal data (local)

- o data declared inside a function is known only within that function
  - o data can be declared inside any compound statement (formed with curly braces) (BLOCK)
- data declared in a block is known only within that block

```
main()
{
    short i;
    ...
    if (i <= 25)
    {
        float i;
        ...
        i = 3e10;
        ...
    }
    ...
}
```

External data (global)

- o data declared outside the body of a function in a source file is known to all functions that follow in that source file
- o static data declared outside the body of a function in a source file canNOT be made known to a function in any other source file
- o non-static data declared outside the body of a function in a source file is made known to any function in any source file with the `extern` keyword
- o Function names are external by default.

Initialization summary

- o External or static storage is initialized only once, into the program file at link time. They stay put in fixed locations.

Scalars - initialized to constants or constant expressions:

```
static short lim = BUFSIZ + 1;
static char separator = '\n';
```

Arrays - initialized to lists of constants, padded with zeros:

```
static short ar[5] = {1, 2, 3, 4, 5};
static char buf[512] = {0};
static char s[] = "dog&cat";
```

- o Auto storage (stack), and register storage (register) are initialized every time the function is entered.

Scalars - initialized to expressions:

```
short b = a + 1;
register int c = 326 / b;
```

Arrays - cannot be initialized in auto storage (UNIX)

- can be initialized in auto storage (VMS) with some irregularities

```
char buf [3] = {'d','o','g'}; /*legal*/
char msg[] = "dog";           /*illegal - compiler error*/
short tim[5] = {1, 2, 3};     /*NOT padded with zeroes*/
```

Empty brackets: three cases in C

- 1) As parameter to function, they are a synonym for address  
  
long setstr (s)  
  
char s[];            <-- receives the address of array s
  
- 2) With array initializer, they mean "take the size from the count of initializers."

```
static short x[ ] = {0123, 0456, 0777};
                        ^
                        |
                        3
```

- 3) With an external array, they mean "the bound will be specified by the actual data declaration"
- ```
extern short y[];
```

Passes of C compiler

- o Preprocessor: expand macros, compile-time constants, #include files, and conditional compilation
- o Parser: translate program into a logical tree-structure language
- o Code generator: translate this tree into assembler code
- o Assembler: produce relocatable object code from the symbolic assembler code
- o Linker: link the relocatable object code together with other object files

## Define

- o `#define ID token-string`  
  
the preprocessor replaces all occurrences of ID with 'token-string' after this defining instance. 'token-string' is scanned for previously defined ID's.
- o Example  
  

```
#define FAIL      1
#define EOF      -1
...

if (EOF == getchar())
    exit(FAIL);
```

  
becomes (in-line code)  
  

```
if (-1 == getchar())
    exit(1);
```
- o Dangerous example:  
  

```
#define RABBIT  (RABBIT * RABBIT)
```
- o Define can also be done on command line in UNIX  
  

```
cc -DRT11=1 pgm.c
```
- o Style rules:
  - put # in column 1
  - use uppercase names
  - put all #defines before any data declarations

## Define and macros

## o Example (macro):

```
#define SQUARE(n)      n * n
#include <stdio.h>
```

```
main()
{
    char x[100];
    short i;
    ...

    y = SQUARE(x[i]);

    ...
}
```

becomes (in-line code):

```
y = x[i] * x[i];
```

QUESTION: Write the in-line code for SQUARE(x+1).

Fix the definition.

## Macros (continued)

- o     

```
#define MAX(x, y)      (((x) < (y)) ? (y) : (x))

#define MIN(x, y)      (((x) < (y)) ? (x) : (y))

#define ABS(x)         (((x) < 0) ? -(x) : (x))
```
- o     "Generic"       - accept any data type
- o     Efficiency      - in-line code, no call and return
- o     Preprocessor lines are taken one at a time; they can be continued by placing a '\' at the end of the line.  

```
#define MIN(x, y)      (((x) < (y)) ? \
                        (x) : (y))
```
- o     Continuation possible for any C statement  

```
static char msg[] = "very long... \
line";
```

But if string fits on one line, prefer  

```
static char msg[] =
    "very long ... line";
```
- o     Don't put side-effects on arguments  

```
ABS(++n) ==> (((++n) < 0) ? -(++n) : (++n))
```
- o     SUGGESTION: Write function first.  
                  Make macro only when needed.  
                  (Function is less prone to  
                  programming errors.)
- o     Undef - To remove the latest definition:  

```
#undef id
```

Rarely used in practical programming.

## Include

- o #include "filename"

Causes this line to be replaced  
with the entire file 'filename'.

For personal or project header files

The UNIX compiler searches

- (1) the directory containing the C program,
- (2) directories specified in the compile command,
- (3) "standard places."

The VAX-11C compiler searches

- (1) the current default directory
- (2) the directory containing the C program

- o #include <filename>

For system-wide header files

The UNIX compiler searches

- (1) directories specified in the compile command,
- (2) "standard places."

The VAX-11C compiler searches

- (1) SYS\$LIBRARY - a standard directory

- o Header files are usually named:

file.h                where file is any filename.

- o Includes may be nested (discouraged).



## Conditional compilation

- o     

```
#if constant-expression
           or
#ifdef ID
           or
#ifndef ID
           (any C or preprocessor statements)
#else
           (any C or preprocessor statements)
#endif
```
- o     

```
#if constant-expression
           is true if constant-expression
           evaluates to nonzero

#ifdef ID
           is true if 'ID' has been defined.

#ifndef ID
           is true if 'ID' has not been defined.
```

## Conditional compilation examples

- o Environment dependencies (adapted from stdtyp.h)

```
#ifdef USHORT
#define ushort unsigned short
#else
#define ushort short
#endif
```
- o Simulating hardware on mainframe

```
#ifdef UNIX
static char buffer [48][80] = 0;
static char *bufp = &buffer;
#else
static char *bufp = 0x8000;
#endif
```
- o Safe way to nest #include

```
/* "sandwich" around header */
#ifdef SOMENAME
... text of header
#endif
```
- o "Tuning" for size

```
#if MAXTOKEN < 128
#define TOKEN char
#else
#define TOKEN ushort
#endif
```
- o Including TRYOUT main with function file

```
... (code for function)
#ifdef TRYOUT
main()
{
... (code to test function)
}
#endif
```

## Line

o #line line-number ID

can be used to reset the line-number  
and/or ID which is passed to the compiler.

```
/*test.c - 0 and o are mixed up in string name
*/
```

```
main()
{
    char s0 [25];
    ...

    strcpy (so, "test string");
    ...
}
```

```
% cc test.c
"test.c", line 23: so undefined
```

```
/*test.c - 0 and o are mixed up in string name
    #line used to change compiler error msg
*/
```

```
main()
{
    char s0 [25];
    ...

#line 37 COPY
    strcpy (so, "test string");
    ...
}
```

```
% cc test.c
COPY, line 37: so undefined
```

What is a pointer?

- o A pointer holds the address of another variable.
- o 

```
short i, j;      /* i, j are short */
short *p;        /* p is a pointer to short */
...
i = 0;
p = &i;          /* p gets address of (&) i */
```
- o 

```
j = *p;          /* that which is pointed to by p*/
```

thus:

```
p = &i, j = *p;
```

is the same as:

```
j = i;
```
- o 

```
short *p;
```

is read "declare p as a short pointer"  
declaration of the variable p

```
j = *p;
```

is read "set j to that which is pointed to  
by p"  
assigning the variable j

\*p has 2 meanings
- o "Address-of" (&) can be applied only to lvalues,  
not rvalues.

QUESTION: Which of the following are ILLEGAL?

- \_\_\_\_\_ 

```
p = &i;
```
- \_\_\_\_\_ 

```
p = &(i + 1);
```
- \_\_\_\_\_ 

```
p = &(i = 1);
```

## Declaring and using pointers

- o     short \*pi, \*pj, t;   /\*pi,pj are pointers to short\*/  
       long \*pl;           /\*\*pl is pointer to long\*/  
       double \*pd;         /\*\*pd is pointer to double\*/
  
- o     pi, pl, pd are the pointers; they are lvalues.  
       \*pi, \*pl, \*pd are references to the objects  
       pointed to; they are also lvalues.

| <u>variable</u> | <u>address</u> | <u>contents</u> |
|-----------------|----------------|-----------------|
|                 | 1100           | 9               |
| pi              | 1300           | 1100            |
| t               | 1350           | 14              |
|                 |                | 20              |
| pj              | 1380           | 1350            |
| pl              | 1400           | 1410            |
|                 | 1410           | 7               |
|                 | 1430           | 0.0             |
| pd              | 1440           | 1430            |

## Simple examples using pointers

```

short *pi, *pj, t; /*pi,pj are pointers to short*/
long *pl;          /*pl is pointer to long*/
double *pd;        /*pd is pointer to double*/

```

- 1)      \*pd += \*pi;
- 2)      pi = &t;
- 3)      \*pi = \*pl;
- 4)      pj = pi;
- 5)      \*pj /= 3;
- 6)      ++pj;
- 7)      (\*pj)++;
- 8)      ++pl;

|    |      |      |
|----|------|------|
|    | 1100 | 9    |
| pi | 1300 | 1100 |
| t  | 1350 | 14   |
|    |      | 20   |
| pj | 1380 | 1350 |
| pl | 1400 | 1410 |
|    | 1410 | 7    |
|    | 1430 | 0.0  |
| pd | 1440 | 1430 |

## Pointers as function arguments: swap

- o Call by value; C cannot directly alter function arguments in caller. To change the arguments in the caller, pass pointers to the variables to be altered.

```
int badswap(i, j)
```

```
short i, j;
```

```
{
    short t;
```

```
    t = i;
```

```
    i = j;
```

```
    j = t;
```

```
}
```

This simply changes  
the local i and j.

```
t |-----|
  |-----|
```

```
i |-----|
  |-----|
```

```
j |-----|
  |-----|
```

```
int swap(pi, pj)
```

```
short *pi, *pj;
```

```
{
    short t;
```

```
    t = *pi;
```

```
    *pi = *pj;
```

```
    *pj = t;
```

```
}
```

This is called:  
swap(&x, &y);

```
t |-----|
  |-----|
```

```
pi |-----|
   |-----|
```

```
pj |-----|
   |-----|
```

```
800 |-----|
    |-----|
```

```
900 |-----|
    |-----|
```

## Pointers as function arguments: scanf

```
int x;  
short y;  
float z;
```

```
nargs = scanf("%d%hd%f", &x, &y, &z);
```

Reads from standard input: 368 23 87.62  
nargs tells how many successful assignments.  
separators are whitespace: spaces, tabs, newlines

Input                      Use this call:

FFFF7421                  scanf("%8x", &status)  
                            8-digit hex int number

ABC                        scanf("%c%c%c", &c1, &c2, &c3)  
                            Three contiguous characters

A B C                     scanf("%s%s%s", s1, s2, s3)  
                            Three separate characters  
                            (into strings)

hello                     scanf("%s", str)  
                            One "word"  
                            (delimited by whitespace)

hello                     scanf("%80c", str)  
                            At most 80 characters into str

499.95                    scanf("%3hd.%2hd", &dols, &cents)  
                            Dollars and cents (2 shorts)

o                        Using scanf, there is no simple way to read one line  
                          of characters up to a newline.




## Pointers and arrays

- o All operations done by array subscripting can be done - usually faster - with pointers.

```
short q[100];
short *pq;
...
```

```
pq = &q[0]; /* pq gets address of the
              zeroeth element of q */
is equivalent to
```

```
pq = q;      /*q is equivalent to &q[0]*/
```



- o If we then write: i = \*pq;

What does i have in it?

- o type of q = \_\_\_\_\_

type of q[n] = \_\_\_\_\_

- o Declaration:     short q[100] is read  
                      "array of 100 shorts"

Expression:       q[n]       is read "q sub n"

## Pointers and arrays (con't.)

- o Whenever pointers are used in arithmetic expressions, integer constants and variables are scaled by the storage size of the pointer.

- o e.g.:

```
double *pd;
short *pi;
....
```

```
x = *(pi + 2); /* the 2 is first multiplied by */
               /*      2 (the size of a short) */
```

```
d = *(pd - 7); /* the 7 is first multiplied by */
               /*      8 (the size of a double) */
```

- o Example: short q[5];

&q[3] is 1200 + 3\*2

q + 3 is 1200 + 3\*2

&q[3] is q + 3

q[3] is \*(q + 3)

|      |       |      |
|------|-------|------|
| q[0] | ----- | 1200 |
| q[1] | ----- | 1202 |
| q[2] | ----- | 1204 |
| q[3] | ----- | 1206 |
| q[4] | ----- | 1208 |

- o Generally - q[n] is \*(q + n)

## Pointer and array examples: index.c

```
/* index - return index of first occurrence of char c
 *      in string s
 *      SUBSCRIPTED version
 */
```

```
#include <stdio.h>
```

```
int index(s, c)
```

```
char s[];          /*string to be searched*/
char c;            /*search character*/
{
    short i = 0;

    while (s[i] != '\0' && s[i] != c)
        ++i;

    return (s[i] == c ? i : -1);
}
```

```
/* index - return index of first occurrence of char c
 *      in string s
 *      POINTER version
 */
```

```
#include <stdio.h>
```

```
int index(s, c)
```

```
char *s;           /*string to be searched*/
char c;            /*search character*/
{
    char *s0 = s;

    while (*s != '\0' && *s != c)
        ++s;

    return (*s == c ? s - s0 : -1);
}
```



## Array arguments: a question

QUESTION: Assume the following machine state  
just before calling `strncpy(save, line, 4)` :

| VARIABLE | ADDRESS | STORAGE                                                                                                            |    |   |   |    |  |  |  |  |
|----------|---------|--------------------------------------------------------------------------------------------------------------------|----|---|---|----|--|--|--|--|
| line     | 800     | <table><tr><td>a</td><td>b</td><td>c</td><td>\0</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table> | a  | b | c | \0 |  |  |  |  |
| a        | b       | c                                                                                                                  | \0 |   |   |    |  |  |  |  |
|          |         |                                                                                                                    |    |   |   |    |  |  |  |  |
| save     | 1800    | <table><tr><td>x</td><td>y</td><td>z</td><td>w</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>  | x  | y | z | w  |  |  |  |  |
| x        | y       | z                                                                                                                  | w  |   |   |    |  |  |  |  |
|          |         |                                                                                                                    |    |   |   |    |  |  |  |  |

What does the parameter stack look like when  
`strncpy(save, line, 4)` is entered?

|    |                                                                       |  |  |  |              |
|----|-----------------------------------------------------------------------|--|--|--|--------------|
| s1 | <table><tr><td></td></tr><tr><td></td></tr><tr><td></td></tr></table> |  |  |  | <- 1st param |
|    |                                                                       |  |  |  |              |
|    |                                                                       |  |  |  |              |
|    |                                                                       |  |  |  |              |
| s2 | <table><tr><td></td></tr><tr><td></td></tr><tr><td></td></tr></table> |  |  |  |              |
|    |                                                                       |  |  |  |              |
|    |                                                                       |  |  |  |              |
|    |                                                                       |  |  |  |              |
| n  | <table><tr><td></td></tr><tr><td></td></tr><tr><td></td></tr></table> |  |  |  |              |
|    |                                                                       |  |  |  |              |
|    |                                                                       |  |  |  |              |
|    |                                                                       |  |  |  |              |

What does the storage of `save` look like  
when `strncpy` returns?

|      |      |                                                                                                           |  |  |  |  |  |  |  |  |
|------|------|-----------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|
| save | 1800 | <table><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table> |  |  |  |  |  |  |  |  |
|      |      |                                                                                                           |  |  |  |  |  |  |  |  |
|      |      |                                                                                                           |  |  |  |  |  |  |  |  |

## Array arguments: read

```

#include <stdio.h>

/* read - read characters into an array
 */

unsigned int read (s, n)

char s[];                /* where to store the bytes read */
unsigned int n;           /* max no. of bytes to read */
{
    int i;
    char c;

    for (i = 0; i < n; )
    {
        c = getchar();

        if (c == EOF)
            return (i);

        s[i++] = c;

        if (c == '\n')
            return (i);
    }
    return (i);
}

```

## EXAMPLE:

```
read (array, 10);
```

|   |  |             |
|---|--|-------------|
| s |  | ← 1st param |
| n |  |             |

```

char s[];      IS REWRITTEN BY C TO BECOME:
char *s;       (A POINTER TO CHARACTERS)

```

## Array arguments: write

```

/* write - write the characters from an array
 */

unsigned int write (s, n)

char s[];                /* location of bytes to write */
unsigned int n;           /* how many bytes to write */
{
    unsigned int j;


    for (j = 0; j < n; ++j)
        putchar(s[j]);

    return (n);
}


```

QUESTION: What does the parameter stack look like after the following function calls set up their arguments?

write ("abc", 3)



write ("0", 1)



"abc"                      400

"0"                        500

|   |    |   |    |
|---|----|---|----|
| a | b  | c | \0 |
| 0 | \0 |   |    |

## Pointer arithmetic

- o Adding or subtracting pointers and integers will cause C to scale according to the storage size pointed to.
- o Pointers may be subtracted from each other (scaled).
- o Pointers to like types may be meaningfully compared with each other.
- o Pointers may be assigned or compared against 0. C guarantees that no data item will ever be at 0.

```
char *p;  
  
if (p == NULL)  
    return;
```

- o NULL: in stdio.h

QUESTION: If `&s[0] == 1000`, what address will receive 777?

```
short *ptr;  
char s[20];  
  
ptr = s;  
  
*(ptr+3) = 777;
```



## Multidimensional arrays

```
static short scores[7][9] =
{
    0, 1, 0, 2, 0, 0, 0, 0, 1,
    0, 0, 0, 0, 0, 0, 0, 0, 0,
    0, 2, 3, 1, 0, 0, 0, 0, 0,
    0, 0, 7, 0, 1, 0, 0, 0, 0,
    0, 0, 0, 0, 0, 0, 0, 0, 0,
    1, 0, 1, 0, 1, 0, 0, 0, 0,
    2, 3, 1, 0, 0, 0, 0, 0, 0,
};
```

- o Arrays are stored in rows, that is, right subscripts vary the fastest.

```
scores [2][3] = _____
```

- o
  - sizeof (scores) = 7 x 9 x 2
  - sizeof (scores[0]) = 9 x 2
  - sizeof (scores[0][0]) = 2
  - type of scores[2] = short[9]

QUESTIONS: If &scores[0][0] == 1200, what is

```
&scores[1][0] _____
```

```
scores[1] _____
```

- o Passing a multidimensional array to a function:

```
x = sumup(scores, 7);
```

where sumup is declared

```
short sumup(arr, nrows)
short arr[][9];
short nrows;
```

## Pointer arrays

- o `short *aptr[10];`  
declares `aptr` to be an array of ten pointers to short.
- o `static char *cities[] =`  
`{"NY", "PHILA", "BOS", "LA", NULL};`

|   |        |      |      |
|---|--------|------|------|
| o | cities | 1000 | 1100 |
|   |        |      | 1103 |
|   |        |      | 1109 |
|   |        |      | 1113 |
|   |        |      | 0    |

|      |   |   |    |    |   |    |
|------|---|---|----|----|---|----|
| 1100 | N | Y | \0 |    |   |    |
| 1103 | P | H | I  | L  | A | \0 |
| 1109 | B | O | S  | \0 |   |    |
| 1113 | L | A | \0 |    |   |    |

QUESTION: Write down the TYPE and VALUE of

`cities[2][2]` \_\_\_\_\_

`&cities[2][2]` \_\_\_\_\_

`*cities[2]` \_\_\_\_\_

## Command line arguments to C

- o When `main()` is called it is passed two arguments:

```
main (ac, av)
```

```
unsigned int ac;
char *av[];
```

- o `ac` is the count of the number of arguments passed to the main.
- o `av` is a pointer to a list of name pointers.

## One types:

ULTRIX interface

VMS interface

```
cmd a1 a2
```

```
cmd = "$sys$login:cmd.exe"
cmd a1 a2
```

and the program sees the following variables:

|    |      |      |  |
|----|------|------|--|
| ac | 1400 | 3    |  |
| av | 1404 | 1440 |  |

|       |      |      |      |   |   |    |    |
|-------|------|------|------|---|---|----|----|
| av[0] | 1440 | 1662 | 1662 | c | m | d  | \0 |
| av[1] | 1444 | 1666 | 1666 | a | 1 | \0 |    |
| av[2] | 1448 | 1669 | 1669 | a | 2 | \0 |    |
| av[3] | 1452 | 0    |      |   |   |    |    |

## Using arguments in echo.c

```

#include <stdio.h>

main(ac, av)

unsigned int ac;
char *av[];
{
    short i;

    for (i = 1; i < ac; ++i)
        printf(i < ac-1 ? "%s " : "%s\n",
               av[i]);

    exit (0);
}

```

## o Example

```
$ echo ab xyz 12345
```

|    |      |  |      |
|----|------|--|------|
| ac | 2200 |  | 4    |
| av | 2204 |  | 2630 |

|       |      |      |      |   |   |    |    |   |    |
|-------|------|------|------|---|---|----|----|---|----|
| av[0] | 2630 | 3750 | 3750 | e | c | h  | o  |   | \0 |
| av[1] | 2634 | 3755 | 3755 | a | b | \0 |    |   |    |
| av[2] | 2638 | 3758 | 3758 | x | y | z  | \0 |   |    |
| av[3] | 2642 | 3762 | 3762 | 1 | 2 | 3  | 4  | 5 | \0 |
| av[4] | 2644 | 0    |      |   |   |    |    |   |    |

Variable number of function arguments: `cpystr`

Taking the address of the argument list allows a pointer to walk this list:


```
char *cpystr(olddest, s)

char *olddest;
char *s;
{
    char **ps = &s;
    register char *dest = olddest;
    register char *src;

    for (src = *ps; src != NULL; src = *++ps)
        while (*src != '\0')
            *dest++ = *src++;
    *dest = '\0';
    return (olddest);
}
```

Walking the pointer `ps` along the arguments allow user to call the function with variable number of arguments:

```
cpystr(target, "ab", "c", "de", NULL);
```



## Pointers to functions

- o Functions themselves cannot be directly manipulated but pointers to the functions can be.
- o 

```
void f(g)

void (*g)();          /* pointer to function */
{
    ...
    k = (*g)(i);       /* call g(i) */
    ...
}
```
- o For example:  
  

```
short fn1 (arg)        /*the first function*/
short arg;
{
    if (arg < 5) return (10);
    else return (11);
}

short fn2 (arg)        /*the second function*/
short arg;
{
    if (arg < 5) return (20);
    else return (21);
}

int func (g, i)        /*the calling function*/
short (*g)();
short i;
{
    printf ("%d\n", (*g)(i));
}

main()
{
    func (fn1, 7);    /* will print 11 */

    func (fn2, 3);    /* will print 20 */
}
```

## Structure basics

- o A structure is a group of variables, of varying type, which is placed together for ease of manipulation.

- o Formal definition of structure variable  
(define the pattern)

```
struct task
{
    char job [20];
    char *plan;
    short start;
    float length;
};
```

- o Declare structure variables from the pattern  
(actually allocate storage)

```
struct task t;

job      +-----+
| | | | | | | | | | | | | | | | | | | | |
+-----+
plan     |         |
+-----+
start    |   |
+---+---+
length   |         |
+-----+
```

- o struct task ti, tj, tk;  
declares three variables: ti, tj, tk.
- o on VAX: sizeof (ti) = \_\_\_\_\_ (bytes).

## Members of structures

- o The member of a structure is used in expressions:

structurename.member

e.g.:

t.plan  
or  
tk.length

| o | element  | type      | offset in structure |
|---|----------|-----------|---------------------|
|   | t.job    | char [20] | 0                   |
|   | t.plan   | char *    | 20                  |
|   | t.start  | short     | 24                  |
|   | t.length | float     | 26                  |

- o EXAMPLE:

in task.h header file:

```
struct task
{
    char job [20];
    char *plan;
    short start;
    float length;
};
```

in prog.c program file:

```
#include "task.h"
#include <stdio.h>
```

```
main()
{
    static struct task t1 = {"Hawaii vacation",
                             "car-plane", 1210, 8.45};

    printf ("%s %s %d %8.2f",
            t1.job, t1.plan, t1.start, t1.length);
}
```



## Members and nesting

- o structure.member is an lvalue

Examples:

```
if (tj.start < ti.start)
    ...
tk.length = 12.3;
    ...
tl.plan = ptr;
```

- o One structure may be nested inside another.

```
struct time
{
    char hh;
    char mm;
    char ss;
};

struct task
{
    char job [20];
    char *plan;
    struct time start;
    float length;
};

struct task t;
```

- o We can now reference the components of each time:

```
t.start.hh
t.start.mm
t.start.ss
```

## Defined types for structures

## o Common usage -

#define the structure as a new variable

## o EXAMPLE:

in task.h header file:

```
#define TASK struct task
TASK
{
    char job [20];
    char *plan;
    short start;
    float length;
};
```

in prog.c program file:

```
#include "task.h"
#include <stdio.h>

main()
{
    static TASK t1 = {"Hawaii vacation",
                     "car-plane", 1210, 8.45};

    printf ("%s %s %d %8.2f",
            t1.job, t1.plan, t1.start, t1.length);
}
```

## Pointers to structures

- o Only a few operators are allowed upon structures:

t.plan                  member

&t                      address-of

sizeof (t)            size of

Structures cannot be operated upon as a unit

e.g.    ti = tj;            /\*generally not work\*/  
                             /\* but works in VAX-11C\*/

- o The declaration:

struct task \*ptask;

declares ptask to point to a structure of type task.

ptask = &t;

- o To access members of the structure pointed to by ptask:

ptask->job  
          or  
ptask->plan  
          or  
ptask->start.mm

- o ptask->length        is the same as    (\*ptask).length

- o t.plan                is the same as    (&t)->plan

## Pointers to structures (continued)

- o Pointers to structures are often used to pass structures to functions.

- o EXAMPLE:

```
/*function to add a task structure to a task table
*/
```

```
#include "task.h"
```

```
int install (ptask)
```

```
struct task *ptask;
{
    ...
    ... ptask->job ...
    ... ptask->plan ...
    ... ptask->start.mm ...
    ...
    return (...);
}
```

called from the main() by:

```
num = install (&ti);
```

## Formats for structure definitions

- |   |                                                                         |                                                                           |
|---|-------------------------------------------------------------------------|---------------------------------------------------------------------------|
| o | <pre> struct task {     char *desc;     long plan; } tsk1, tsk2; </pre> | <p>STRUCTURE FORM and<br/>ACTUAL STRUCTURES</p>                           |
| o | <pre> struct task {     char *desc;     long plan; }; </pre>            | <p>STRUCTURE FORM only</p>                                                |
| o | <pre> struct {     char *desc;     long plan; } tsk1, tsk2; </pre>      | <p>ACTUAL STRUCTURES only</p>                                             |
| o | <pre> struct task tsk1,tsk2; </pre>                                     | <p>ACTUAL STRUCTURES from<br/>a previously defined<br/>STRUCTURE FORM</p> |

## Unions

- o structure-like variables, i.e.  
objects of varying types and widths in one variable
- o variable values overlay one another  
(not follow one another as in a structure)
- o One use: two or more ways of looking at the same storage.

```
union
```

```
{  
    long l;  
    char c[4];  
} parts;
```

l and c are two objects which  
can be held in the variable parts.

If parts.l = 0x87654321

```
then    parts.c[0] = 0x21  
        parts.c[1] = 0x43  
        parts.c[2] = 0x65  
        parts.c[3] = 0x87
```

- o Another use: saving space in data storage by using the same space for mutually-exclusive values.

```
union payeeno
```

```
{  
    char ssno[12];  
    char taxidno[15];  
};
```

- o A union will be large enough to hold the largest member.  
Alignment will satisfy all uses.
- o It is the programmers task to keep  
track of how the union was most  
recently used.

## Typedef

- o Typedef is a method of creating synonyms for types. This is part of the C language not part of the preprocessor.
- o Instead of:  
    #define bool int  
  
We could say:  
    typedef int bool;
- o     typedef char \*STRING;  
       STRING s, t;

## Arrays of structures

Consider the problem of looking up a keyword in a predefined table and mapping it into an integer "token" for efficiency.

```
the book is on this desk
1  2  3  4  5  6
```

o In header file (token.h)

```
struct keytab
{
    char *word;
    int token;
};
```

|       |      |        |
|-------|------|--------|
| word  | o--- | -----> |
| token |      |        |

o In program:

```
static struct keytab dtab[] =
{
    "define", 1,
    "include", 2,
    "undef", 3,
    "line", 4,
    "ifdef", 5,
    "ifndef", 6,
    "endif", 7,
    "elseif", 8,
};
```



## Arrays of structures (continued)

```

/*function to lookup a keyword in a table
  of keytab structures and return the token
  */

#include "token.h"

int lookup (keyword, table, tablesizesize)

char *keyword;          /*keyword to lookup*/
struct keytab *table;   /*ptr to table of structures*/
short tablesizesize;    /*number of entries in table*/
{
    for ( ; tablesizesize > 0 ; --tablesize, ++table)
        if (cmpstr(keyword, table->word))
            return (table->token);

    return (0);          /*failure*/
}

```

```
o Called from main() as:
```

```
typ = lookup("line", dtab, 8);
```

```

keyword|      |      | 1 | i | n | e | \0|
+-----+      +-----+
table  |      |      |----->| d | e | f | i | n | e | \0|
+-----+      +-----+
      1 |
+-----+      +-----+
tablesize|      |      |----->| i | n | c | l | u | d | e | \0|
+-----+      +-----+
      2 |
      |
      .
      .
      |
      |----->| e | l | s | e | i | f | \0|
      |-----+
      8 |
+-----+

```

## Bit fields


- o Represent data as bit field instead of bytes
- o Useful if storage is limited  
Useful for defining status words, hardware interfaces, ...

```
o #define bits unsigned int
  struct flags
  {
    bits    alloc:1;
    bits    type:3;
    bits    ref:2;
    bits    sc:3;
  };
```

```
struct flags f;
```

Each individual field is n bits long  
and may be referenced:

```
f.alloc
or
f.sc
etc.
```



## Bit fields (continued)

- o To set on:  
    f.alloc = 1;  
  
to turn off:  
    f.type = 0;  
  
to test:  
    if (f.sc == 1)  
        ...  
  
    ...
- o Can't take address of (&) field.
- o Unnamed fields are used for padding.
- o Field of width 0 causes alignment on the next unsigned.
- o Fields cannot overlap unsigned boundary; the field is aligned at the next unsigned.
- o Do not depend on allocation order within word; it varies between machines. (some CPUs order bits left to right, not right to left as in VAX, PDP)
- o Do not combine bit-field operations and mask-and-shift operations.

## Linked lists

- o A slight re-definition of our task structure will allow the creation of linked lists (chains) of tasks:

```


struct task
{
    struct task *next;
    char job[20];
    char *plan;
    short start;
    float length;
};

```

```

struct task t;

```



Linked list (continued)

```
struct task *tlist;      /* point to current head */


struct task *p;          /* point to new task */
```

- o To add an element to a task linked list:

```
p = malloc(sizeof (struct task));  
p->next = tlist, tlist = p;
```

- o To delete an element from a task linked list:


```
p = tlist, tlist = p->next;
free(p);
```



Standard input, standard output, and standard error

stdin Standard input  
 stdout Standard output  
 stderr Standard error file

- o These three files are already opened for the main program.
- o The default for all three files is the interactive terminal.



- o The stdin and stdout can be changed for individual commands


VMS

```

ASSIGN file1 SYS$INPUT
ASSIGN file2 SYS$OUTPUT
RUN CMD
  
```

UNIX

```
cmd <file1 >file2
```



## Character Input/Output: getchar, putchar

## o Basic I/O facility:

read a character at a time from the "standard" input  
write a character at a time to the "standard" output

## o Get a character from the standard input:

```
char getchar()
```

getchar gets a character from stdin. (c >= 0)  
getchar returns EOF (-1) on end of file.

## o Put a character to the standard output

```
char putchar(c)
```

putchar puts character c to stdout, returns c.

(c must be >=0).  
putchar returns EOF on error.

## o File copy:

```
while ((c = getchar()) != EOF)  
    putchar(c);
```

## o getchar and putchar are typically implemented as macros, not functions.

Line Input/Output: gets, puts

gets - gets a text line from stdin.

puts - puts a text line to stdout.

o      char \*gets(s)

copies characters from stdin to the  
character string at s, until:

(a) newline

(b) EOF

A '\0' terminator is added.

The newline is deleted.

gets returns its argument.

o      int puts(s)

copies from character string at s  
to stdout, appending a newline.

no value is returned.

o      To copy input to output:

puts(gets(s));



## Formatted output: printf

o `printf(fmt, arg1, arg2, ...)`

`fmt` is a string specifying format  
`arg1, ...` are the variables to be output  
in that format

returns the number of characters written out

characters are output to the standard output

o EXAMPLES:

```
short i = 37;
static char s[] = "abc"
int j = 3;
```

```
printf ("%5s", s);    ==>   __abc
```

```
printf (" -5s", s);   ==>   abc__
```

```
printf (" -5.2s", s); ==>   ab__
```

```
printf ("%5d", i);    ==>   __37
```

```
printf (" %-5d", i);  ==>   37__
```

```
printf ("%*d", j, i); ==>   _37
```

o If output is too wide for "output width",  
width is ignored.

## Formatted input: scanf

- o scanf(fmt, &arg1, &arg2 ... &argn)

fmt is a string specifying format  
arg1, ... are the variables to be input  
in that format

scanf returns the number of arguments  
successfully assigned.

Characters are read from the standard input

The scan is terminated if the format

character does not match the input.

Codes for scanf are the same as for printf,  
except that "hd", "ho", and "hx" read shorts.

- o Input items are separated by whitespace,  
which is ignored. The 'c' format is an exception;  
the requested number of characters are always read  
including whitespace characters.  
(only EOF stops the scan)

- o EXAMPLES:

```
int i;  
short j;  
char s1[20], s2[20];
```

```
scanf ("%d%hd", &i, &j);    <==  26  132
```

will produce i==26, j==132

```
scanf ("%d%d", &i, &j);    <==  26  132
```

will cause j value to overwrite adjacent i

```
scanf ("%2d%hd", &i, &j);  <==  356 241
```

will produce i==35, j==6  
241 is still in terminal buffer

```
scanf ("%20c", s);        <==  test msg112$}*&^
```

the next 20 characters go into s1

```
scanf ("%[abc]%[xyz]", s1, s2); <== bacyxw
```

will produce s1=="bac", s2=="yx"

I/O to and from strings: sprintf, sscanf

- o write args into a string according to fmt

```
char str [14];  
static har month [10] = "November";  
short day = 23;  
  
sprintf (str, "%10s %4d", month, day);
```

will produce str == "November 23"

- o read into args from string according to fmt

```
static char str [] = "Hammer 568";  
char part [6];  
long number;  
  
sscanf (str, "%s%d", part, &number);
```

will produce part == "Hammer", number==568

## File I/O

- o A FILE is a structure specifying...

file descriptor: 0 STDIN, 1 STDOUT, 2 STDERR, ...  
characters left in buffer  
mode  
next character in buffer  
buffer

from stdio.h: #define FILE struct \_iobuf

FILE pointers:            stdin, stdout, stderr

file descriptors:        0,        1,        2

- o fopen - opens a file by name, in specified mode

FILE \*fopen (fname, mode)

## EXAMPLE:

FILE \*fp;

fp = fopen ("data.file", "w");

mode == "w",

open for sequential write

mode == "r"

open for sequential read

mode == "a"

append: open for writing at end

- o fclose (fp)

Closes a file controlled by fp.

## File I/O (continued)

## o Character I/O

```
getc(fp)                /* macro */
putc(c, fp)              /* macro */
fgetc(fp)                /* function */
fputc(c, fp)             /* function */
```

## o Line I/O

```
fgets(s, n, fp)
    read at most n-1 chars into s,
    including newline
fputs(s, fp)
    write s to file fp
```

## o Formatted I/O

```
fscanf(fp, fmt, &arg1, ..., &argn)
fprintf(fp, fmt, arg1, ..., argn)
```

## o Block I/O

```
fread (buf, size, num, fp)
    read num items of size each into buf
fwrite (buf, size, num, fp)
    write num items of size each from buf
```

```
/*      Program to use C standard I/O to write a file
 *      containing one 1, two 2s, etc. up to 10
 */

#include <stdio.h>

main()
{
    FILE *fptr;
    char string [10];
    register i, j;

    /*Create the file
    */

    if ((fptr = fopen ("FILE.DAT", "w")) == NULL)
        perror ("OPEN error"), exit (0);

    /*Place the correct numbers in the array string and
    * write the array to the file
    */

    for (i=1 ; i<=10 ; i++)
    {
        for (j=0 ; j<i ; j++)
            string [j] = i;

        if (fwrite (string, i, 1, fptr) == 0)
            perror ("WRITE error"), exit (0);
    }

    /*Close the file
    */

    if (fclose (fptr) == EOF)
        perror ("CLOSE error"), exit (0);
}
```

Error output: perror, fprintf

- o     perror ("file open error");

          write string to stderr     -and-

          write system message to stderr that  
          corresponds to the error code in  
          the external int   errno

- o     fprintf (stderr, "can't open file %s\n", fname);

          write formatted output to stderr

## System level I/O

- o an alternative to standard I/O (fopen, fwrite, ...)
- o direct calls to the ULTRIX operating system (emulated in VMS)

- o creat will create a new file:

```
fd = creat (name, mode)
```

returns a file descriptor (positive integer)

mode specifies UNIX access permissions:

|         | owner | group | others |
|---------|-------|-------|--------|
| read    | 0400  | 040   | 04     |
| write   | 0200  | 020   | 02     |
| execute | 0100  | 010   | 01     |

- o open will open an already existing file:

```
fd = open (name, mode);
```

returns a file descriptor (positive integer)

```
mode    == 0 for read,  
        == 1 for write,  
        == 2 for read/write.
```

- o close will close a file:

```
close(fd);
```



## System I/O (continued)

- o read and write:

```
read(fd, buf, size);
```

read size bytes into buf from fd

returns the number of bytes read

0 if end-of-file

-1 if error

```
write (fd, buf, size);
```

write size bytes from buf to fd

returns the number of bytes written

-1 if error

- o EXAMPLE: To copy INPUT to OUTPUT

```
#include <stdio.h>
```

```
main()
```

```
{
char b[BUFSIZ];
short i;
int fdin, fdout;

if ((fdin = open ("INPUT", 0)) == -1)
    perror ("open error"), exit (1);

if ((fdout = creat ("OUTPUT", 0)) == -1)
    perror ("creat error"), exit (1);

while ((i = read (fdin, b, BUFSIZ)) != 0)
{
    if (i < 0)
        perror("read error"), exit (1);

    else if (i != write(fdout, b, i))
        perror("write error"), exit (1);
}
exit (0);
}
```

From stdio.h: BUFSIZ (512 on most systems)

### lseek

- o lseek will position within an open file for read/write

```
lseek (fd, offset, origin);
```

offset is number of bytes from the origin

```
origin == 0    byte offset from the beginning,  
        == 1    byte offset from the current position,  
        == 2    byte offset from the end.
```

returns the resulting offset location from the beginning

- o lseek does not physically move the disk arm; it only specifies the byte position for the next I/O operation.

- o EXAMPLE:

```
/*function to read randomly a block from a file  
*/  
  
#include <stdio.h>  
  
int getblock(fd, buf, blkno)  
  
int fd;                /*file desc of open file*/  
char *buf;             /*address to read into*/  
short blkno;           /*block number to read*/  
{  
  
    lseek (fd, blkno * BUFSIZ, 0);  
  
    /*return T or F value:  
       F == 0 if end of file  
       T > 0 for number of bytes read  
    */  
    return (read(fd, buf, BUFSIZ) == BUFSIZ);  
}
```

Heap allocation: malloc, free

- o malloc - allocates space on the heap.

```
char *malloc(nbytes)
unsigned nbytes;
```

An element of size nbytes is allocated, and its address is returned.

malloc() returns NULL pointer on failure.

- o free - frees a previously allocated cell.

```
free(pcell)
char *pcell;
```

Free the space pointed to by pcell.

Be careful to free only those cells previously malloc'ed!

C programming style

## Data and variables

- o Consistent and meaningful names
- o Standard defined-types: ushort, tiny, ...
  - #define ushort unsigned short
  - #define tiny char
  - ...
- o Manifest constants: EOF, NULL, ...

C programming style

## Operators

- o No blank for primary and unary ops:

\*p p[] s.m

- o No blank for parens: (x + y)

- o No blank for functions f(x)

- o One blank for binary ops: x + y

- o One blank for key words: if (...)

- o Do not assume left-to-right evaluation:

a() + b() \* c()

- o Do not assume timing of side-effects within an expression:

a[i++] = b[j++]; OK

a[i++] = b[i]; BAD

- o The only guarantees for sequence and side-effects are the sequence guarantees of C:

full-expr && || , ?:

C programming style

## Control structures

- o Braces above and below body

```
{  
    remark("bad value", code);  
    ++nerrs;  
}
```

- o One-tab uniform indents
- o 80-char line limit: no "wrapped lines"
- o "else-if" only when necessary; prefer "switch"
- o Avoid "goto" and "continue"

C programming style

## Functions

## o Layout:

```
#include <stdio.h>
#include <stdlib.h>
#include "proj.h"
#define TOK short
TYPEX varx = NNN;          /* commented */

/* comment describing func
 */
TYPE func(a1, a2, a3)

TYPE1 a1;          /* describe */
TYPE2 a2;          /* describe */
TYPE3 a3;          /* describe */
{
    extern TYPEX varx;
    <local declarations>

    <statements>
}
```

## o Build and use standard headers

o Source files no bigger than 500 lines;  
functions no bigger than 50 lines

## o #includes, then #defines, then rest of file

o No initializations in header files; they should  
contain nothing but #define, typedef,  
structure declarations, and externs.

## o Prefer static to external

o "Defensive programming": each source file  
responsible to avoid out-of bounds references.  
Professional code is not allowed to "bomb-out".

## Common C bugs

1. General
  - Uninitialized variables
  - Off-by-one errors.
  - Treating an array as though it were  
1-origin (instead of 0-origin).
  - Unclosed comments.
  - Forgetting semi-colons.
  - Misplaced braces.
2. Types, Operators, and Expressions
  - Using "char" instead of "int" for the  
returned value from getch.
  - "Backslash" typed as "Slash"; e.g.,  
'/n' instead of '0.
  - Declaring function arguments after the  
function brace, creating spurious  
local variables.
  - Arithmetic overflow.
  - Using relational operators on strings;  
e.g. s == "end" instead of  
strcmp(s, "end").
  - Using "=" instead of "==".
  - Multiple side-effects to the same memory  
in the same expression;  
e.g. sec = ++sec % 60;
  - False assumptions about the time at which  
post-increment is done.
  - Off-by-one errors in loops with increment.
  - Precedence of bitwise logical operators.  
(Always parenthesize them.)
  - Right-shifting negative numbers  
(Not equivalent to division).
  - Assuming the order of evaluation of expressions.
  - Forgetting null-terminator on strings.



## Common C bugs (continued)

## 3. Control flow

Misplaced "else"  
Missing "break" in "switch".  
Loop with first or last case abnormal in some way.  
Loop mistakenly never entered.

## 4. Functions and program structure

Wrong type of arguments  
    (relying on memory instead of manual).  
Wrong order of arguments.  
Omitting static on subfunction's abiding storage.  
Assuming that static storage is re-initialized at  
    each re-entry.  
Macro written without full parenthesization of  
    arguments  
and result.

## 5. Pointers and arrays

Passing pointer instead of value -- or value  
    instead of pointer.  
Confusing "char" with "char \*".  
Using pointers for strings without allocating  
    storage for the string.  
Dangling pointer references -- references to  
    storage no longer used.  
Confusing single quotes ('\\n')  
    with double quotes ("\\n").

MONDAY PROGRAMMING ASSIGNMENTS

In the following exercises, avoid expanding the scope of the exercises so as to involve sophisticated terminal input. For example in exercise 1, avoid generalizing so as to form the sum of numbers up to that input from the terminal.

1. Write a program to form the sum of the numbers from 1 to 25 inclusive. Print to the terminal the sum and the integer average of the numbers.
2. Write a program that reads 5 characters from the terminal and prints them back to the terminal in reverse order.
3. Write a program that will read characters from the terminal until newline and print back to the terminal a line of asterisks proportional in length to the binary value of each character typed. Apply a scaling factor, so that the largest ASCII character will still fit onto an 80 character line. This program functions as a simple plotter, treating the input line as an analog input signal.
4. Write a program that reads 2 numbers from the terminal and prints back to the terminal the larger. What happens if a letter is typed as input to your program?
5. Write a program which tells the size of a machine word in bits, i.e. tells how many bits exist in an int on the computer on which you are running.
6. Write a program which reads an line of input from the terminal and prints each word on a separate line. A word, for our purposes, is a sequence of non-whitespace characters. Along with each word, print its hash-sum (the sum of the characters in the word), once as a 4-digit hex number and once as a 5-digit octal number. Print the hex number with leading zeroes and the octal number with leading blanks. An empty line of input should produce no output.

TUESDAY PROGRAMMING ASSIGNMENTS

In the following exercises, avoid expanding the scope of the exercises so as to involve sophisticated terminal input.

- ✓1. Write a function that compares 2 shorts (passed as arguments) and returns the larger. Test the function with a program.
- ✓2. Write a macro D0 which will duplicate the syntax of a FORTRAN D0 loop, e.g.  
D0 i=3,11,2            written as    D0(i,3,11,2)  
meaning a loop from an initial value of i = 3 to a final value = 11 in increments of 2. The variable name, the limits of the loop and the increment are arguments. Test the macro with a program that prints to the terminal the values of the loop during each pass.
3. a. Write a function cmpstr (s1, s2) which returns a true value if strings s1 and s2 are equal, a false value otherwise. Compile cmpstr into an object file.  
b. Write a program to test cmpstr. Compile it and link it with cmpstr.
4. Write a macro TOUPPER which will translate a lower case character into upper case using the conditional operator e.g.  
a ? x : y Test the macro with a program which reads characters from the terminal and prints back to the terminal the result of the TOUPPER macro on them.
5. The function nfrom (low,high) produces a random number between low and high inclusive. See page 5-24 of the text. Modify nfrom to generate a long value rather than a short one. Write a program that calls nfrom 10,000 times to generate random numbers from 1 to 6. Print to the terminal a summary showing how many 1s, 2s, etc. were generated.
6. Modify the program calling nfrom in the prior exercise to simulate 10,000 rolls of two six-sided dice. Print a summary showing each possible sum and how many times it occurred.

WEDNESDAY PROGRAMMING ASSIGNMENTS

1. Write a program that will populate a 50 element char array with the integers 1-50 using pointers, not subscripts. Print the array to the terminal on five lines
2. Write a program that reads your first name and age from the terminal using a single `scanf` and forms a character string using `sprintf` with your age at your next 3 birthdays. Print the character string back to the terminal.
3. Write the function `rindex` described in Exercise 7-1 on page 7-10 of the text "Learning to Program in C". Test with an appropriate program.
4. Modify the function `cmpstr` written in a previous exercise to use pointers rather than subscripts. Test with a program.
5. Multidimensional arrays will be needed for this exercise. See the appropriate pages of the text and this workbook for assistance. The program `tokens.c` converts its input into a table of tokens. See the supplied listing. A token is defined as a unique number assigned to a word. The first word from the input is assigned to token number 1, the next is assigned to token number 2, etc. When a word is found in the input that is identical to one encountered previously, it is given the same token number previously assigned. After reading all the input, the program prints out the table of token numbers and words. If a word is longer than 8 characters, only the first 8 are stored.  
Write the functions required by `tokens`. Your solution consists of only one source file, with 2 functions:

```
short install (s)
char s[];
    /*Look for the word s in the table. If found,
    return its token number. If not found, insert
    s in the table and return a new token number.
    If no space left, exit (FAIL);*/

int dumptok()
    /*Print out the token table*/
```

Sample execution of `tokens.c`:

```
$ run tokens
ABC 123 ABC 1234567890
1 2 1 3
```

```
Token table:
1 ABC
2 123
3 12345678
```

THURSDAY PROGRAMMING ASSIGNMENTS

1. Write a program to prompt for and read from the terminal the values for part name (maximum chars 10), part number (6 digits) and amount in stock. Obtain and write 4 such records into a disk file using a structure.
2. Write a program that uses an array of pointers to read from the terminal your first name, middle name and last name. Print on successive lines using the pointer array your last name, middle name and first name.
3. Write a program that will read the records from the part name file created above and print to the terminal a report showing the part name, part number and amount in stock of each and the total amount in stock of all parts.
4. Make the program revisions described in Exercise 8-1 on page 8-5 of the text "Learning to Program in C".
5. Write the program `runtt` described in Exercise 8-2 on page 8-7 of the text "Learning to Program in C". Ignore the last sentence of the exercise and print out the structure as in `gettt.c`.

FRIDAY PROGRAMMING ASSIGNMENTS

1. Write a program that reads its 2 arguments from the command line. If the strings are equal, print EQUAL and the string. If the strings are not equal, print NOT EQUAL. If less than or more than 2 arguments are supplied, print an appropriate error message.

2. Revise the program previously written to create a part number file to create and write to the file using system level I/O.

3. Write a program that will read the records using system level I/O from the part name file created above and print to the terminal a report showing the part name, part number and amount in stock of each and the total amount in stock of all parts.