

IDENTIFICATION

PRODUCT CODE:	MAINDEC-08-DIGAC-E-D
PRODUCT NAME:	PDP-08 MAINDEC INDEX
PRODUCT DATE:	AUGUST, 1977
MAINTAINER:	RELEASE ENGINEERING

THE INFORMATION IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION. DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR ANY ERRORS THAT MAY APPEAR IN THIS MANUAL.

THE SOFTWARE DESCRIBED IN THIS DOCUMENT IS FURNISHED TO THE PURCHASER UNDER A LICENSE FOR USE ON A SINGLE COMPUTER SYSTEM AND CAN BE COPIED (WITH THE INCLUSION OF DIGITAL'S COPYRIGHT NOTICE) ONLY FOR USE IN SUCH SYSTEM, EXCEPT AS MAY OTHERWISE BE PROVIDED IN WRITING BY DIGITAL.

DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT THAT IS NOT SUPPLIED BY DIGITAL.

COPYRIGHT (C) 1976,1977 BY DIGITAL EQUIPMENT CORPORATION

FOREWARD

THE INTENT OF THIS MAINDEC INDEX IS TO SHOW THE LATEST DIAGNOSTIC PROGRAMS, AND THEIR LATEST MCO REVISION LEVEL. THE INDEX WILL BE PUBLISHED MONTHLY. THE COLUMN HEADINGS HAVE THE FOLLOWING MEANINGS.

UPDATED	AN * INDICATES THAT THIS MAINDEC HAS BEEN CHANGED SINCE THE LAST ISSUE OF THIS DOCUMENT.
DESIGNATION	MAINDEC CODE OF THE LATEST DIAGNOSTIC.
REV	REVISION LEVEL OF THE PROGRAM.
MCO	INDICATES THE LATEST MCO REVISION LEVEL OF THE PROGRAM.
PRODUCT NAME	TITLE OF THE DIAGNOSTIC REFERRED TO BY THE DESIGNATION CODE.
EFFECTIVE DATE	PROGRAM DATE
OPTIONS TESTED	THIS FIELD LISTS ALL OPTIONS TESTED BY THE DIAGNOSTIC PROGRAM.
CPU PROGRAM RUNS IN	INDICATES PROCESSOR PROGRAM IS DESIGNED TO RUN IN.
CORE K TO LOAD AND RUN	THE MEMORY SIZE REQUIRED TO LOAD AND EXECUTE THE PROGRAM.
MODES OF OPERATION	EX = EXEC MODE US = USER MODE KE = KERNEL MODE SY = SYSTEM EXERCISER DM = DIAGNOSTIC MONITOR SP = SPECIAL USER ST = STAND ALONE

DISTRIBUTION/SUPPORT CODE

ALL DIAGNOSTICS LISTED IN THIS MAINDEC INDEX HAVE A DISTRIBUTION CODE OF G: (I.E.) ALL PROGRAMS ARE AVAILABLE THROUGH THE SDC.

SUPPORT CATEGORY CODES ARE AS FOLLOWS:

A = DIGITAL PROVIDES ON-SITE INSTALLATION SUPPORT SPECIFIED IN THE APPLICABLE SOFTWARE PRODUCT DESCRIPTION.

0 = DIGITAL PROVIDES PROBLEM REPORTING
SERVICE.

ANY COMMENTS OR QUESTIONS ABOUT THIS INDEX PLEASE CONTACT
RELEASE ENGINEERING, MAYNARD EXTENSION 4055.
THANK YOU.

IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP- 8E MAINDEC INDEX BY APPLICATION

 *** APPLICATION: PROCESSOR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM I	MODES BASED OF OPEN	TEXT CODE
M- 8E-D0A	B	INSTRUCTION TEST PART 1	5-10-71		8E	4K 4K	ST G/B
M- 8E-D0B	B	INSTRUCTION TEST PART 2	8-15-74		8E	4K 4K	ST G/B
M- 8E-D0G	C	RANDOM DCA TEST	6-11-71		8E	4K 4K	ST G/B
M- 8E-D0H	C	RANDOM JMP TEST	6-11-71		8E	4K 4K	ST G/B
M- 8E-D0I	B	BASIC JMP-JMS TEST	6-11-71		8E	4K 4K	ST G/B
M- 8E-D0J	C	RANDOM JMP-JMS TEST	8-15-74		8E	4K 4K	ST G/B
M- 8E-D0A	A	INSTRUCTION TEST PART 1	10-08-71 PMK-01		8E	4K 4K	ST G/B
M- 8E-D0B	A	INSTRUCTION TEST PART 2	10-08-71 PMK-01		8E	4K 4K	ST G/B
M- 8E-D0C	A	ADDER TEST	10-08-71 PMK-01		8E	4K 4K	ST G/B
M- 8E-D0D	A	RANDOM AND TEST	8-15-74 PMK-01		8E	4K 4K	ST G/B
M- 8E-D0E	A	RANDOM TAU TEST	8-15-74 PMK-01		8E	4K 4K	ST G/B
M- 8E-D0F	A	RANDOM ISZ TEST	8-15-74 PMK-01		8E	4K 4K	ST G/B
M- 8E-D0G	A	RANDOM DCA TEST	8-15-74 PMK-01		8E	4K 4K	ST G/B
M- 8E-D0H	A	RANDOM JMP TEST	8-15-74 PMK-01		8E	4K 4K	ST G/B
M- 8E-D0I	A	BASIC JMP-JMS TEST	8-15-74 PMK-01		8E	4K 4K	ST G/B
M- 8E-D0J	A	RANDOM JMP-JMS TEST	8-15-74 PMK-01		8E	4K 4K	ST G/B
M- 8E-D0KAA	A	ADDER TEST	8-15-74		8E	4K 4K	ST G/B
M- 8E-D0F	C	RANDOM ISZ TEST	6-11-71		8E	4K 4K	ST G/B

 *** APPLICATION: PROCESSOR OPTION ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM I	MODES BASED OF OPEN	TEXT CODE
M- 8E-D0P	C	D08-E INTERPROCESSOR BUFFER	10-27-71 D08-E		8E	4K 4K	ST G/B
M- 8E-D0A	B	PLOTTER CONTROL AND DISPLAY (XY8E)	5-18-71 XY8-E		8E	4K 4K	ST G/B
M- 8E-D0A	C	DK8E CLOCKS DIAGNOSTIC	10-08-71 DK8E		8E	4K 4K	ST G/B
M- 8E-D0M	A	PMK-01 KP8E POWER FAIL TEST	8-15-74 KP8-E /PMK-01		8E	4K 4K	ST G/B

 *** APPLICATION: MEMORY ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM RUNS IN	CORE K TO LOAD RUN	SYSTEM BASED	MODES OF OPEN	IXXDPI TEXT	D/S CODE
M- 8E-D1A	B	MM8E 4K MEMORY CHECKERBOARD	6-07-71		8E	4K	4K	ST		G/B
M- 8E-D1E	C	PDP-8E MEMORY ADDRESS	6-11-71		8E	4K	4K	ST		G/B
M- 8E-D1G	B	PDP-8E MEMORY POWER ON/OFF TEST	6-11-71		8E	4K	4K	ST		G/B
M- 8E-D1I	B	M18-E BOOTSTRAP DIAG	1-17-72	M18-E	8E 8M 8F	4K	4K	ST		G/B
M- 8E-D9K	A	MEMORY ADDRESS TEST	10-08-71	MM8-E /PMK-01 / MM8-EH /MM8-EJ	8E	4K	4K	ST		G/B
M- 8E-D9L	A	MM8-E 4K MEM CHECKRBD	8-15-74	MM8-E /MM8-EH / MM8-EJ /PMK-01	8E	4K	4K	ST		G/B
M- 8E-D9N	A	MEMORY POWER ON/OFF TEST	8-15-74	MM8-E /MM8-EH / MM8-EJ /PMK-01	8E	4K	4K	ST		G/B
M- 8E-D9P	A	JMP SELF TEST	8-15-74	MM8-E /MM8-EH / MM8-EJ /PMK-01	8E	4K	4K	ST		G/B
M- 8E-DHMPA	A	PDP-8E EXTENDED MEMORY PARITY TEST	2-29-72	KM8-E	8E	8K	8K	ST		G/B
M- 8E-DIF	B	PDP-8E EXTENDED MEMORY ADDRESS TEST	6-14-71	KM8-E	8E	8K	8K	ST		G/B
M- 8E-DDN	B	PDP-8E JMP SELF	1-19-71		8E	4K	4K	ST		G/B

 *** APPLICATION: CARD ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM RUNS IN	CORE K TO LOAD RUN	SYSTEM BASED	MODES OF OPEN	IXXDPI TEXT	D/S CODE
M- 8E-D2D	B	40 COL OPTICAL MARK CARD READER TES	8-30-71	CM8-E	8E	4K	4K	OT		G/B

*** APPLICATION: UTILITY ***

DESIGNATION	REV/MCD	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM RUNS IN	CORE K LOAD RUN	TO SYSTEM BASED	MODES OF OPER	IXXDPID/S TEXT	ICODE
M- 8E-XBINA	A	SELF-START BINARY LOADER	8-15-74		ALL 8E	4K 4K		ST		G/B
D- 8E-EUZ	C	TO8E DECTAPE FORMATTER	8-15-74		8E	4K 4K		ST		G/B

IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP- 81 MAINDEC INDEX BY APPLICATION

*** APPLICATION: PROCESSOR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAMICORE K TOISYSTEM RUNS IN	MODES ILOAD RUN IBASED IOF OPEN IEXT ICODE	IXXDPIU/S
M- 8I-D01	C	INSTRUCTION TEST PART 1	8-15-74		8I	4K 4K	ST G/B
M- 8I-U02	B	INSTRUCTION TEST PART 2	8-15-74		8I	4K 4K	ST G/B

*** APPLICATION: PROCESSOR OPTION ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAMICORE K TOISYSTEM RUNS IN	MODES ILOAD RUN IBASED IOF OPEN IEXT ICODE	IXXDPIU/S
M- 8I-DEB	A	PDP-8I EAL TEST	5-15-68	KE0-I	8I	4K 4K	ST G/B
M- 8I-DOA	A	PDP-8I INSTRUCTION TEST 3A	5-15-68		8I	4K 4K	ST G/B

*** APPLICATION: MEMORY ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES LOAD RUN BASED	OF OPER TEXT	CODE
M- 8I-D4C	A	PDP-8I MEMORY PARITY IOT TEST	8-15-74	MP8-I	8I	4K 4K	ST	G/B

*** APPLICATION: CLOCKS ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES LOAD RUN BASED	OF OPER TEXT	CODE
M- 8I-D8A	D	REAL TIME CLOCK (KW8I)	10-21-68	KW8-I		4K 4K	ST	G/B

*** APPLICATION: CARD ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K	TO SYSTEM MODES	IXXOP ID/S
M- 8I-D2B	A	40 COL OPTICAL MARK CARD READER	9-22-70	CM8-1	8I	4K 4K	ST G/B

*** APPLICATION: TERMINALS ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K	TO SYSTEM MODES	IXXUP ID/S
M- 8I-D6C	E	KV8I DISPLAY DIAGN	8-05-68	KV8-1	8I	4K 4K	ST G/B

*** APPLICATION: COMM. EQUIPMENT ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM I MODES	IXXDPID/S	LOAD RUN BASED IUF OPER TEXT	ICD
M- 8I-D2C	A	680/I TTY RELIABILITY TEST	5-19-70	DL8-I /680-1	8I	4K 4K	ST	G/B
M- 8I-D8B	B	DC08 ON LINE TEST (T2)	4-02-70	DC08	8I	4K 4K	ST	G/B
M- 8I-D8C	A	689-AG CONTROL AND DATA TEST	11-19-68	689-AG	8I	4K 4K	ST	G/B
M- 8I-D8D	A	689-AG ON-LINE DIAG EXERC	11-05-68	689-AG	8I	4K 4K	ST	G/B
M- 8I-D8E	A	DC08F&DC08H OFF LINE TEST	3-09-70	DC08-F /DC08H	8I	4K 4K	ST	G/B
M- 8I-D8F	A	DC08F & DC08H ON LINE TEST	3-09-70	DC08-F /DC08-H	8I	4K 4K	ST	G/B

IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP- 8L MAINDEC INDEX BY APPLICATION

 *** APPLICATION: PROCESSOR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAMICURE RUNS IN	K TOISYSTEM LOAD RUN BASED	MODES OF OPER	IXXDPI/D/S TEXT CODE
M= 8L-D0A	B	MEMORY PROTECT TEST	5-06-71		8L	4K 4K	ST	G/B

 *** APPLICATION: MEMORY ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAMICURE RUNS IN	K TOISYSTEM LOAD RUN BASED	MODES OF OPER	IXXDPI/D/S TEXT CODE
M= 8L-D1G	C	PDP-8L EXTENDED MEMORY CONTROL (8K)	8-15-74	KM8-L	8L	4K 8K	ST	G/B
M= 8L-D1H	A	PDP-8L EXTENDED MEMORY CONTROL (12K)	8-15-74	KM8-L	8L	4K 8K	ST	G/B
M= 8L-D5A	A	PDP-8L MEMORY PARITY IOT TEST	8-15-74	MP8-L	8L	4K 4K	ST	G/B
M= 8L-D8MA	A	VNOBEL	8-15-74	DM8-L	ALL 8L	4K 4K	ST	G/B

IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP-8S MAINDEC INDEX BY APPLICATION

 *** APPLICATION: PROCESSOR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM RUNS IN	CORE K TO LOAD RUN	SYSTEM BASED	MODES OF OPER	IXXDP TEXT	D/S CODE
M- 8S-DD1	A	INSTRUCTION TEST	8-15-74		8S	4K	4K	ST		G/B
M- 8S-DD3	A	BASIC JMP-JMS TEST	8-15-74		8S	4K	4K	ST		G/B
M- 8S-DD4	A	RANDOM JMP TEST	8-15-74		8S	4K	4K	ST		G/B
M- 8S-DD5	B	RANDOM JMP-JMS TEST	8-15-74		8S	4K	4K	ST		G/B
M- 8S-DD6	A	RANDOM DCA TEST	8-15-74		8S	4K	4K	ST		G/B
M- 8S-DD7	A	RANDOM ISZ TEST	8-15-74		8S	4K	4K	ST		G/B

 *** APPLICATION: PROCESSOR OPTION ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM RUNS IN	CORE K TO LOAD RUN	SYSTEM BASED	MODES OF OPER	IXXDP TEXT	D/S CODE
M- 8S-D8B	A	D8B-S DATA BREAK TEST 1	9-15-67 DB08-S		8S	4K	4K	ST		G/B
M- 8S-D8C	A	D8B-S DATA BREAK TEST 2	6-15-67 DB8-S		8S	4K	4K	ST		G/B

*** APPLICATION: MEMORY ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM RUNS IN	CURE K TO LOAD RUN	SYSTEM BASED	MODES OF OPEN	IXXDPID/S TEXT CODE
M- BS-D15	A	PDP-BS 4K SENSE AMPLIFIER TEST	9-24-74		BS	4K	4K	ST	G/B
M- BS-D1L	A	PDP-BS MEMORY ADDRESS TEST	8-15-74		BS	4K	4K	ST	G/B
M- BS-D11	J	PDP-BS MEMORY ADDRESS TEST	8-15-74		BS	4K	4K	ST	G/B
M- BS-D15	A	PDP-BS 4K SENSE AMPLIFIER TEST	8-15-74		BS	4K	4K	ST	G/B

IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP- X8 MAINDEC INDEX BY APPLICATION

 *** APPLICATION: SYS. EXERCISUR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM/CORE RUNS IN	K TO SYSTEM LOAD RUN	MODES BASED	IXXDPID/S OF OPER	TEXT ICODE
M- X8-DIAC	A	DEC/X8 SOFTWARE MODULE INTERFACE SP	1-25-72		08 8E 8I 8L 8M		SY		G/B
M- X8-DIXYA	A	DEC/X8 MODULE "PLUTTER"	12-28-72	XY8-E /XY12 VP8-L /VP8-I	08 8I 8L 8E 8M	4K 4K 8F	SY		G/B
M- X8-DDTCA	A	DEC/X8 MODULE "TC12LT"	1-25-72	TC12	12	4K 4K	SY		G/B
M- X8-DHADA	A	DEC/X8 MODULE "ADMSTT"	3-15-76	MM01/MS/	8E 8M 8F 8A	4K 4K	PDP-08 SY		G/B
M- X8-DHCRA	A	DEC/X8 MODULE "CAMD8E"	7-27-73	CR8-E /CR8-F CM8-E /	8E	4K 4K	SY		G/B
M- X8-DHICA	A	DEC/X8 MODULE "ICSX8"	6-15-75	ICS-8	8E 8M 8F 8L 8A	4K 4K	SY		G/B
M- X8-DHKEA	A	DEC/X8 MODULE "EACDP"	1-25-72	KE8-E	8E 8M	4K 4K	SY		G/B
M- X8-DHKRA	A	DEC/X8 MODULE "RX8EDS"	9-07-72	RK8-E +RK8-F RK05 /RK05	08 8I 8L 8E 8M	4K 4K	SY		G/B
M- X8-DHLGA	A	DEC/X8 MODULE "LGP8"	5-01-77	LGP-8	8E 8F 8M 8A	4K 4K	PDP-8 SY		G/B
M- X8-DHRXA	B	DEC/X8 MODULE "FLUPPY"	12-15-76	RX8-E +RX01	8E 8M 8F 8A	4K 4K	SY		G/B
M- X8-DHTAA	B	DEC/X8 MODULE "TABECS"	10-15-73	TAB-E U	8E 8M	4K 4K	SY		G/B

 *** APPLICATION: SYS. EXERCISUR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM/CORE RUNS IN	K TO SYSTEM LOAD RUN	MODES BASED	IXXDPID/S OF OPER	TEXT ICODE
M- X8-DHTDA	B	DEC/X8 MODULE "TD8EDT"	3-15-76	TD8-E	8F 8E 8M 8F	4K 4K 04	SY		G/B
M- X8-DHTMA	B	DEC/X8 MODULE "TM8EMT"	11-17-73	TM8-E	08 8I 8L 8E 12	4K 4K	SY		G/B
M- X8-DHVCA	A	DEC/X8 MODULE "VCAD8E"	12-15-72	VC8-E /AD8-E VR14 AM8-E	08 8I 8L 8E 8M	4K 4K	SY		G/B
M- X8-DHVT A	A	DEC/X8 MODULE "VT8E"	12-04-72	VT8-E	08 8I 8L 8E 8M	4K 4K	SY		G/B
M- X8-DICDA	A	DEC/X8 MODULE "CDP8"	5-01-73	CDP	08 8I 8L 8E 8M	4K 4K	SY		G/B
M- X8-DIDCA	A	DEC/X8 MODULE "DC02"	2-26-72	DC02	08 8I 8L 8E 8M	4K 4K	SY		G/B
M- X8-DIDCB	A	DEC/X8 MODULE "DC08A"	12-27-72	DC08 /DL8-I	8I	4K 4K	SY		G/B
M- X8-DIDFA	B	DEC/X8 MODULE "DF32DS"	12-12-73	DF32	08 8I 8L 8E 8M	4K 4K	SY		G/B
M- X8-DIDKA	C	DEC/X8 MODULE "TIMERA"	1-26-73	DK8-E /KW8-1	08	4K 4K	SY		G/B

 *** APPLICATION: SYS. EXERCISUR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES IXXDPID/S	LOAD RUN BASED IOF OPER	TEXT ICODE
				KW12-A /KW8-L	8I 8L 8E 8M			
M- X8-DIFPA	A	DEC/X8 MODULE "FPP12"	4-01-72	FPP12	08 8I 8L 8E 8M	4K 4K	SY	G/B
M- X8-DIKAA	A	DEC/X8 MODULE "MR108A"	1-26-72		08 8I 8L 8E 8M	4K 4K	SY	G/B
M- X8-DIKAC	B	DEC/X8 MODULE "OPERATE"	4-21-72		08 8I 8L 8E 8F	4K 4K	SY	G/B
M- X8-DIKAD	B	DEC/X8 MODULE "NOTFUN"	5-18-72		08 8I 8L 8E 8M	4K 4K	SY	G/B
M- X8-DIKEA	B	DEC/X8 MODULE "EAKALL"	9-07-72	KE8-E	8E 8M	4K 4K	SY	G/B
M- X8-DIKLA	A	DEC/X8 MODULE "MULTTY"	4-03-72	KL8-E /KL8-J	8I 8L 08 8E 8M	4K 4K	SY	G/B
M- X8-DIKLB	B	DEC/X8 MODULE "TTTLUP"	5-15-75	KL8-E /KL8-J / KL8-M	8E 8M 8F 8I 8L 8A 8 12	4K 4K	SY DG	G/B
M- X8-DIKLC	A	DEC/X8 MODULE "MULSLU"	3-15-76	KL8-A /	8E 8M 8F 8A	4K 4K	PDP-8 SY	G/B

 *** APPLICATION: SYS. EXERCISUR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES IXXDPID/S	LOAD RUN BASED IOF OPER	TEXT ICODE
M- X8-DIKLD	A	DEC/X8 MODULE "MSLULP"	12-15-76	KL8-A	8E 8M	4K 4K	PDP-8 SY	G/B
M- X8-DILPA	B	DEC/X8 MODULE "PRNTER"	4-28-72	LPW8 +LE8 LS8-E /LS8-E	+ 8I 08 8L 8E 8M	4K 4K	SY	G/B
M- X8-DIPAA	A	DEC/X8 MODULE "TYPSET"	11-02-73	DC8-E /DC8-L / DC12 /DA60 / DC8-I /PA61	8I 08 8L 8E 8M	4K 4K	SY	G/B
M- X8-DIPCA	A	DEC/X8 MODULE "HSMHSP"	1-25-72	PC8-E /PC12 / PC8-L /PC8-I	08 8I 8L 8E 8M	4K 4K	SY	G/B
M- X8-DIWAA	C	PROCEDURAL ABSTRACT	11-19-73		08 8I 8L 8E 8M		SY	G/B
M- X8-DIQAB	C	DEC/X8 USERS GUIDE + MON/BUILDER	10-31-73		08 8I 8L 8E 8M	4K 4/8K	SY	G/B
M- X8-DIQAC	A	DEC/X8 SOFTWARE MODULE INTERFACE SP	1-25-72		08 8E 8I 8L 8M		SY	G/B
M- X8-DIQAF	J	DEC/X8 SOFTWARE MODULE INDEX	8-01-77		08 8I 8L 8E 8M		SY	G/B

 *** APPLICATION: SYS. EXERCISUR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM MODES LOAD RUN BASED OF OPEN TEXT CODE	IXXDPID/S	IXXDPID/S
M- X8-DIRFA	A	DEC/X8 MODULE "RFW8DS"	1-25-72 HF08	08 8I 8L 8E 12	4K 4K	SY	G/B
M- X8-DIRKA	A	DEC/X8 MODULE "RK8DS"	8-15-74 HK08	08 8I 8L 8E 12	4K 4K	SY	G/B
M- X8-DITCA	B	DEC/X8 MODULE "TC01DT"	9-07-72 TC01	08 8I 8L 8E 12	4K 4K	SY	G/B
M- X8-DITCB	C	DEC/X8 MODULE "TC58MT"	9-07-72 TC58	08 8I 8L 8E 12	4K 4K	SY	G/B
M- X8-DJFPA	A	DEC/X8 MODULE "FPP8-A"	12-15-76 FPP8-A /	8E 8A	4K 4K PDP-8	SY	G/B
A- X8-DIQAB	A	APT-8 SYSTEM DEC/X8	10-15-75 DEC/X8 /APT-8	ALL08	8K 8K	SY DG	G/B
D- X8-DIQAD	C	DEC/X8 DETAILED CONCEPTS + METHODS	10-31-73	08 8I 8L 8M 8E		SY	G/B

 *** APPLICATION: DIAGNOSTIC PKG ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM MODES LOAD RUN BASED OF OPEN TEXT CODE	IXXDPID/S	IXXDPID/S
M- X8-DDGAA	L	DEC/X8 FILE LINCTAPE	8-01-77 TC12 TU56	/TU55 / ALL 12	8K 8K	SY	G/B
M- X8-DIQAE	L	DEC/X8 DECTAPE	8-01-77 TC08 TU55	/TC01 / 12 /TU56	8K 8K	SY	G/B
M- X8-DJRXA	F	DEC/X8 FILE "FLOPPY"	8-01-77 RX8-E	+RX01	8E 8M 8F 8A	8K 8K	SY G/B

IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP- 08 MAINDEC INDEX BY APPLICATION

 *** APPLICATION: DOCUMENT ***

DESIGNATION	REV/MCO	PRODUCT NAME	IEFFECTIVE I DATE I	OPTION(S) TESTED	IPROC PROGRAMICORE K TOISYSTEMI I RUNS IN ILOAD RUN IBASED IOF OPEN IEXT ICODE	MODES IXXDPID/S
M- 08-DHMEA	B	PDP-8 DIAGNOSTIC MEDIUM	7-15-75	RKB-E +RK05 RXB-E +RX01	/ ALL 08	8K 8K G/B
M- 08-DIQAC	E	PDP-8 MAINDEC INDEX	8-01-77			G/B
D- 08-ECLMA	A	CL8 MAINTENANCE GUIDE	6-15-75	CL8 CMS1	/DS310 / CL8 DS310 /CLASSIC CMS1 CLASS	UT G/B

 *** APPLICATION: MODULE TEST ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES ILOAD RUN IBASED	TEXT OF OPER TEXT	ICODE TEXT ICODE
A- 08-DHMB	B 0 223	8K8AA MEMORY EXERCISER PROGRAM	9-15-75	2223-D G649 MM8AB +G650 M219-A,	+ PDP-8E +	20K 20K PDP8	ST	G/B
A- 08-QHLAA	G 0 LA36	POWER SUPPLY TEST	4-15-76		KK8E	4K 4K PDP8	ST	G/B

 *** APPLICATION: PROCESSOR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES ILOAD RUN IBASED	TEXT OF OPER TEXT	ICODE TEXT ICODE
M- 08-D02	B	INSTRUCTION TEST PART 2B	1-12-68		08	4K 4K	ST	G/B
M- 08-D03	A	BASIC JMP-JMS TEST	4-01-67		08	4K 4K	ST	G/B
M- 08-D04	B	RANDOM JMP TEST	1-12-68		08	4K 4K	ST	G/B
M- 08-D05	B	RANDOM JMP-JMS TEST	1-12-68		08	4K 4K	ST	G/B
M- 08-D07	B	RANDOM ISL TEST	12-28-67		08	4K 4K	ST	G/B
M- 08-DHKAA	B	8E ADDER TESTS	11-15-75			4K 4K	UG ST	G/B
M- 08-DHKAB	A	RANDOM AND TEST	4-12-73		8E	4K 4K	ST	G/B
M- 08-DHKAF	A 0	PDP-8/E INSTRUCTION TEST 1	7-15-75		ALL 08	4K 4K	UG ST	G/B
M- 08-DHKAG	A	PDP-8/E INSTRUCTION TEST 2	12-15-75			4K 4K	UG ST	G/B
M- 08-DIKAA	A	RANDOM TAD TEST	12-15-76	OBSOLETES:M 8E	D08B	4K 4K	PDP-8 ST	G/B
M- 08-DIKIA	A	PDP-8 INSTR TST PRT2A	5-01-77	OBSOLETES:M 08	D0E	4K 4K	PDP-08 ST	G/B
M- 08-DJKA	C	PDP-8/A CPU TEST	5-01-77	PDP-8/A ACT-8/A/ CPU-XOR	PDP-8A	1K 1K	ST	G/B
M- 08-DJKB	A	PDP-8A CPU TEST WITH CONSOLE PACKAG	7-15-75		8E-8A	4K 4K	PDP8	G/B
M- 08-DKVA	A	VT78 MOS MEMORY DIAGNOSTIC	8-01-77	VT78	VT78		ST	G/B
M- 08-DKVB	A	VT78 CPU DIAGNOSTIC	8-01-77	VT78	VT78		ST	G/B

 *** APPLICATION: PROCESSOR OPTION ***

DESIGNATION	REV/MCO	PRODUCT NAME	INEFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM RUNS IN	CURE K TO LOAD RUN	SYSTEM BASED	MODES OF OPER	IXXOPID/S TEXT	CODE
M= 08-00A	A	INSTRUCTION TEST (EAE) PT.3A	8-06-74	KE8-E	0E	4K	4K	ST		G/B
M= 08-00B	A	INSTRUCTION TEST (EAE) PT.3B	8-06-74	KE8-E	0E	4K	4K	ST		G/B
M= 08-01K	B	KP8I/KR01 POWER FAIL TEST	2-02-71	KP8-I /KR01	08 8I	4K	4K	ST		G/B
M= 08-06C	C	CALCOMP PLOTTER TEST	4-23-69	VP8-I	08 8I 8L	4K	4K			G/B
M= 08-06G	C	A/D CALIBRATION CHECK	8-06-74	AF01A /ADC1	08 8I 8S	4K	4K			G/B
M= 08-06H	A	A/D DIAGNOSTIC AND DEMO	8-06-74	AF04A	08	4K	4K	ST		G/B
M= 08-06J	D	AD08 DIAGNOSTIC	8-06-74	AD08	08	4K	4K	ST		G/B
M= 08-06K	C	VC8I 340 DISPLAY TEST	12-01-70	VC8-I	8I	4K	4K			G/B
M= 08-06M	A	V338 DISPLAY DIAGNOSTIC	8-06-74	538 /VS38	8	4K	4K	ST		G/B
M= 08-06Q	A	LOW LEVEL MULTIPLEXER	8-06-74	AM03	08	4K	4K	ST		G/B
M= 08-06T	A	AA05/AA07 CALIBRATION CHECK	12-18-68	AA05 /AA07	08 8I 8S	4K	4K	ST		G/B
M= 08-06U	B	AD01-A DIAGNOSTIC	9-24-74	AD01	8I	4K	4K	ST		G/B
M= 08-06W	B	AA50 D/A CONVERTER	9-24-74	AA50	08	4K	4K	ST		G/B
M= 08-08 6U	B	AD01-A DIAGNOSTIC	8-06-74	AD01	8I	4K	4K	ST		G/B
M= 08-08B	A	ONLINE IBMS360 TO DX08/9 EXER.	5-21-74	538 DISPLAY	BUFFERE	4K	4K	ST		G/B
M= 08-08G	A	D088 TEST	8-12-74	D088	08	4K	4K	ST		G/B
M= 08-08I	B	D088A TEST	8-06-74	D088	08	4K	4K	ST		G/B
M= 08-08M	B	VA38 CHARACTER GENERATOR TEST	8-06-74	VA38	8	4K	4K	ST		G/B
M= 08-08S	C	DM01 EXERCISER	8-06-74	DM01	08	4K	4K	ST		G/B

 *** APPLICATION: PROCESSOR OPTION ***

DESIGNATION	REV/MCO	PRODUCT NAME	INEFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM RUNS IN	CURE K TO LOAD RUN	SYSTEM BASED	MODES OF OPER	IXXOPID/S TEXT	CODE
M= 08-08T	A	SIM360/IBMS360 CHANNEL SIMULATOR	8-06-74	UX08 UX56	/DX38 / 8	4K	4K	ST OT		G/B
M= 08-08U	B	DX08-S360 DIAGNOSTIC EXERCISER	8-06-74	UX08 UX56	/DX38 / 8	4K	4K	ST OT		G/B
M= 08-08X	A	XOR BUFFER OPTION DIAGNOSTIC	8-06-74	CPU-XOR BUFFER	08	4K	4K	ST		G/B
M= 08-09M	A	IOT AND DATA TEST 6301	8-06-74	DP01A	08	4K	4K	ST		G/B
M= 08-09N	A	IOT AND DATA TEST 6501	8-06-74	UP01A	08	4K	4K	ST		G/B
M= 08-09P	A	IOT AND DATA TEST 6601	8-06-74	DP01A	08	4K	4K	ST		G/B
M= 08-09Q	A	IOT AND DATA TEST 6701	8-06-74	UP01A	08	4K	4K	ST		G/B
M= 08-09DRA	A	DR8-EA DIAGNOSTIC TPL PDP-8	8-06-74	DR8-EA +DW8-E	08 8I 8L	4K	4K	ST		G/B
M= 08-09HADA	A	AD8E, AM8E A/D CONVERTER + MUX	8-06-74	ADME /AM8E	8E	4K	4K	ST		G/B
M= 08-09HAFB	A	COP/GLC-08E DIAGNOSTIC	8-06-74	COP/GLC	08	4K	4K	ST		G/B
M= 08-09HOPA	D	DP8-EA/EB SYNC. MUDEM INTERFACE DIA	5-01-77	UP8-EA /DP8-EB / UP8-E	8/A 8/E 8/M	4K	4K	ST		G/B
M= 08-09HORA	B	DR8-EA 12 CHANNEL BUFFERED DIGITAL	11-15-75	DR8-EA	8E	4K	4K	UG ST		G/B
M= 08-09HKEA	B	EAE EXTENDED MEMORY EXERCISER	8-15-76	KE8-A	ALL 08	4K	4K	PDP-8 SU		G/B
M= 08-09HKEB	A	KE8-E (EAE) INSTRUCTION TEST 1	8-15-76	KE8-A OBSOLETE:IM 8E	ALL 08 08L	4K	4K	PDP-8 ST		G/B
M= 08-09HKEC	A	KE8-E (EAE) INSTRUCTION TEST 2	8-15-76	KE8-E OBSOLETE:IM 8E	ALL 08 08M	4K	4K	PDP-8 ST		G/B
M= 08-09HKIC	C	DOUBLE BUF ASYNC INTERFACE DIAG	3-26-73	KL8-F	8E 8M 8F	4K	4K			G/B
M= 08-09HKLA	A	KL8M MODEM CONTROL DIAGNOSTIC	6-26-72	KL8-M	8E 8M 8F	4K	4K			G/B

 *** APPLICATION: PROCESSOR OPTION ***

DESIGNATION	REV/MCO	PRODUCT NAME	IEFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO RUNS IN	CORE K TO LOAD RUN	SYSTEM BASED	MODES OF OPER	IXXD ID/S
M- 08-DHKLB	B 1	KL8M KL8E/F DC08M ONLINE TEST	10-15-75	KL8-E KL8-M	/DC08M /KL8-F	8E 8M 8F 8A	4K 4K	ST	G/B
M- 08-DHKLC	D	KL8-F DBLE BUFFERED ASYNC INTERFACE	5-01-77	KL8-F		ALL 08	4K 4K	ST	G/B
M- 08-DHKLD	A	8E TTY & KL8 ASYNC DATA CONT	4-06-72	KL8	+ASR-33	8E 8M 8F	4K 4K	ST	G/B
M- 08-DHKPA	B	POWER FAIL/AUTO RESTART TEST	4-06-73	KPB-L		8E	4K 4K	ST	G/B
M- 08-DHVCA	A	VC8E DISPLAY DIAGNOSTIC	3-01-73	VC8-E		8E 8M 8F	4K 4K	ST	G/B
M- 08-DHVTA	B	VT8-E VIDEO DISPLAY TEST	8-06-74	VT8-E		8E	4K 4K	ST	G/B
M- 08-DHVTB	A	VT8-E VIDEO DISPLAY TEST 2	8-06-74	VT8-E		8E	4K 4K	ST	G/B
M- 08-DIADF	A	AU001 DIAGNOSTIC	8-06-74	ADV01			4K 4K	ST	G/B
M- 08-DIAFB	A	AFC8 DIAGNOSTIC	8-06-74	AFC-8		8I 8L	4K 4K	ST	G/B
M- 08-DIDBA	A	D88-E	5-01-77	UB8-E		ALL 08		ST	G/B
M- 08-DIUDA	B	UDC8 SYSTEM FUNCTION EXERCISER	8-06-74	UDC-8		ALL 08	4K 4K	ST	G/B
M- 08-DIVTB	A	0 VT20 HOST COMPUTER PROGRAM	7-21-74	KL8-JA		ALL 08	4K 8K	DT	G/B
M- 08-DJADA	C	0 A/D CONVERTER MULTIPLEXER DIAGNOSTIC	5-15-76	AD8A		ALL 08	4K 4K	PDP-8 ST	G/B
M- 08-DJCLA	A	CL8 OPTION TEST 1 AND 2	8-15-75	DKC8-AA+KM8-A		8A	4K 4K	ST	G/B
M- 08-DJFPA	A	FPP8-A DIAGNOSTIC	8-15-76	FPP	/	8A		PDP-8 ST	G/B
M- 08-DJFPB	B	FPP-8A INSTR. TEST AND DATA EX.	5-01-77	FPP-8A	/	8A 8E	8K 8K	PDP-8 ST	G/B
M- 08-DJKLA	C	0 KL8-A MULTIPLE SERIAL LINE UNIT DIA	9-15-76	KL8-A/A/APT-8/A		8A	4K 4K	PDP-8 ST	G/B
M- 08-DJMRB	A	MR8-SA ROM MAINTENANCE DIAG.	8-01-77	MR8-SA		8A		PDP8 ST	G/B
M- 08-DJMRC	A	MR8-SA ROM MAINTENANCE DIAG.	8-01-77	MR8-SA		8A			G/B

 *** APPLICATION: MEMORY ***

DESIGNATION	REV/MCO	PRODUCT NAME	IEFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO RUNS IN	CORE K TO LOAD RUN	SYSTEM BASED	MODES OF OPER	IXXD ID/S
M- 08-DIA	C	MEMORY POWER ON/OFF TEST	9-16-68		08	4K 4K	ST		G/B
M- 08-DIE	C	EXTENDED MEMORY CHECKERBOARD	8-12-74	MM8	/MM8-I	08 8I	8K 8K	ST	G/B
M- 08-DIH	A	EXTENDED MEMORY ADDRESS TEST	8-12-74	MM8	/MM8-I	08 8I	8K 8K	ST	G/B
M- 08-DIL	2	BASIC MEMORY CHECKERBOARD (HIGH)	8-12-74		8	4K 4K	ST		G/B
M- 08-DIM	A	MEMORY ADDRESS TEST	2-16-71		08	4K 4K	ST		G/B
M- 08-D4A	2	8/I, 8 BASIC PARITY CHECKERBOARD	8-12-74	MP8	/MP8-I	08 8I	4K 4K	ST	G/B
M- 08-D4B	A	EXTENDED MEMORY PARITY TEST	8-12-74	MP8	/MP8-I	08 8I	8K 8K	ST	G/B
M- 08-DOBMA	A	0 8M812-I EXT MEM DATA & CKERBD TEST	7-21-74	8M812-I		8I 12	4K 32K	ST	G/B
M- 08-DGMCA	A	EXTENDED MEMORY CONTROL	3-29-73	MM8-I ME8-S	/MM8-S /	08 8I 8S	8K 8K	ST	G/B
M- 08-DHKAC	A	0 MM8E MEMORY CHECKERBOARD	7-15-75			8E 8M 8F	4K 4K	DG ST	G/B
M- 08-DHKAD	A	0 MEMORY ADDRESS TEST	7-15-75		ALL 08		4K 4K	DG ST	G/B
M- 08-DHKMA	C	PDP-8E EXTENDED MEMORY DATA & CHECK	2-15-76	KM8-E PDP-8A APT-8A	/KM8-A /PDP-8E /CL8	8E 8M 8F 8A	4K 8K	DG ST	G/B
M- 08-DHKMC	B	0 PDP-8E EXTENDED MEMORY ADDRESS TEST	5-15-76	KM8-E APT-8A	/IM8-A /	8E 8M 8F 8A 8A	4K 8K	PDP-8 DG ST	G/B
M- 08-DHMCA	B	PDP-8E MEM EXT. AND T.S. CONTROL TE	12-15-76	KM8-E		8E	4K 4K	ST	G/B
M- 08-DHMRA	A	ROM CONTENTS	5-18-72	MR8-E		8E	4K 4K	ST	G/B
M- 08-DHMRB	B	MR8-EA READ ONLY MEMORY TEST	8-01-77	MR8-E		8E	4K 4K	ST	G/B

 *** APPLICATION: MEMORY ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES LOAD RUN BASED OF OPER	TEXT CODE
M- 08-DHMRP	A	MR8-FB 2K PROM INTERNAL TEST	7-21-74	MR8-FB	8E	2K 2K	ST G/B
M- 08-DHPBA	A	PROM BLASTER PROGRAM	12-15-75	MR873A		4K 4K	ST G/B
M- 08-DJMRA	A	MP8-A ROM COMPARE TEST	10-15-75	MR8-A	8A	1K 1K	ST G/B
M- 08-DJMRA	A	1-4K MS8-A MOS MEMORY TEST	10-15-74	MS8-A /ACT-8/E/ 8A ACT-8/A/CPU=XOR		1K 1K	ST G/B
A- 08-DHMCB	A	2223 8K11C MEMORY EXERCISER PROGRAM	6-01-75	MM11-B,+H221-AB+ ALL 08 MM11-C,+H222-AB+ MM11-D,+G651,2		16K 16K PDP-8	US ST G/B
A- 08-DHMGJ	C	2223 8K8EJ MEMORY EXERCISER PROGRAM	6-15-75	MM8E +MM8EJ		16K 16K PDP-8	US ST G/B
A- 08-DHMSA	B	2223 MS8AA MEMORY EXERCISER PROGRAM	6-15-75	MS8AA +1K,2K,3+ 4K		16K 16K PDP-8	US ST G/B
A- 08-DHSEC	D	2223 STACK EXERCISER FOR H217 AND H 11-15-75	H217 H217C	/H224 /H217D	PDP8E PDP8M PDP8I	24K 24K PDP8E PDP8M	ST G/B
A- 08-DHSED	A	2223 STACK EXERCISER FOR H221 AND H 11-15-75	H221	/H222		24K 24K PDP8E PDP8M	ST G/B
A- 08-DHSEE	A	2223 STACK EXERCISER FOR H219 STACK 11-15-75	H219			24K 24K PDP8E PDP8M	ST G/B

 *** APPLICATION: CLOCKS ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES LOAD RUN BASED OF OPER	TEXT CODE
M- 08-D8VB	B	KW088 CLOCK TEST	8-12-74	KW088	08	4K 4K	ST G/B
M- 08-DHDKA	A	DK8E CLOCKS DIAGNOSTIC	11-15-75	DK8-EA /DK8-EC / DK8-EP /DK8-ES	8E 8M 8F 8A	4K 4K	ST G/B

 *** APPLICATION: PAPER TAPE ***

DESIGNATION	REV/MCO	PRODUCT NAME	IEFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES ILOAD RUN IBASED IUF OPER IEXT	IXXDPID/S ICODE
M- 08-02U	A	PA60C DIAG	8-12-74	PA60-C	ALL 08	4K 4K ST	G/B
M- 08-DHPCA	A	HIGH SPEED READER/PUNCH TST	5-01-77	PC8-E	8E 8M	4K 4K ST	G/B

 *** APPLICATION: CARD ***

DESIGNATION	REV/MCO	PRODUCT NAME	IEFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES ILOAD RUN IBASED IUF OPER IEXT	IXXDPID/S ICODE
M- 08-02N	B	CR01C CARD READER TEST	8-06-74	CR01C	08	4K 4K ST	G/B
M- 08-020	A	CR03 CARD READER TEST	8-12-74	CR03	08	4K 4K ST	G/B
M- 08-DHCMA	A	80 COL OPTICAL CARD READER TEST	8-12-74	CR8-F	8E	4K 4K ST	G/B
M- 08-DHCRA	A	CR8E/CR8F CARD READER TEST	8-12-74	CR8-E /CR8-F	8E	4K 4K ST	G/B

 *** APPLICATION: TERMINALS ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES IXXDPI/D S	LOAD RUN BASED OF OPER TEXT ICODE
M- 08-02B	A	LT08 TELEPRINTER TEST	8-12-74	LT08	8	4K 4K	ST G/B
M- 08-02A	A	DC02 FAMILY-OF-EIGHT TELETYPE TEST	8-12-74	PT08 +LT08 DC02 +ASR35 ASK35 /ASR35	+ 08 / 12	4K 4K	ST G/B
M- 08-02P	E	FAMILY OF 8 ASR33/35 TTY TEST 1	2-21-69	ASH-33 /ASR35	8S 08 8I	4K 4K	ST G/B
M- 08-02Q	D	FAMILY OF 8 ASR33/35 TTY TEST 2	6-04-68	ASH-33 /ASR-35	09 8I 8S	4K 4K	ST G/B
M- 08-08P	A	PT08 DATAPHONE	8-19-68	PT08-B /PT08-C	08	4K 4K	ST G/B
M- 08-08W	A	DC02 TELETYPE FLAG TEST	8-12-74	DC02	8I 8L 12	4K 4K	ST G/B
M- 08-08LAA	A	DECWRITER CONTROL EXERCISER	2-16-73	LA30		4K 4K	ST G/B
M- 08-08LQA	B	LQP8 PRINTER DIAGNOSTIC	8-01-77	LQP8	ALL 08	4K 4K	PDP-8 ST G/B
M- 08-08VTC	D	VT50-VT52 VIDEO TERMINAL ACCEPTANCE	3-15-76	VT50-VT VT50B VT50J /VT50H	/ ALL 08	4K 4K	ST G/B
M- 08-08VTD	A	VT61 VIDEO TERMINAL ACCEPTANCE TEST	6-15-76	VT61	ALL 08	4K 4K	PDP-8 ST G/B
M- 08-08KLA	B	KL8-JA/KA/KB/KC/KU LOOP BACK TEST	8-15-74	KL8-JA /KA/KB/K	ALL 08	4K 4K	ST G/B
M- 08-08LAB	D	LA36 TERMINAL DIAGNOSTIC	10-15-75	LA36 /LA35 LA37 DC02	/ ALL 08	4K 4K	PDP-8 ST G/B
M- 08-08LAC	B	LA180 PRINTER DIAGNOSTIC	7-15-76	LA180	ALL 08	4K 4K	PDP-8 ST BIN G/B
M- 08-08LPA	C	LE8/LP08 LINE PRINTER TEST	6-15-75	LE8 /LP08	08 8I 8L 8E	4K 4K	ST G/B
M- 08-08LPE	C	LP08/LP05 LINE PRINTER TEST	8-01-77	LE8 /LP08 LP05	+ ALL 08	4K 4K	PDP-8 ST G/B
M- 08-08LVA	A	LV12/LV8 PRINTER/PLOTTER TEST	8-12-74	LV12 /LV8-E	ALL 08	4K 4K	ST G/B

 *** APPLICATION: TERMINALS ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES IXXDPI/D S	LOAD RUN BASED OF OPER TEXT ICODE
M- 08-08PAA	A	FAMILY OF 8 TYPESET CONFIG TESTS	8-12-74	PA60 /PA63	ALL 08		ST G/B
M- 08-08RTA	A	RT01/02 TERMINAL UIAG	8-12-74	RT01 /DC02 RT02 /KL8 PT08 /	/ ALL 08	4K 4K	ST G/B
M- 08-08VTC	A	VT55 VIDEO TERMINAL ACCEPTANCE TEST	8-15-75	VT55	ALL 08	4K 4K	PDP-8 ST BIN G/B

 *** APPLICATION: MAGNETIC TAPE ***

DESIGNATION	REV/MCO	PRODUCT NAME	1 EFFECTIVE 1 DATE	1 OPTION(S) TESTED	1 PROC PROGRAM 1 RUNS IN	1 CORE K 1 LOAD RUN	1 TO SYSTEM 1 BASED	1 MODES 1 OF OPER	1 IXDPID/S 1 TEXT	1 CODE
M- 08-D3E	B	TC01 EXT MEMORY EXER	1-05-68 TC01 TU55	/TC08 /TU56	/ ALL 08	4K 8K	ST		G/B	
M- 08-D3F	C	INCREMENTAL TAPE DELAY TEST	8-12-74 TR02	+TU20	8I 8L 8E	4K 4K	ST		G/B	
M- 08-D3R	A	TC01 RANDOM EXERCISER	1-09-67 TC01 TU56	/TC08 /TU55	/ ALL 08	4K 4K	ST		G/B	
M- 08-D4C	B	INCREMENTAL TAPE COMPATIBILITY (PDP	8-12-74 TR02	+TU20	8I 8L	4K 4K	ST		G/B	
M- 08-D4D	A	INCREMENTAL TAPE DATA RELIABILITY	8-12-74 TR02	+TU20	8I 8E 8L	4K 4K	ST		G/B	
M- 08-D4E	B	PEC INCREMENTAL TAPE INSTR TEST	8-12-74 TR02	+TU20	8I 8L 8E	4K 4K	ST		G/B	
M- 08-D4F	B	PEC INCREMENTAL TAPE RANDOM EXERCIS	8-12-74 TR02	+TU20	8I 8L 8E	4K 4K	ST		G/B	
M- 08-D9A	D	DATA RELIABILITY TEST (7 TRACK) (TC	9-14-71 TC58 TU20	+TU10 /	ALL 08	4K 4K	ST		G/B	
M- 08-D9E	C	INST TEST PART 2 (TC58)	12-03-68 TC58 TU20	+TU10 /	ALL 08	4K 4K	ST		G/B	
M- 08-D9F	C	DATA RELIABILITY TEST (9 TRACK) (TC	12-23-69 TC58 TU20	+TU10 /	ALL 08	4K 4K	ST		G/B	
M- 08-D9G	A	TC58 DATA RELIABILITY (9 TRACK) (TU	11-18-68 TC58	+TU30		4K 4K	ST		G/B	
M- 08-DHTAA	C	CASSETTE DIAGNOSTIC	8-12-74 TA0-E	+TU60	8E	4K 4K	ST		G/B	
M- 08-DHTAB	C	CASSETTE DATA RELIABILITY TEST	5-01-77 TA0-E	TU60	8E	4K 4K	ST		G/B	
M- 08-DHTDA	B	T08E DECTAPE DIAGNOSTIC	5-01-77 TD0-E TU56	+TU55 /	8E	4K 4K	ST		G/B	
M- 08-DHTMA	B	TM8E CONTROL TEST PART 1	8-01-77 TM0-E	+TU10	8E	4K 4K	ST		G/B	
M- 08-DHTMB	B	TM8E CONTROL TEST PART 2	8-01-77 TM0-E	+TU10	8E	4K 4K	ST		G/B	

 *** APPLICATION: MAGNETIC TAPE ***

DESIGNATION	REV/MCO	PRODUCT NAME	1 EFFECTIVE 1 DATE	1 OPTION(S) TESTED	1 PROC PROGRAM 1 RUNS IN	1 CORE K 1 LOAD RUN	1 TO SYSTEM 1 BASED	1 MODES 1 OF OPER	1 IXDPID/S 1 TEXT	1 CODE
M- 08-DHTMD	B	TM8E DATA RELIABILITY (9 TRACK)	8-01-77 TM0-E	+TU10	8E	4K 4K	ST		G/B	
M- 08-DHTME	B	TM8E DATA RELIABILITY (7 TRACK)	8-01-77 TM0-E	+TU10	8E	4K 4K	ST		G/B	
M- 08-DHTMF	B	TM8E RANDOM EXERCISER	8-01-77 TM0-E	+TU10	8E	4K 4K	ST		G/B	
M- 08-DHTMK	A	TM8E DRIVE FUNCTION TIMER	7-16-73 TM0-E	+TU10	8E	4K 4K	ST		G/B	
M- 08-DHTSA	B	0 TM8-E/TS03 CONTROL TEST PART 1	8-01-77 TM0-E	+TS03	ALL 08	4K 4K	PDP-08 ST	BIN	G/B	
M- 08-DHTSB	B	TM8-E/TS03 CONTROL TEST PART 2	8-01-77 TM0-E	/TS03	ALL 08	4K 4K	PDP-08 ST		G/B	
M- 08-DHTSC	B	0 TM-E/TS03 9TRK DATA RELIABILITY	8-01-77 TM0-E	+TS03	ALL 08	4K 4K	PDP-08 ST	BIN	G/B	
M- 08-DHTSD	B	TM8-E/TS03 MULTIDRIVE DATA EXERCISE	8-01-77 TM0-E	+TS03	ALL 08	4K 4K	PDP-08 ST	BIN	G/B	
M- 08-DHTSE	A	0 TM8-E/TS03 DRIVE FUNCTION TIMER	7-15-75 TM0-E	+TS03	ALL 08	4K 4K	PDP-08 ST	BIN	G/B	
M- 08-DHTSF	A	0 TM8-E/TS03 UTILITY DRIVER	9-21-75 TM0-E	+TS03	ALL 08	4K 4K	PDP-08 ST	BIN	G/B	
M- 08-DITCA	A	TC01 BASIC EXERCISER	5-31-72 TC01 TC08	/TU56 /TU55	/ ALL 08	4K 4K	ST		G/B	
M- 08-DITCB	A	DRIVE FUNCTION TEST (TC58)	4-05-73 TC58 TU20	+TU10 /	ALL 08	4K 4K	ST		G/B	
M- 08-DITCC	A	TC58 RANDOM EXERCISER	3-22-73 TC58 TU20	+TU10 /	ALL 08	4K 4K	ST		G/B	
M- 08-DITCD	A	INST TEST PART 1 (TC58)	4-26-73 TC58 TU10	+TU20 /		4K 4K	ST		G/B	

 *** APPLICATION: DISK ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	IPROC PROGRAM CORE K TO SYSTEM	MODES BASED OF OPER	TEXT CODE
M= 08-D5D	B	MULTIUSER DISK EXER	8-12-74 DF32	08 8I	4K 4K	ST	G/B
M= 08-D5F	A	RF08 MULTI DISK TEST	3-26-68 RF08	ALL 08	4K 4K	ST	G/B
M= 08-D5H	C	RK8 DISK DATA RELIABILITY	11-02-70 RK08	ALL 08	4K 4K	ST	G/B
M= 08-D5K	B	RK8 DSK FURMATTER	11-18-70 RK08		4K 4K	ST	G/B
M= 08-DHRKA	E	0 RK8E/8L DISKLESS CONTR TST	5-01-77 RK8E RK05F RK05J	+RK05J /RK8F +RK05F	+ ALL 08 +	4K 4K PDP-8 ST	G/B
M= 08-DHRKB	G	0 RK8E DRIVE CONTROL TEST	5-15-76 RK8E RK05F RK05J	+RK05J /RK8F +RK05F	+ ALL 08 +	4K 4K PDP-8 ST	G/B
M= 08-DHRKC	H	0 RK8E/8L DATA RELIABILITY	5-01-77 RK8E RK05F RK05J	+RK05J /RK8F +RK05F	+ ALL 08 +	4K 4K PDP-8 ST	G/B
M= 08-DHRKD	D	0 RK8E/8L DISK FORMATTER	5-15-76 RK8E RK05F RK05J	+RK05J /RK8F +RK05F	+ ALL 08 +	4K 4K PDP-8 ST	G/B
M= 08-DIDFA	C	DISKLESS LOGIC TEST	8-06-74 DF32D	8E 8F 8M 8I 8L	4K 4K	ST	G/B
M= 08-DIDFB	A	DF32 DISKLESS LOGIC TEST	8-06-74 DF32	08 8I 8L 8E	4K 4K	ST	G/B
M= 08-DIDFC	A	INTERFACE ADDR DISK DATA TEST	8-12-74 DF32	/DF32D 08 8S 8I 8L 8E	4K 4K	ST	G/B
M= 08-DIRFA	A	RF08 DISK DATA TEST	3-22-73 RF08	ALL 08	4K 4K	ST	G/B
M= 08-DIRKA	A	RK8 DISK AND CONTROL INSTR. EXERCIS	8-01-77 MR8-EA	ALL 08		PDP-8 ST	G/B

 *** APPLICATION: DISK ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	IPROC PROGRAM CORE K TO SYSTEM	MODES BASED OF OPER	TEXT CODE
M= 08-DIRXA	D	0 RX8/RX01 DIAGNOSTIC PROGRAM	8-01-77 RX8-E	/RX01	ALL 08	8K 8K PDP8 ST	G/B
M= 08-DIRXB	E	0 RX8/RX01 DATA RELIABILITY EXERCISER	8-01-77 RX8-E	+RX01	ALL 08	8K 8K PDP8 ST	G/B

*** APPLICATION: DRUM ***

DESIGNATION	REV/MCO	PRODUCT NAME	IEFFECTIVE; ! DATE !	OPTION(S) TESTED	!PROC PROGRAMICORE K TO!SYSTEM; MODES ! RUNS IN !LOAD RUN !BASED !OF OPER !EXT !CODE	!XXDP!D/S
M- 08-05A	A	MAGNETIC RM08A DRUM TEST	8-12-74 RM08	8	4K 4K ST	G/B

*** APPLICATION: COMM. EQUIPMENT ***

DESIGNATION	REV/MCO	PRODUCT NAME	IEFFECTIVE; ! DATE !	OPTION(S) TESTED	!PROC PROGRAMICORE K TO!SYSTEM; MODES ! RUNS IN !LOAD RUN !BASED !OF OPER !EXT !CODE	!XXDP!D/S
M- 08-UHKGA	B	KG8-EA DIAGNOSTIC	9-15-75 KG8-EA	8E 8A	4K 4K PDP-8 ST	G/B

*** APPLICATION: LAB. EQUIPMENT ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES IXXDPID/S	LOAD RUN BASED OF OPER TEXT ICODE
M= 08-DHNRH	A 1	DN8-ED EXERCISER	9-15-75	DN8-ED	ALL 08	4K 4K PDP-8 ST	G/B

*** APPLICATION: INDUST EQUIPMENT ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES IXXDPID/S	LOAD RUN BASED OF OPER TEXT ICODE
M= 08-DHICA	A	ICS8 FIELD TEST	9-15-75	ICS8	8E 8M 8F 8A	8K 8K	ST G/B
A= 08-DHICA	A	ICS8 SYSTEM TEST	12-15-75	ICS8	ALL 08	8K 8K	SY ST G/B
A= 08-DHICB	A	ICS8 FILE BOX TEST	3-15-76	ICS8	ALL 08	8K 8K	ST G/B

 *** APPLICATION: UTILITY ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES LOAD RUN BASED	UF OF OPER	TEXT CODE
M- 08-DIPRA	A	PRS01 PAPETAPE READER TOGGLE-IN FO	8-01-77	KL0J	ALL 08		PDP-8 ST	G/B
M- 08-LBA	A	BINARY LOADER	5-10-67		ALL 08	4K 4K	ST	G/B
D- 08-EUF	B	TC01 DECTAPE FORMATTER	4-10-70	TC01 /TC08 TU56 /TU55	/ ALL 08	4K 4K	ST	G/B
D- 08-LBA	B	BINARY LOADER	8-06-74		ALL 08	4K 4K	ST	G/B

 *** APPLICATION: SYS. EXERCISOR ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM CORE K TO SYSTEM	MODES LOAD RUN BASED	UF OF OPER	TEXT CODE
M- 08-D7C	A	TYPSET + SYSTEM EXERCISER	8-06-74	TC3-E /DF32 TC01 /RF08 TC08 /LP08	/ ALL 08	4K 4K	SY ST	G/B
M- 08-D9K	A	FAMILY OF 8 MULTI BREAK DEV EX	8-06-74	DM01 /RK08 TC01 /TC08 DF32 /RF08	/ 08 / 8I 8L	4K 4K		G/B
M- 08-DJCLB	A	CL8 PRESYSTEM TEST	12-15-75	CL8 /DS310 CMS1	/		ST	G/B

 *** APPLICATION: DIAGNOSTIC PKG ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM RUNS IN	CORE K TO LOAD RUN	SYSTEM BASED	MODES OF OPEN	IXXD ID/S
M= 08-DH05B	N	COS 300 DIAGNOSTIC MEDIUM	8-01-77	RK0-E RK0-F	RK05 +RK05	/ ALL 08	8K	8K 07 8M	G/B
M= 08-DJRXA	L	CL/8 FLOPPY MEDIA #1	8-01-77	RX01	ALL 08	8K	8K	PDP-8	G/B
M= 08-DJRXB	D	PDP-8A FLOPPY MEDIA	8-01-77	RX0-E		8K	8K	PDP-8	G/B
M= 08-DJRXC	G	RX01 OPTION MEDIA #1	8-01-77	RX0-E		8K	8K	PDP-8	G/B
M= 08-DJRXD	D	RX01 OPTION MEDIA #2	8-01-77	RX0-E		8K	8K	PDP-8	G/B
M= 08-DJRXE	C	CL/8 FLOPPY MEDIA #2	8-01-77			8K	8K	PDP-8	G/B
M= 08-DJRXF	B	RX01 OPTION MEDIA #3	8-01-77			8K	8K	PDP-8	G/B
M= 08-DJRXG	A	RX01 OPTION MEDIA #4	8-01-77						G/B
M= 08-DKRXA	A	VT78 FLOPPY MEDIA	8-01-77					VT78	G/B

 *** APPLICATION: OTHER ***

DESIGNATION	REV/MCO	PRODUCT NAME	EFFECTIVE DATE	OPTION(S) TESTED	PROC PROGRAM RUNS IN	CORE K TO LOAD RUN	SYSTEM BASED	MODES OF OPEN	IXXD ID/S
M= 08-D2G	3	8IN COUNT PAT TEST TAPE	8-06-74	UC02	08				G/B
M= 08-D9I	B	WIRE STORAGE INTERFACE DIAG	8-06-74	UC04-C	08	4K	4K	ST	G/B
M= 08-DHLSA	C	LSB LINEPRINTER TEST	12-15-75	LS0	08 8I 8L 8E 8M 8A PDP-12 12	4K	4K	ST	G/B
M= 08-DILPD	A	LP08/F VERTICAL FORMAT DIAG	7-30-72	LP08	08 12	4K	4K	ST	G/B
M= 08-DILTIC	A	PHOTOCOMP INTERFACE DIAG	1-22-73	LPC-8	8E 8I 8L	4K	4K	ST	G/B

