



TITLE		SHEET 3 OF 3		SIZE CODE	NUMBER	REV
+20 VOLT REGULATOR				B DD	H754- β	B



DETAIL "A"
SCALE: 1/8"=1'-0"
RED WIRE GOES TO POSITIVE TERMINAL
BLK WIRE GOES TO NEGATIVE TERMINAL

DELETED COMPONENTS	
REASON:	R9
DATE:	04/02

[illegible]

1. ALABAMA 5-28-77
 2. ALABAMA 5-28-77
 3. ALABAMA 5-28-77
 4. ALABAMA 5-28-77
 5. ALABAMA 5-28-77
 6. ALABAMA 5-28-77
 7. ALABAMA 5-28-77
 8. ALABAMA 5-28-77
 9. ALABAMA 5-28-77
 10. ALABAMA 5-28-77
 11. ALABAMA 5-28-77
 12. ALABAMA 5-28-77
 13. ALABAMA 5-28-77
 14. ALABAMA 5-28-77
 15. ALABAMA 5-28-77
 16. ALABAMA 5-28-77
 17. ALABAMA 5-28-77
 18. ALABAMA 5-28-77
 19. ALABAMA 5-28-77
 20. ALABAMA 5-28-77
 21. ALABAMA 5-28-77
 22. ALABAMA 5-28-77
 23. ALABAMA 5-28-77
 24. ALABAMA 5-28-77
 25. ALABAMA 5-28-77
 26. ALABAMA 5-28-77
 27. ALABAMA 5-28-77
 28. ALABAMA 5-28-77
 29. ALABAMA 5-28-77
 30. ALABAMA 5-28-77
 31. ALABAMA 5-28-77
 32. ALABAMA 5-28-77
 33. ALABAMA 5-28-77
 34. ALABAMA 5-28-77
 35. ALABAMA 5-28-77
 36. ALABAMA 5-28-77
 37. ALABAMA 5-28-77
 38. ALABAMA 5-28-77
 39. ALABAMA 5-28-77
 40. ALABAMA 5-28-77
 41. ALABAMA 5-28-77
 42. ALABAMA 5-28-77
 43. ALABAMA 5-28-77
 44. ALABAMA 5-28-77
 45. ALABAMA 5-28-77
 46. ALABAMA 5-28-77
 47. ALABAMA 5-28-77
 48. ALABAMA 5-28-77
 49. ALABAMA 5-28-77
 50. ALABAMA 5-28-77
 51. ALABAMA 5-28-77
 52. ALABAMA 5-28-77
 53. ALABAMA 5-28-77
 54. ALABAMA 5-28-77
 55. ALABAMA 5-28-77
 56. ALABAMA 5-28-77
 57. ALABAMA 5-28-77
 58. ALABAMA 5-28-77
 59. ALABAMA 5-28-77
 60. ALABAMA 5-28-77
 61. ALABAMA 5-28-77
 62. ALABAMA 5-28-77
 63. ALABAMA 5-28-77
 64. ALABAMA 5-28-77
 65. ALABAMA 5-28-77
 66. ALABAMA 5-28-77
 67. ALABAMA 5-28-77
 68. ALABAMA 5-28-77
 69. ALABAMA 5-28-77
 70. ALABAMA 5-28-77
 71. ALABAMA 5-28-77
 72. ALABAMA 5-28-77
 73. ALABAMA 5-28-77
 74. ALABAMA 5-28-77
 75. ALABAMA 5-28-77
 76. ALABAMA 5-28-77
 77. ALABAMA 5-28-77
 78. ALABAMA 5-28-77
 79. ALABAMA 5-28-77
 80. ALABAMA 5-28-77
 81. ALABAMA 5-28-77
 82. ALABAMA 5-28-77
 83. ALABAMA 5-28-77
 84. ALABAMA 5-28-77
 85. ALABAMA 5-28-77
 86. ALABAMA 5-28-77
 87. ALABAMA 5-28-77
 88. ALABAMA 5-28-77
 89. ALABAMA 5-28-77
 90. ALABAMA 5-28-77
 91. ALABAMA 5-28-77
 92. ALABAMA 5-28-77
 93. ALABAMA 5-28-77
 94. ALABAMA 5-28-77
 95. ALABAMA 5-28-77
 96. ALABAMA 5-28-77
 97. ALABAMA 5-28-77
 98. ALABAMA 5-28-77
 99. ALABAMA 5-28-77
 100. ALABAMA 5-28-77


[illegible]

NOTES:

1. APPLY ITEM #1 (COMPOUND) ON BOTH SIDES OF ITEM #2 (INSULATOR WASHER) FOR Q2, Q3, Q4. ALSO APPLY BETWEEN ITEM #1 (WASHER BRIDGE D1), AND ITEM #2 (WASHER BRIDGE RECT)
2. UNLESS OTHERWISE INDICATED: RESISTORS ARE 1/4 W, 5%.
3. CAPACITORS ARE 100V, 5%.
4. ADD INSULATION (SHEET 26-11) TO BOTH LEADS OF R88 TO AVOID SHORT TO GND.
5. APPLY ITEM #7 (COMPOUND) ON BOTH SIDES OF ITEM #6 (MICA WASHER) FOR D6.

۲۲۵

THIS DRAWING AND SPECIFICATIONS, WHEN USED IN CONNECTION WITH THE EQUIPMENT, SHALL BE THE PROPERTY OF THE MANUFACTURER OR SALE OF THE EQUIPMENT. NO PART OF THIS DRAWING OR SPECIFICATIONS SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF THE MANUFACTURER OR SALE OF THE EQUIPMENT.



DRAWN BY	W. J. BARNETT	DATE	2-72	REV.	1
CHECKED BY	W. J. BARNETT	DATE	2-72	REV.	1
DESIGNED BY	W. J. BARNETT	DATE	2-72	REV.	1
PROD. ENG. R.D.	W. J. BARNETT	DATE	2-72	REV.	1
PROD. L. BAPTISTE	W. J. BARNETT	DATE	2-72	REV.	1
TESTED BY	W. J. BARNETT	DATE	2-72	REV.	1
SCALE	1:1	SHEET	2	OF	2
TITLE					
+20VOLT REGULATOR					
PART NUMBER					
H754-0-1					
DIST.					
REV.					
J					