

ILLUSTRATED PARTS BREAKDOWN

H745 REGULATOR

HOW TO USE THE IPB

GENERAL

This IPB is compiled following the organization and nomenclature of the engineering drawing structure.

MAJOR ASSEMBLY LOCATOR

The Major Assembly Locator (first illustration) is an index that provides a description and a figure reference for all illustrations used in this manual.

INDENTED PARTS LIST

This manual identifies each assembly being broken down (figure reference callout), and all parts of that assembly. Further breakdown of an assembly is shown by an asterisk (*) preceding the item callouts in the Description Column. The number of asterisks preceding an item is used to denote the subordination of that item with respect to the Major Assembly. A single asterisk preceding an item description indicates that the item is part of the major assembly being illustrated. Items that are subordinate to single asterisks items, are denoted by two asterisks (**) and immediately follow the related single asterisk item. Additional asterisks are used, as required, to denote further subordination. This system of part identification, provides a means for the user to identify the next higher assembly item and make alternate selections for parts when the required replacement part or assembly is not immediately available.

COLUMN CALLOUT DESCRIPTION

Figure & Item — Indicates the figure number and item number of each part.

Description — Lists the name of the part and pertinent specifications (when required). Asterisks preceding the description denote the subordination of the part to the next higher assembly.

DEC Part No. — Lists the DEC part ordering number. A blank in this column indicates a DEC part number was not assigned at the time of publication.

ECO Cut-In — The notation at the top of this column indicates the ECO level of the system (option), at which the IPB was initially prepared. Subsequent ECO level designations, that modify existing parts or add new parts to the device, are inserted in the ECO Cut-In column next to the part that is added or modified. A bracket ([]) preceding the item description is used to indicate the parts affected by ECO's.

Vendor Code/Part No. — Indicates vendor parts that are not stocked by DEC. Refer to the Field Service Spares Catalog (vendor part number to DEC part number) for the vendor code cross-reference.

Used On Code — Letters in this column correspond to the variation codes assigned in Figure 1. Parts with an Alpha notation(s) are used only in those option variations. A blank indicates that the part is used on all option variations.

Ref Fig No. — A cross reference between illustrations. For each Major Assembly, the number in this column denotes the figure of the next higher assembly. For all subassemblies, the number in this column denotes the figure showing additional detailed breakdown.

SYMBOL USAGE

Hardware Designators — Alpha designators for screws (S), washers (W), nuts (N), and retaining rings (R) are inserted after the item number callouts on the illustration when stacked item numbers are used.

Attaching Hardware — The @ symbol is inserted before any part that is used as attaching hardware. Attaching hardware is denoted as those parts that are not an integral part of the referenced assembly.

(NFR) Not Field Repairable — The (NFR) symbol is inserted after any assembly that is not to be field dismantled.

Other Symbols — Any other symbols that are required for kits, accessories, etc., will be explained and appear as part of the item description.

REVISION HISTORY


| PRINTING | ECO LEVEL | DATE | PAGES AFFECTED |
|--------------|------------------|---------|----------------|
| 1st Printing | H745 00000-00010 | 4-29-74 | N/A |

Copyright © 1974, by Digital Equipment Corporation


DEC reserves the right, without notice, to make substitutions and modifications in the specifications of products documented in this manual and further reserves the right to withdraw any of these products from the market without notice.

DEC is not responsible for errors which may appear in the technical description (including illustrations and photographs) of the products covered by this manual.

None of the descriptions contained in this manual imply the granting of any license whatsoever to make, use or sell equipment constructed in accordance therewith.




ETCH REV C




H745 - 01

Figure 1. H745 Regulator Assembly (Etch Rev. C)

| FIG & ITEM NO. | DESCRIPTION | DEC PART NO. | ECO CUT-IN H745 00000 | USED ON CODE | VENDOR CODE | PART NO. | REF FIG NO. |
|----------------|---|--------------|-----------------------|--------------|-------------|----------|-------------|
| 1- | H745 REGULATOR ASSEMBLY -15V ETCH REV. C | H745-00 | | | | | |
| 1 | *Board, Etched Circuit (Etch Rev. C) | 50-09723-00 | | | | | |
| 2 | *Heat Sink | 12-10737-00 | | | | | |
| 3 | *Transistor (Q2) 2N5302 | 15-10196-00 | | | | | |
| 4 | *Diode (D4) NSR8117 | 11-10715-00 | | | | | |
| 5 | *SCR (D5) MCR649P-2 | 11-09465-00 | | | | | |
| 6 | *Washer, Insulator | 90-06721-00 | | | | | |
| 7 | *Screw, Phi. Pan Hd. No. 4-40 x 1/2 | 90-06013-01 | | | | | |
| 8 | *Nut, Kep No. 4-40 | 90-06557-00 | | | | | |
| 9 | *Connector, Mate-N-Lok (J1) | 12-09340-00 | | | | | |
| 10 | *Contact, Female | 12-09456-00 | | | | | |
| 11 | *Eyelet GS-4-7 | 90-06732-00 | | | | | |
| 12 | *Diode, Bridge (D1) | 11-10714-00 | | | | | |
| 13 | *Heat Sink, Bridge Rect. | 12-10907-00 | | | | | |
| 14 | *Screw, Phi Pan Hd No. 6-32 x 1/2 | 90-06024-01 | | | | | |
| 15 | *Nut, Kep No. 6-32 | 90-08185-00 | | | | | |
| 16 | *Capacitor (C1) 31K MFD 50V | 10-10858-00 | | | | | |
| 17 | *Capacitor (C2) 50 MFD 25V -10 + 75% | 10-01796-00 | | | | | |
| 18 | *Capacitor (C3, C12) 2.2 MFD 35V 10% | 10-02431-00 | | | | | |
| 19 | *Capacitor (C4) 2700 PF 100V 5% | 10-01637-00 | | | | | |
| 20 | *Capacitor (C5) 56 PF 100V 5% | 10-00012-00 | | | | | |
| 21 | *Capacitor (C6) .068 MFD 100V 10% | 10-00052-00 | | | | | |
| 22 | *Capacitor (C7, C11) .01 MFD 100V 20% | 10-01610-00 | | | | | |
| 23 | *Capacitor (C8, C9) 3.0K MFD 25V | 10-10703-00 | | | | | |
| 24 | *Capacitor (C10) .05 MFD 25V -20% | 10-01774-00 | | | | | |
| 25 | *Diode (D2, D3, D7) D664 | 11-00114-00 | | | | | |
| 26 | *Diode (D6) 1N967 | 11-10068-00 | | | | | |
| 27 | *Integrated Circuit (E1) UA723C | 19-10415-00 | | | | | |
| 28 | *Fuse (F1) | 90-07226-00 | | | | | |
| 29 | *Reactor (L1) 60 UHY | 16-10850-00 | | | | | |
| 30 | *Transistor (Q1, Q4) A05 | 15-10705-00 | | | | | |
| 31 | *Transistor (Q3) D45H8 | 15-10708-00 | | | | | |
| 32 | *Transistor (Q5, Q6) A55 | 15-10706-00 | | | | | |
| 33 | *Transistor, Uni Junction (Q7) | 15-10877-00 | | | | | |
| 34 | *Resistor (R1) 3.9K Ohm 1W 10% | 13-02927-00 | | | | | |
| 35 | *Resistor (R2) .03 Ohm 5W 3% | 13-10876-01 | | | | | |
| 36 | *Resistor (R3, R13, R14) 10 Ohm 1/4W 5% | 13-01317-00 | | | | | |
| 37 | *Resistor (R4, R10, R16, R20) 1K Ohm 1/4W 5% | 13-00365-00 | | | | | |
| 38 | *Resistor (R5) 39K Ohm 1/4W 5% | 13-02514-00 | | | | | |
| 39 | *Resistor (R6) 3.83K Ohm 1/8W 1% | 13-09413-00 | | | | | |
| 40 | *Resistor (R7, R8) 750 Ohm 1/8W 1% (Deleted) | 13-02955-00 | | | | | |
| | *Resistor (R7, R8) 511 Ohm 1/4W 1% (Added) | 13-02411-00 | 00001 | | | | |
| 41 | *Resistor, Variable (R9) 200 Ohm, 20% | 13-10852-00 | | | | | |
| 42 | *Resistor (R11) 1M Ohm 1/4W 5% | 13-09595-00 | | | | | |
| 43 | *Resistor (R12) 58 Ohm 1/4W 5% | 13-02602-00 | | | | | |
| 44 | *Resistor (R15) 3.9K Ohm 1/4W 5% | 13-00444-00 | | | | | |
| 45 | *Resistor (R17) 24K Ohm 1/4W 5% (Deleted) | 13-04837-00 | | | | | |
| | *Resistor (R17) 20K Ohm 1/4W 5% (Added) | 13-02391-00 | 00001 | | | | |
| 46 | *Resistor (R18, R24) 10K Ohm 1/4W 5% (Note: R24 added by ECO 00001) | 13-00479-00 | 00001 | | | | |
| 47 | *Resistor (R19) 5.1 Ohm 1/4W 5% | 13-09422-00 | | | | | |
| 48 | *Resistor (R21) 47 Ohm 1/4W 5% | 13-00202-00 | | | | | |
| 49 | *Resistor (R22) 5.1 Ohm 1W 5% | 13-02136-00 | | | | | |
| 50 | *Resistor (R23) 12K Ohm 1/4W 5% | 13-00448-00 | | | | | |
| 51 | *Holder, Capacitor | 53-09761-00 | | | | | |
| 52 | *Bracket, Regulator | 53-09756-00 | | | | | |
| 53 | *Screw, Phi Flat Hd No. 6-32 x 1/4 | 90-06020-02 | | | | | |
| 54 | *Screw, Phi Pan Hd No. 6-32 x 1/4 | 90-06020-01 | | | | | |
| 55 | *Washer, Lock No. 6 | 90-07649-00 | | | | | |
| 56 | *Screw, Phi Pan Hd No. 4-40 x 1/4 | 90-06009-01 | | | | | |
| 57 | *Washer, Int Tooth Lock No. 4 | 90-06632-00 | | | | | |
| 58 | *Screw, Ph. Flat Hd No. 4 x 5/16 (Self-Tap) | 90-09142-00 | | | | | |
| 59 | *Cover, Component | 53-09760-00 | | | | | |
| 60 | *Screw, Phi Flat Hd No. 4-40 x 5/16 | 90-06010-02 | | | | | |




ETCH REV D




H745-02

Figure 2. H745 Regulator Assembly (Etch Rev. D)

| FIG & ITEM NO. | DESCRIPTION | DEC PART NO. | ECO CUT-IN H745 00002 | USED ON CODE | VENDOR | | REF FIG NO. |
|-------------------------|---|-----------------|--------------------------------|-----------------|--------|----------|-------------------|
| | | | | | CODE | PART NO. | |
| 2- | H745 REGULATOR ASSEMBLY -15V ETCH REV. D | H745-00 | | | | | |
| 1 | *Board, Etched Circuit (Etch Rev. D) | 50-09723-00 | | | | | |
| 2 | *Heatsink | 12-10737-00 | | | | | |
| 3 | *Transistor (Q2) 2N5302 | 15-10196-00 | | | | | |
| 4 | *Diode (D4) NSR8117 | 11-10715-00 | | | | | |
| 5 | *SCR (D5) MCR649P-2 | 11-09465-00 | | | | | |
| 6 | *Washer, Insulator | 90-06721-00 | | | | | |
| 7 | *Screw, Phi Pan Hd No. 4-40 x 1/2 | 90-06013-01 | | | | | |
| 8 | *Nut, Kep No. 4-40 | 90-06557-00 | | | | | |
| 9 | *Connector, Mate-N-Lok (J1) | 12-09340-00 | | | | | |
| 10 | *Contact, Female | 12-09456-00 | | | | | |
| 11 | *Eyelet GS-4-7 | 90-06732-00 | | | | | |
| 12 | *Diode, Bridge (D1) | 11-10714-00 | | | | | |
| 13 | *Heat Sink, Bridge Rect. | 12-10907-00 | | | | | |
| 14 | *Screw, Phi Pan Hd No. 6-32 x 1/2 | 90-06024-01 | | | | | |
| 15 | *Nut, Kep No. 6-32 | 90-08185-00 | | | | | |
| 16 | *Capacitor (C1) 31K MFD 50V | 10-10858-00 | | | | | |
| 17 | *Capacitor (C2) 50 MFD 25V -10 +75% | 10-01796-00 | | | | | |
| 18 | *Capacitor (C3, C12) 2.2 MFD 35V 10% | 10-02431-00 | | | | | |
| 19 | *Capacitor (C4) 2700 PF 100V 5% | 10-01637-00 | | | | | |
| 20 | *Capacitor (C5) 56 PF 100V 5% | 10-00012-00 | | | | | |
| 21 | *Capacitor (C6) .068 MFD 100V 10% | 10-00052-00 | | | | | |
| 22 | *Capacitor (C7, C11) .01 MFD 100V 20% | 10-01610-00 | | | | | |
| 23 | *Capacitor (C8, C9) 3.0K MFD 25V | 10-10703-00 | | | | | |
| 24 | *Capacitor (C10) .05 MFD 25V -20% | 10-01774-00 | | | | | |
| 25 | *Diode (D2, D3, D7) D664 | 11-00114-00 | | | | | |
| 26 | *Diode (D6) 1N967 | 11-10068-00 | | | | | |
| 27 | *Integrated Circuit (E1) UA723C | 19-10415-00 | | | | | |
| 28 | *Fuse (F1) | 90-07226-00 | | | | | |
| 29 | *Reactor (L1) 60 UHY | 16-10850-00 | | | | | |
| 30 | *Transistor (Q1, Q4) A05 | 15-10705-00 | | | | | |
| 31 | *Transistor (Q3) D45H8 | 15-10708-00 | | | | | |
| 32 | *Transistor (Q5, Q6) A55 | 15-10706-00 | | | | | |
| 33 | *Transistor, Uni Junction (Q7) | 15-10877-00 | | | | | |
| 34 | *Resistor (R1) 3.9K Ohm 1W 10% | 13-02927-00 | | | | | |
| 35 | *Resistor (R2) .03 Ohm 5W 3% | 13-10876-01 | | | | | |
| 36 | *Resistor (R3, R13, R14) 10 Ohm 1/4W 5% | 13-01317-00 | | | | | |
| 37 | *Resistor (R4, R10, R16, R20) 1K Ohm 1/4W 5% | 13-00365-00 | | | | | |
| 38 | *Resistor (R5) 39K Ohm 1/4W 5% | 13-02514-00 | | | | | |
| 39 | *Resistor (R6) 3.83K Ohm 1/8W 1% | 13-09413-00 | | | | | |
| 40 | *Resistor (R7, R8) 511 Ohm 1/4W 1% | 13-02411-00 | | | | | |
| 41 | *Resistor, Variable (R9) 200 Ohm, 20% | 13-10852-00 | | | | | |
| 42 | *Resistor (R11) 1M Ohm 1/4W 5% | 13-09595-00 | | | | | |
| 43 | *Resistor (R12) 58 Ohm 1/4W 5% | 13-02602-00 | | | | | |
| 44 | *Resistor (R15) 3.9K Ohm 1/4W 5% | 13-00444-00 | | | | | |
| 45 | *Resistor (R17) 19.5K Ohm 1/8W 1% | 13-09419-00 | | | | | |
| 46 | *Resistor (R18, R24) 10K Ohm 1/4W 5% | 13-00479-00 | | | | | |
| 47 | *Resistor (R19) 5.1 Ohm 1/4W 5% | 13-09422-00 | | | | | |
| 48 | *Resistor (R21) 47 Ohm 1/4W 5% | 13-00202-00 | | | | | |
| 49 | *Resistor (R22) 5.1 Ohm 1W 5% | 13-02136-00 | | | | | |
| 50 | *Resistor (R23) 12K Ohm 1/4W 5% | 13-00448-00 | | | | | |
| 51 | *Holder, Capacitor | 53-09761-00 | | | | | |
| 52 | *Bracket, Regulator | 53-09756-00 | | | | | |
| 53 | *Screw, Phi Flat Hd No. 6-32 x 1/4 | 90-06020-02 | | | | | |
| 54 | *Screw, Phi Pan Hd No. 6-32 x 1/4 | 90-06020-01 | | | | | |
| 55 | *Washer, Lock No. 6 | 90-07649-00 | | | | | |
| 56 | *Screw, Phi Pan Hd No. 4-40 x 1/4 | 90-06009-01 | | | | | |
| 57 | *Washer, Int Tooth Lock No. 4 | 90-06632-00 | | | | | |
| 58 | *Screw, Phi Flat Hd No. 4 x 5/16 (Self-Tap) | 90-09142-00 | | | | | |
| 59 | *Cover, Component | 53-09760-00 | | | | | |
| 60 | *Screw, Phi Flat Hd No. 4-40 x 5/16 | 90-06010-02 | | | | | |
| 61 | *Lamp 15V (T1) | 12-05859-00 | | | | | |
| 62 | *Screw, Phi Pan Hd No. 4-40 x 5/16 | 90-06010-01 | | | | | |



ETCH REV E



H745-03

Figure 3. H745 Regulator Assembly (Etch Rev. E)

| FIG & ITEM NO. | DESCRIPTION | DEC PART NO. | ECO CUT-IN H745 00003 | USED ON CODE | VENDOR | | REF FIG NO. |
|----------------|--|--------------|-----------------------------|--------------|--------|----------|-------------|
| | | | | | CODE | PART NO. | |
| 3- | H745 REGULATOR ASSEMBLY -15V (ETCH REV. E) | H745-00 | | | | | |
| 1 | *Board, Etched Circuit (Etch Rev. E) | 50-09723-00 | | | | | |
| 2 | *Heat Sink | 12-10737-00 | | | | | |
| 3 | *Transistor (Q2) 2N5302 | 15-10196-00 | | | | | |
| 4 | *Diode (D4) NSR8117 | 11-10715-00 | | | | | |
| 5 | *SCR (D5) MCR649P-2 | 11-09465-00 | | | | | |
| 6 | *Washer, Insulator | 90-06721-00 | | | | | |
| 7 | *Screw, Phi Pan Hd No. 4-40 x 1/2 | 90-06013-01 | | | | | |
| 8 | *Nut, Kep, No. 4-40 | 90-06557-00 | | | | | |
| 9 | *Connector, Mate-N-Lok (J1) | 12-09340-00 | | | | | |
| 10 | *Contact, Female | 12-09456-00 | | | | | |
| 11 | *Eyelet GS-4-7 | 90-06732-00 | | | | | |
| 12 | *Diode, Bridge (D1) | 11-10714-00 | | | | | |
| 13 | *Heat Sink, Bridge Rect. | 12-10907-00 | | | | | |
| 14 | *Screw, Phi Pan Hd No. 6-32 x 1/2 | 90-06024-01 | | | | | |
| 15 | *Nut, Kep No. 6-32 | 90-08185-00 | | | | | |
| 16 | *Capacitor (C1) 31K MFD 50V | 10-10858-00 | | | | | |
| 17 | *Capacitor (C2) 50 MFD 25V -10 + 75% | 10-01796-00 | | | | | |
| 18 | *Capacitor (C3, C7, C11) .01 MFD 100V 20% | 10-01610-00 | | | | | |
| 19 | *Capacitor (C4) 2700 PF 100V 5% | 10-01637-00 | | | | | |
| 20 | *Capacitor (C5) 56 PF 100V 5% | 10-00012-00 | | | | | |
| 21 | *Capacitor (C6) .068 MFD 100V 10% | 10-00052-00 | | | | | |
| 22 | *Capacitor (C8, C9) 3.0K MFD 25V | 10-10703-00 | | | | | |
| 23 | *Capacitor (C10) 1.0MFD 25V | 10-10866-01 | | | | | |
| 24 | *Capacitor (C12) 2.2 MFD 35V 10% (Deleted) | 10-02431-00 | | | | | |
| | *Capacitor (C12) 15 MFD 20V 10% (Added) | 10-04812-00 | 00004 | | | | |
| 25 | *Capacitor (C13) 0.1 MFD 100V 20% (Note: Part No. 10-10621-00 MAY BE SUBSTITUTED) | 10-00030-00 | 00009 | | | | |
| 26 | *Diode (D2, D3, D7) D664 | 11-00114-00 | | | | | |
| 27 | *Diode (D6) 1N967 | 11-10068-00 | | | | | |
| 28 | *Integrated Circuit (E1) UA723C | 19-10415-00 | | | | | |
| 29 | *Fuse (F1) | 90-07226-00 | | | | | |
| 30 | *Lamp 15V (I1) (Deleted) | 12-05859-00 | | | | | |
| | *Lamp 15V (I1) (Added) | 12-09169-00 | 00007 | | | | |
| 31 | *Reactor (L1) 60 UHY | 16-10850-00 | | | | | |
| 32 | *Transistor (Q1, Q4) A05 | 15-10705-00 | | | | | |
| 33 | *Transistor (Q3) D45H8 | 15-10708-00 | | | | | |
| 34 | *Screw, Phi Pan Hd No. 4-40 x 5/16 | 90-06010-01 | | | | | |
| 35 | *Transistor (Q5, Q6) A55 | 15-10706-00 | | | | | |
| 36 | *Transistor, Uni Junction (Q7) 2N6028 | 15-10877-00 | | | | | |
| 37 | *Resistor (R1) 3.9K Ohm 1W 10% | 13-02927-00 | | | | | |
| 38 | *Resistor (R2) .03 Ohm 5W 3% | 13-10876-01 | | | | | |
| 39 | *Resistor (R3, R19) 5.1 Ohm 1/4W 5% | 13-09422-00 | | | | | |
| 40 | *Resistor (R4) 5.6K Ohm 1/4W 5% | 13-01874-00 | | | | | |
| 41 | *Resistor (R6) 7.5K 1/8W 1% | 13-05322-00 | | | | | |
| 42 | *Resistor (R7, R8) 511 Ohm 1/8W 1% | 13-02411-00 | | | | | |
| 43 | *Resistor, Variable (R9) 200 Ohm 20% | 13-10852-00 | | | | | |
| 44 | *Resistor (R10) 1K Ohm 1/4W 5% | 13-00365-00 | | | | | |
| 45 | *Resistor (R11) 1M Ohm 1/4W 5% | 13-09595-00 | | | | | |
| 46 | *Resistor (R12) 58 Ohm 1/4W 5% | 13-02602-00 | | | | | |
| 47 | *Resistor (R13, R14) 10 Ohm 1/4W 5% | 13-01317-00 | | | | | |
| 48 | *Resistor (R15, R16) 3.9K Ohm 1/4W 5% | 13-00444-00 | | | | | |
| 49 | *Resistor (R17) 39.2K Ohm 1/8W 1% | 13-05265-00 | | | | | |
| 50 | *Resistor (R18) 680 Ohm 1/4W 5% | 13-01424-00 | | | | | |
| 51 | *Resistor (R20) 100 Ohm 1/4W 5% | 13-00229-00 | | | | | |
| 52 | *Resistor (R21) 47 Ohm 1/4W 5% | 13-00202-00 | | | | | |
| 53 | *Resistor (R22) 5.1 Ohm 1W 5% | 13-02136-00 | | | | | |
| 54 | *Resistor (R23) 300 Ohm 1/4W 5% | 13-01425-00 | | | | | |
| 55 | *Resistor (R24) 10K Ohm 1/4W 5% | 13-00479-00 | | | | | |

| FIG & ITEM NO. | DESCRIPTION | DEC PART NO. | ECO CUT-IN H745 00003 | USED ON CODE | VENDOR | | REF FIG NO. |
|-------------------------|---|-----------------|--------------------------------|-----------------|--------|----------|-------------------|
| | | | | | CODE | PART NO. | |
| 3- | | | | | | | |
| 56 | *Holder, Capacitor | 53-09761-00 | | | | | |
| 57 | *Bracket, Regulator | 53-09756-00 | | | | | |
| 58 | *Screw, Phl Flat Hd No. 6-32 x 1/4 | 90-06020-02 | | | | | |
| 59 | *Screw, Phl Pan Hd No. 6-32 x 1/4 | 90-06020-01 | | | | | |
| 60 | *Washer, Lock No. 6 | 90-07649-00 | | | | | |
| 61 | *Screw, Phl Pan Hd No. 4-40 x 1/4 | 90-06009-01 | | | | | |
| 62 | *Washer, Int. Tooth Lock No. 4 | 90-06632-00 | | | | | |
| 63 | *Screw, Phl Flat Hd No. 4 x 5/16 (Self-Tap) | 90-09142-00 | | | | | |
| 64 | *Cover, Component | 53-09760-00 | | | | | |
| 65 | *Screw, Phl Flat Hd No. 4-40 x 5/16 | 90-06010-02 | | | | | |

**ILLUSTRATED PARTS BREAKDOWN
COMMENT SHEET**

Any and all comments and suggestions for correcting errors and/or additional information to improve this manual will be reviewed and researched for possible use when this manual is revised and/or reprinted. Enter your comments and suggestions in the form provided below and return to Technical Documentation.

MODEL _____

PUBLICATION NO. _____

FIGURE NO. _____ ITEM NO. _____

FIGURE NO. _____ ITEM NO. _____

CHANGE FROM _____

CHANGE FROM _____

CHANGE TO _____

CHANGE TO _____

FIGURE NO. _____ ITEM NO. _____

FIGURE NO. _____ ITEM NO. _____

CHANGE FROM _____

CHANGE FROM _____

CHANGE TO _____

CHANGE TO _____

FIGURE NO. _____ ITEM NO. _____

FIGURE NO. _____ ITEM NO. _____

CHANGE FROM _____

CHANGE FROM _____

CHANGE TO _____

CHANGE TO _____

ADDITIONAL COMMENT(S)

Name _____

Cost Center _____

date: _____

Fold Here -----

Do Not Tear - Fold Here and Staple -----

**FIRST CLASS
PERMIT NO. 33
MAYNARD, MASS.**

**BUSINESS REPLY MAIL
NO POSTAGE STAMP NECESSARY IF MAILED IN THE UNITED STATES**

Postage will be paid by:

**Digital Equipment Corporation
Technical Documentation Department
Digital Park, PK3-2
Maynard, Massachusetts 01754**

