



NOTES:
 UNLESS OTHERWISE NOTED:
 CAPACITORS ARE .01µF 100V 20%
 RESISTORS ARE 1K 1/4W 5%



KC2, BC1, BC2, CC1, CC2, DC1, DC2, AF1, AF2, BF1, BF2, CF1, CF2, DF1, DF2, AH1, AH2, BH1, BH2, CH1, CH2, DH1, DH2, AT1, AT2, BT1, BT2, CT1, CT2, DT1, DT2.

DEC 314	1	B			
DEC 384	1	B			
DEC 6380	1	B			
DEC 8251	B	16			
DEC 8266	B	16			
DEC 8235	B	16			
DEC 8271	B	16			
IC TYPE	QND	QSW	ITEM NO	ARG	FROM PT
QND AND QSW ARE USUALLY P17 AND P18 RESPECTIVELY. EXCEPTIONS ARE STATED ABOVE.					
IC PIN LOCATIONS					
JUMPER LIST					

7	E11, E20, E36, E39, E40, E45, E46	IC DEC 6380	1909971	25
8	E1, E2	RESISTOR 1K 1/4W 5%	1300363	28
83	C1, C34, C58	CAPACITOR .01µF DISC	1001670	29
3	C55, C56, C57	CAPACITOR 6.8µF 35V TOR	1005306	32
9	E24, E25, E44, E52	IC DEC 7400	1905575	21
5	E17, E26, E27, E35	IC DEC 8881	1909705	25
5	E28, E30, E41, E42	IC DEC 8231	1909675	19
3	E1, E2, E30	IC DEC 8235	1909935	10
2	E15, E23	IC DEC 8266	1909934	17
1	E12	IC DEC 8251	1909574	16
1	E13	IC DEC 74174	1909667	14
1	E13	IC DEC 74174	1905549	14
2	E33, E43	IC DEC 7400	1905577	21
5	E2, E18, E24, E25	IC DEC 7410	1905576	12
3	E21, E27, E30	IC DEC 7404	1909606	11
1	E18	IC DEC 7400	1909056	10
5	E12, E30, E41, E42	IC DEC 384	1909426	9
4	E2, E21, E27	IC DEC 6314	1909922	6
4		SPACER (CABLE CLAMP)	1202704	7
6		EYELET GS4-11 STIMPSON	9006750	6
4		HANDLE FLIP CHIP MOUNTING	1000337-06	8
1		RICHED CIRCUIT BOARD	8003255	4
REF		MODULE HISTORY LIST	BMM-837-2	3
REF		ASSY/DRILLING HOLE LAYOUT	AM-837-2	2
REF		X-Y COORDINATE HOLE LOC.	K-CO-837-2	1

ETCH BOARD REV	2	DATE LIST	
DEC NO.	EIA NO.	DEC NO.	EIA NO.
SEMICONDUCTOR CONVERSION CHART			
SCALE 2/1			
PAGE 1 OF 3			
A-MIL-KM8-E		ECSM837-0-1	
EQUIPMENT CORPORATION		MEM EXT & TIME SHARE CONTROL	

