



THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 330, 1/4W, 5%
CAPACITORS ARE .047 UF, 16V, 50-20%



ITEM NO.	DEC PART NO.	DESCRIPTION	QTY.
10	9008337-06	HANDLE, FLIP CHIP - MAGNETA	1
9	9006732	EYELET #GS 4-7	2
8	1300295	RES. 330, 1/4W, 5%	18
7	1300271	RES. 220, 1/4W, 5%	18
6	1009678	CAP. .047UF, 16V, 50-20%	6
5	1000076	CAP. 39UF, 10V, 10% S. TANT	1
4	5009285	ETCHED CIRCUIT BOARD	1
3	B-MH-M956-0-6	MODULE ECO HISTORY	
2	C-AH-M956-0-5	ASSY/DRILLING HOLE LAYOUT	
1	K-CO-M956-0-4	X-Y COORDINATE HOLE LOCATION	

PARTS LIST

REVISIONS CHK'G NO. REV.	DRN	A. COOPER	DATE	12/4/76	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE			
	CHK'D	Jan 91	DATE	1-12-77	DEC	EIA	DEC	EIA		18 TERMINATORS M956			
	ENG.	P. Sullivan	DATE	1-12-77						SIZE	CODE	NUMBER	REV.
	PROD		DATE							C	CS	M956-0-1	A

REV. A
NUMBER
CS M956-0-1

Printed 12/4/76