RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
D15 (1)	H	B04F2		1-01 *					K1-57		2	SOURCE (K1-5)			283
D15 (1)	H	C02K1		1-02 *					KE-4		1				283
D15 (1)	H	E06E2		1-03 *					K5-2						283
D15 (1)				1									13-6/8		283
DAD(3*2)	L	A05T2		1-01 *					K3-8		2	SOURCE			284
DAD(3*2)	L	B02C1		1-02 *					KE-5		1				284
DAD(3*2)	L	D01M1		1-03 *					KF-4						284
DAD(3*2)				1									13-4/8		284
DAD0 (1)	H	B06K2	C07S1	1-01 *					K5-6		1				285
DAD0 (1)	H	C07S1		1-02 *					K4-4		2		2-0		285
DAD0 (1)	H	D03D2		1-03 *					K2-7			SOURCE			285
DAD0 (1)				1									10-3/8		285
DAD1 (1)	H	B05B1		1-01 *					K3-8		2				286
DAD1 (1)	H	C07F2		1-02 *					K4-4		1				286
DAD1 (1)	H	D03P1		1-03 *					K2-7			SOURCE			286
DAD1 (1)				1									13-0/8		286
DAD2 (1)	H	A05S1		1-01 *					K3-8		2				287
DAD2 (1)	H	C07E2		1-02 *					K4-4		1				287
DAD2 (1)	H	D03N1		1-03 *					K2-7			SOURCE			287
DAD2 (1)				1									14-0/8		287
DAD3 (1)	H	B07M2		1-01 *					K4-4		2				288
DAD3 (1)	H	B05C1		1-02 *					K3-8		1				288
DAD3 (1)	H	D03M1		1-03 *					K2-7			SOURCE			288
DAD3 (1)				1									13-0/8		288
DISABLE TSACK	L	D07H2							K4-6					1-PIN RUN	289
DIV	L	C02D2							KE-45			SOURCE (KE-4)		1-PIN RUN	290
DM-0	L	E05J2		1-01 *					K3-3		1				291
DM-0	L	E08D1		1-02 *					KT-9						291
DM-0				1									3-6/8		291
DMUX00	H	A08E1		1-01 *					KT-4		1				292
DMUX00	H	E02K1		1-02 *					KE-2		2				292
DMUX00	H	E04L1		1-03 *					K1-289		1	SOURCE (K1-2)			292
DMUX00	H	F05L1		1-04 *					K3-39						292
DMUX00				1									23-2/8		292

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
DMUX01	H	A08D1		1-01 *					KT-4		1				293
DMUX01	H	E04J2		1-02 *					K1-289		2	SOURCE (K1-2)			293
DMUX01	H	E02J2		1-03 *					KE-2		1				293
DMUX01	H	F05F1		1-04 *					K3-39						293
DMUX01				1									22-6/8		293
DMUX02	H	A08C1		1-01 *					KT-4		1				294
DMUX02	H	D06M1		1-02 *					K5-2		2				294
DMUX02	H	E02K2		1-03 *					KE-2		1				294
DMUX02	H	E04M1		1-04 *					K1-289		2	SOURCE (K1-2)			294
DMUX02	H	F05H1		1-05 *					K3-3						294
DMUX02				1									25-0/8		294
DMUX03	H	A08J1		1-01 *					KT-4		2				295
DMUX03	H	D06N1		1-02 *					K5-2		1				295
DMUX03	H	E02J1		1-03 *					KE-2		2				295
DMUX03	H	F04J2		1-04 *					K1-289		1	SOURCE (K1-2)			295
DMUX03	H	F05K1		1-05 *					K3-3						295
DMUX03				1									24-6/8		295
DMUX04	H	A08M1		1-01 *					KT-4		1				296
DMUX04	H	D04F1		1-02 *					K1-389		2	SOURCE (K1-3)			296
DMUX04	H	D05S2		1-03 *					K3-3		1				296
DMUX04	H	E06C1		1-04 *					K5-2		2				296
DMUX04	H	E02H1		1-05 *					KE-2						296
DMUX04				1									22-2/8		296
DMUX05	H	A08L1		1-01 *					KT-4		1				297
DMUX05	H	D04C1		1-02 *					K1-389		2	SOURCE (K1-3)			297
DMUX05	H	D05P2		1-03 *					K3-3		1				297
DMUX05	H	E02H2		1-04 *					KE-2		2				297
DMUX05	H	E06R1		1-05 *					K5-2						297
DMUX05				1									23-6/8		297
DMUX06	H	B08D1		1-01 *					KT-4		1				298
DMUX06	H	D04M1		1-02 *					K1-389		2	SOURCE (K1-3)			298
DMUX06	H	D05T2	E06V2	1-03 *					K3-3		1				298
DMUX06	H	E06V2		1-04 *					K5-2		2		2-5		298
DMUX06	H	F02N1		1-05 *					KE-2						298
DMUX06				1									24-1/8		298
DMUX07	H	B08F2		1-01 *					KT-4		1				299
DMUX07	H	D04F2		1-02 *					K1-389		2	SOURCE (K1-3)			299
DMUX07	H	D05R2		1-03 *					K3-3		1				299
DMUX07	H	E06R2		1-04 *					K5-2		2				299
DMUX07	H	F02M2		1-05 *					KE-2						299
DMUX07				1									22-6/8		299

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
DMUX08	H	B08J1		1-01 *		KT-4		1				300
DMUX08	H	B04S2		1-02 *		K1-489		2	SOURCE (K1-4)			300
DMUX08	H	C05H1		1-03 *		K3-3		1				300
DMUX08	H	E03H1		1-04 *		KJ-2		2				300
DMUX08	H	F02N2		1-05 *		KE-2						300
DMUX08				1						22-2/8		300
DMUX09	H	B08K2		1-01 *		KT-4		1				301
DMUX09	H	B04T2		1-02 *		K1-489		2	SOURCE (K1-4)			301
DMUX09	H	C05J1		1-03 *		K3-3		1				301
DMUX09	H	E03J1		1-04 *		KJ-2		2				301
DMUX09	H	F02J2		1-05 *		KE-2						301
DMUX09				1						21-6/8		301
DMUX10	H	C08J2		1-01 *		KT-4		1				302
DMUX10	H	C05E1		1-02 *		K3-3		2				302
DMUX10	H	B04U1		1-03 *		K1-489		1	SOURCE (K1-4)			302
DMUX10	H	E03K1		1-04 *		KJ-2		2				302
DMUX10	H	F02K1		1-05 *		KE-2						302
DMUX10				1						22-4/8		302
DMUX11	H	B08L2		1-01 *		KT-4		1				303
DMUX11	H	B04U2		1-02 *		K1-489		2	SOURCE (K1-4)			303
DMUX11	H	C05F1		1-03 *		K3-3		1				303
DMUX11	H	E03M1		1-04 *		KJ-2		2				303
DMUX11	H	F02K2		1-05 *		KE-2						303
DMUX11				1						22-2/8		303
DMUX12	H	A04B1		1-01 *		K1-589		1	SOURCE (K1-5)			304
DMUX12	H	B05R1		1-02 *		K3-3		2				304
DMUX12	H	C08V2		1-03 *		KT-2		1				304
DMUX12	H	E03N1		1-04 *		KJ-2		2				304
DMUX12	H	F02D1		1-05 *		KE-2						304
DMUX12				1						25-0/8		304
DMUX13	H	A04D2		1-01 *	2	K1-589		2	SOURCE (K1-5) 3-0			305
DMUX13	H	B05N1		1-02 *		K3-3		1				305
DMUX13	H	D08E2		1-03 *		KT-2		2				305
DMUX13	H	E03P1		1-04 *		KJ-2		1				305
DMUX13	H	F02E1		1-05 *		KE-2						305
DMUX13				1						25-3/8		305

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
DMUX14	H	A04F2		1-01 *		K1-589		2	SOURCE (K1-5)			306
DMUX14	H	B05M1		1-02 *		K3-3		1				306
DMUX14	H	D08D2		1-03 *		KT-2		2				306
DMUX14	H	E03S1		1-04 *		KJ-2		1				306
DMUX14	H	F02F1		1-05 *		KE-2						306
DMUX14				1						25-0/8		306
DMUX15	H	A04E2		1-01 *		K1-589		1	SOURCE (K1-5)			307
DMUX15	H	B05P1		1-02 *		K3-3		2				307
DMUX15	H	C08U2		1-03 *		KT-2		1				307
DMUX15	H	E03R1		1-04 *		KJ-2		2				307
DMUX15	H	F02B1		1-05 *		KE-2						307
DMUX15				1						24-2/8		307
DOUT HIGH	H	B07H1		1-01 *		K4-4		1	SOURCE			308
DOUT HIGH	H	E08E1		1-02 *		KT-26		2				308
DOUT HIGH	H	E03V1		1-03 *		KJ-2						308
DOUT HIGH				1						15-4/8		308
DOUT LOW	H	B07K1		1-01 *		K4-4		1	SOURCE			309
DOUT LOW	H	E08F1		1-02 *		KT-6						309
DOUT LOW				1						10-0/8		309
DR00	L	A02L1				KE-5			SOURCE		1-PIN RUN	310
DR00 (1)	H	B02B1		1-01 *		KE-23456		2	SOURCE (KE-2)			311
DR00 (1)	H	B01R1		1-02 *		KF-2		1				311
DR00 (1)	H	E01N2		1-03 *		KM-2						311
DR00 (1)				1						14-0/8		311
DR01 (1)	H	C01H2		1-01 *		KF-3		1				312
DR01 (1)	H	E02F2		1-02 *		KE-23			SOURCE (KE-2)			312
DR01 (1)				1						7-6/8		312
DR02 (1)	H	C01B1		1-01 *		KF-3		1				313
DR02 (1)	H	E02F1		1-02 *		KE-23			SOURCE (KE-2)			313
DR02 (1)				1						8-2/8		313
DR03 (1)	H	B01S1		1-01 *		KF-3		1				314
DR03 (1)	H	E02V2		1-02 *		KE-23			SOURCE (KE-2)			314
DR03 (1)				1						10-6/8		314
DR04 (1)	H	B01D1		1-01 *		KF-3		1				315
DR04 (1)	H	E02M1		1-02 *		KE-23			SOURCE (KE-2)			315
DR04 (1)				1						11-2/8		315

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
DR05 (1)	H	A01N1		1-01 *		KF-3		1				316
DR05 (1)	H	E02R1		1-02 *		KE-23			SOURCE (KE-2)			316
DR05 (1)				1						13-2/8		316
DR06 (1)	H	A01F2		1-01 *		KF-3		1				317
DR06 (1)	H	E02R2		1-02 *		KE-23			SOURCE (KE-2)			317
DR06 (1)				1						14-0/8		317
DR07 (1)	H	E02P1				KE-23			SOURCE (KE-2)		1-PIN RUN	318
DR08 (1)	H	A01P2		1-01 *		KF-4		1				319
DR08 (1)	H	E02V1		1-02 *		KE-23			SOURCE (KE-2)			319
DR08 (1)				1						13-6/8		319
DR09 (1)	H	A01R2		1-01 *		KF-4		1				320
DR09 (1)	H	E01D2		1-02 *		KM-2		2				320
DR09 (1)	H	F02J1		1-03 *		KE-23			SOURCE (KE-2)			320
DR09 (1)				1						17-2/8		320
DR10 (1)	H	F02H2				KE-23			SOURCE (KE-2)		1-PIN RUN	321
DR11 (1)	H	E02T2				KE-23			SOURCE (KE-2)		1-PIN RUN	322
DR12 (1)	H	E02P2				KE-23			SOURCE (KE-2)		1-PIN RUN	323
DR13 (1)	H	E02S1				KE-23			SOURCE (KE-2)		1-PIN RUN	324
DR14 (1)	H	E02N1				KE-23			SOURCE (KE-2)		1-PIN RUN	325
DR15 (1)	H	C02F1				KE-2345			SOURCE (KE-2)		1-PIN RUN	326
DUBBERR	L	B06U2		1-01 *		K5-4		1	SOURCE			327
DUBBERR	L	E07T2		1-02 *		K4-3						327
DUBBERR				1						10-2/8		327
E(P1+P2)	H	A01H2		1-01 *		KF-2		1				328
E(P1+P2)	H	E02S2		1-02 *		KE-25			SOURCE (KE-5)			328
E(P1+P2)				1						14-0/8		328
ECIN00	H	A05S2		1-01 *		K3-8		2				329
ECIN00	H	B02F2		1-02 *		KE-5		1	SOURCE			329
ECIN00	H	E01M2		1-03 *		KM-2						329
ECIN00				1						15-4/8		329
ECLK U	L	C02M2		1-01 *		KE-5		1				330
ECLK U	L	D07S1		1-02 *		K4-						330
ECLK U				1						6-4/8		330

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
ECOMUXS0	L	D02H2		1-01 *		KE-5		1	SOURCE			331
ECOMUXS0	L	D05C1		1-02 *		K3-8						331
ECOMUXS0				1						3-6/8		331
ECOMUXS1	L	D02F2		1-01 *		KE-5		1	SOURCE			332
ECOMUXS1	L	D05E1		1-02 *		K3-8						332
ECOMUXS1				1						3-4/8		332
EMT	L	B06R1		1-01 *		K5-5		1				333
EMT	L	E05F1		1-02 *		K3-6			SOURCE			333
EMT				1						9-2/8		333
ENPR CLK	L	A02M2		1-01 *		KE-9		1	SOURCE			334
ENPR CLK	L	D07E1		1-02 *		K4-5						334
ENPR CLK				1						10-4/8		334
EOVFL STOP	H	B07F2		1-01 *		K4-4		1				335
EOVFL STOP	H	E03F2		1-02 *		KJ-2			SOURCE			335
EOVFL STOP				1						11-0/8		335
EOVFLW	L	D06R2		1-01 *		K5-4		1				336
EOVFLW	L	E03T2		1-02 *		KJ-2			SOURCE			336
EOVFLW				1						5-6/8		336
EPS(C) (1)	H	C01J1		1-01 *		KF-2		1				337
EPS(C) (1)	H	D02V1		1-02 *		KE-356		2	SOURCE (KE-6)			337
EPS(C) (1)	H	E01R2		1-03 *		KM-2						337
EPS(C) (1)				1						11-0/8		337
EPS(N) (1)	H	A01D1		1-01 *		KF-3		1				338
EPS(N) (1)	H	C02K2		1-02 *		KE-346		2	SOURCE (KE-6)			338
EPS(N) (1)	H	E01L2		1-03 *		KM-2						338
EPS(N) (1)				1						16-4/8		338
EPS(V) (1)	H	C02L1		1-01 *		KE-36		1	SOURCE (KE-6)			339
EPS(V) (1)	H	E01E2		1-02 *		KM-2						339
EPS(V) (1)				1						7-2/8		339
EPS(Z) (0)	H	A01M2		1-01 *		KF-4		1				340
EPS(Z) (0)	H	D02J2		1-02 *		KE-6			SOURCE			340
EPS(Z) (0)				1						10-2/8		340
EPS(Z) (1)	H	D02F1		1-01 *		KE-3		1				341
EPS(Z) (1)	H	E01H1		1-02 *		KM-2						341
EPS(Z) (1)				1						5-2/8		341

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
ESALU0	L	A02C1		1-01 *		KE-5		1	SOURCE			342
ESALU0	L	A05N2		1-02 *		K3-8						342
ESALU0				1						4-6/8		342
ESALU1	L	A05L2		1-01 *		K3-8		1				343
ESALU1	L	B02E2		1-02 *		KE-5			SOURCE			343
ESALU1				1						5-2/8		343
ESALU2	L	A02F1		1-01 *		KE-5		1	SOURCE			344
ESALU2	L	A05M2		1-02 *		K3-8						344
ESALU2				1						4-2/8		344
ESALU3	L	A02D1		1-01 *		KE-5		1	SOURCE			345
ESALU3	L	A05K2		1-02 *		K3-8						345
ESALU3				1						4-2/8		345
ESALUM	H	B05M2				K3-8					1-PIN RUN	346
EUBC1	L	A03L1		1-01 *		K2-2		1				347
EUBC1	L	B02F1		1-02 *		KE-4			SOURCE			347
EUBC1				1						4-6/8		347
EUBC2	L	A02S2		1-01 *		KE-4		1	SOURCE			348
EUBC2	L	A03N1		1-02 *		K2-2						348
EUBC2				1						3-0/8		348
EUBC3	L	A03S1		1-01 *		K2-2		1				349
EUBC3	L	C02B1		1-02 *		KE-4			SOURCE			349
EUBC3				1						6-2/8		349
EUBC4	L	A03C1		1-01 *		K2-3		1				350
EUBC4	L	B02T2		1-02 *		KE-4			SOURCE			350
EUBC4				1						6-6/8		350
EUBC5	L	B03D2		1-01 *		K2-3		1				351
EUBC5	L	C01F2		1-02 *		KF-42			SOURCE (KF-4)			351
EUBC5				1						5-4/8		351
EUBC6	L	B03R1				K2-3					1-PIN RUN	352
EUBC7	L	A03B1				K2-3					1-PIN RUN	353
EUBC8	L	A03U1		1-01 *		K2-3		1				354
EUBC8	L	B02R1		1-02 *		KE-5			SOURCE			354
EUBC8				1						5-0/8		354

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
EUBF0 (1)	H	A01T2		1-01 *		KF-4		1				355
EUBF0 (1)	H	B02L1		1-02 *		KE-457			SOURCE (KE-7)			355
EUBF0 (1)				1						4-4/8		355
EUBF1 (1)	H	A01U2		1-01 *		KF-4		1				356
EUBF1 (1)	H	B02D1		1-02 *		KE-457			SOURCE (KE-7)			356
EUBF1 (1)				1						3-6/8		356
EUBF2 (1)	H	A01V2		1-01 *		KF-4		1				357
EUBF2 (1)	H	A02N1		1-02 *		KE-47			SOURCE (KE-7)			357
EUBF2 (1)				1						3-2/8		357
EUBF3 (1)	H	C02E2				KE-7			SOURCE		1-PIN RUN	358
EUBF4 (0)	H	D01D2		1-01 *		KF-4		1	SOURCE			359
EUBF4 (0)	H	D02B1		1-02 *		KE-4						359
EUBF4 (0)				1						2-6/8		359
EUPP8	H	D02S2				KE-35					1-PIN RUN	360
EXT P CLR TRAP	L	B02D2		1-01 *		KE-5		1	SOURCE			361
EXT P CLR TRAP	L	B06F2		1-02 *		K5-4						361
EXT P CLR TRAP				1						4-4/8		361
FALSE BR	L	D05M1		1-01 *		K3-5		1				362
FALSE BR	L	F06N1		1-02 *		K5-3			SOURCE			362
FALSE BR				1						8-0/8		362
FAULT	H	A07H2		1-01 *		K4-4		1				363
FAULT	H	C08S1		1-02 *		KT-3			SOURCE			363
FAULT				1						8-6/8		363
FAULT	L	C08R1		1-01 *		KT-3		1	SOURCE			364
FAULT	L	F05M2		1-02 *		K3-2						364
FAULT				1						10-4/8		364
FAUX ALU	H	A02B1		1-01 *		KE-5		1				365
FAUX ALU	H	D01P1		1-02 *		KF-4			SOURCE			365
FAUX ALU				1						12-0/8		365
FC1BUS (1)	H	B02A1		1-01 *		KE-9		1				366
FC1BUS (1)	H	D01M2		1-02 *		KF-4			SOURCE			366
FC1BUS (1)				1						9-0/8		366
FDIV	H	C02F2		1-01 *		KE-2		1				367
FDIV	H	D01L2		1-02 *		KF-4			SOURCE			367
FDIV				1						5-6/8		367

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS		LENGTH	EXCEPTIONS	RUN NUMBER
F1S INSTR	L	B02H2		1-01 *			KE-5				2					368
F1S INSTR	L	C02J1		1-02 *			KE-4				1					368
F1S INSTR	L	D01R2		1-03 *			KF-4					SOURCE				368
F1S INSTR				1										11-0/8		368
FUBC1	L	B01J2		1-01 *			KF-4				1	SOURCE				369
FUBC1	L	B02R2		1-02 *			KE-4									369
FUBC1				1										3-2/8		369
GND AB		A01C2		1-01 *	H						1	GND AB	P		HAND WIRE	370
GND AB		A02C2		1-02 *	H						2	,GND CD	P		HAND WIRE	370
GND AB		A03C2		1-03 *	H						1	AND GND EF	P		HAND WIRE	370
GND AB		A04C2		1-04 *	H						2	ARE	P		HAND WIRE	370
GND AB		A05C2		1-05 *	H						1	PHYSICALLY	P		HAND WIRE	370
GND AB		A06C2		1-06 *	H						2	TIED	P		HAND WIRE	370
GND AB		A07C2		1-07 *	H						1	TOGETHER	P		HAND WIRE	370
GND AB		A08C2		1-08 *	H						2	BY ETCH	P		HAND WIRE	370
GND AB		A09C2		1-09 *	H						1		P		HAND WIRE	370
GND AB		A09B2		1-10 *	H						2		P		HAND WIRE	370
GND AB		A09N1		1-11 *	H						1		P		HAND WIRE	370
GND AB		A09P1		1-12 *	H						2		P		HAND WIRE	370
GND AB		A09R1		1-13 *	H						1		P		HAND WIRE	370
GND AB		A09S1		1-14 *	H						2		P		HAND WIRE	370
GND AB		A09T1		1-15 *	H						1		P		HAND WIRE	370
GND AB		A09V2		1-16 *	H						2		P		HAND WIRE	370
GND AB		B09B2		1-17 *	H						1		P		HAND WIRE	370
GND AB		B09C2		1-18 *	H						2		P		HAND WIRE	370
GND AB		B09D1		1-19 *	H						1		P		HAND WIRE	370
GND AB		B09E1		1-20 *	H						2		P		HAND WIRE	370
GND AB		B08C2		1-21 *	H						1		P		HAND WIRE	370
GND AB		B07C2		1-22 *	H						2		P		HAND WIRE	370
GND AB		B07C1		1-23 *	H						1		P		HAND WIRE	370
GND AB		B06C2		1-24 *	H						2		P		HAND WIRE	370
GND AB		B05C2		1-25 *	H						1		P		HAND WIRE	370
GND AB		B04C2		1-26 *	H						2		P		HAND WIRE	370
GND AB		B03C2		1-27 *	H						1		P		HAND WIRE	370
GND AB		B02C2		1-28 *	H						2		P		HAND WIRE	370
GND AB		B01C2		1-29 *	H						1		P		HAND WIRE	370
GND AB		A01T1		1-30 *	H						2		P		HAND WIRE	370
GND AB		A02T1		1-31 *	H						1		P		HAND WIRE	370
GND AB		A03T1		1-32 *	H						2		P		HAND WIRE	370
GND AB		A04T1		1-33 *	H						1		P		HAND WIRE	370
GND AB		A05T1		1-34 *	H						2		P		HAND WIRE	370
GND AB		A06T1		1-35 *	H						1		P		HAND WIRE	370
GND AB		A07T1		1-36 *	H						2		P		HAND WIRE	370
GND AB		A08T1		1-37 *	H						1		P		HAND WIRE	370
GND AB		B08T1		1-38 *	H						2		P		HAND WIRE	370
GND AB		B09T1		1-39 *	H						1		P		HAND WIRE	370
GND AB		B09V2		1-40 *	H						2		P		HAND WIRE	370
GND AB		B07T1		1-41 *	H						1		P		HAND WIRE	370
GND AB		B06T1		1-42 *	H						2		P		HAND WIRE	370
GND AB		B05T1		1-43 *	H						1		P		HAND WIRE	370
GND AB		B04T1		1-44 *	H						2		P		HAND WIRE	370
GND AB		B03T1		1-45 *	H						1		P		HAND WIRE	370
GND AB		B02T1		1-46 *	H						2		P		HAND WIRE	370
GND AB		B01T1		1-47 *	H								P		H TO WHERE	370

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS		LENGTH	EXCEPTIONS	RUN NUMBER
GND AB				1										129-2/8		370
GND CD		C01C2		1-01 *	H						2	GND AB	P		HAND WIRE	371
GND CD		C02C2		1-02 *	H						1	,GND CD,EF	P		HAND WIRE	371
GND CD		C03C1		1-03 *	H						2	ARE	P		HAND WIRE	371
GND CD		C03C2		1-04 *	H						1	PHYSICALLY	P		HAND WIRE	371
GND CD		C04C2		1-05 *	H						2	TIED	P		HAND WIRE	371
GND CD		C05C2		1-06 *	H						1	TOGETHER	P		HAND WIRE	371
GND CD		C07C2		1-07 *	H						2	BY ETCH	P		HAND WIRE	371
GND CD		C06C2		1-08 *	H						1		P		HAND WIRE	371
GND CD		C06T1		1-09 *	H						2		P		HAND WIRE	371
GND CD		C05T1		1-10 *	H						1		P		HAND WIRE	371
GND CD		C04T1		1-11 *	H						2		P		HAND WIRE	371
GND CD		C03T1		1-12 *	H						1		P		HAND WIRE	371
GND CD		C03V2		1-13 *	H						2		P		HAND WIRE	371
GND CD		C02T1		1-14 *	H						1		P		HAND WIRE	371
GND CD		C01T1		1-15 *	H						2		P		HAND WIRE	371
GND CD		C08C2		1-16 *	H						1		P		HAND WIRE	371
GND CD		C09C2		1-17 *	H						2		P		HAND WIRE	371
GND CD		C09T1		1-18 *	H						1		P		HAND WIRE	371
GND CD		C08T1		1-19 *	H						2		P		HAND WIRE	371
GND CD		C07T1		1-20 *	H						1		P		HAND WIRE	371
GND CD		D09C2		1-21 *	H						2		P		HAND WIRE	371
GND CD		D08C2		1-22 *	H						1		P		HAND WIRE	371
GND CD		D07C2		1-23 *	H						2		P		HAND WIRE	371
GND CD		D69C2		1-24 *	H						1		P		HAND WIRE	371
GND CD		D05C2		1-25 *	H						2		P		HAND WIRE	371
GND CD		D04C2		1-26 *	H						1		P		HAND WIRE	371
GND CD		D03C2		1-27 *	H						2		P		HAND WIRE	371
GND CD		D03C1		1-28 *	H						1		P		HAND WIRE	371
GND CD		D02C2		1-29 *	H						2		P		HAND WIRE	371
GND CD		D01C2		1-30 *	H						1		P		HAND WIRE	371
GND CD		D01T1		1-31 *	H						2		P		HAND WIRE	371
GND CD		D02T1		1-32 *	H						1		P		HAND WIRE	371
GND CD		D03T1		1-33 *	H						2		P		HAND WIRE	371
GND CD		D03V2		1-34 *	H						1		P		HAND WIRE	371
GND CD		D04T1		1-35 *	H						2		P		HAND WIRE	371
GND CD		D05T1		1-36 *	H						1		P		HAND WIRE	371
GND CD		D06T1		1-37 *	H						2		P		HAND WIRE	371
GND CD		D07T1		1-38 *	H						1		P		HAND WIRE	371
GND CD		D08T1		1-39 *	H						2		P		HAND WIRE	371
GND CD		D09T1		1-40 *	H								P		H TO WHERE	371
GND CD				1										110-6/8		371

digital EQUIPMENT CORPORATION
digital EQUIPMENT CORPORATION

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
GND EF		E09C2		1-01 *	H						2	GND AB	P	HAND WIRE	372
GND EF		E09A1		1-02 *	H						1	,GND CD	P	HAND WIRE	372
GND EF		E08C2		1-03 *	H						2	AND GND EF	P	HAND WIRE	372
GND EF		E07C2		1-04 *	H						1	ARE	P	HAND WIRE	372
GND EF		E06C2		1-05 *	H						2	PHYSICALLY	P	HAND WIRE	372
GND EF		E05C2		1-06 *	H						1	TIED	P	HAND WIRE	372
GND EF		E04C2		1-07 *	H						2	TOGETHER	P	HAND WIRE	372
GND EF		E03C2		1-08 *	H						1	BY ETCH	P	HAND WIRE	372
GND EF		E02C2		1-09 *	H						2		P	HAND WIRE	372
GND EF		E01C2		1-10 *	H						1		P	HAND WIRE	372
GND EF		E01T1		1-11 *	H						2		P	HAND WIRE	372
GND EF		E02T1		1-12 *	H						1		P	HAND WIRE	372
GND EF		E03T1		1-13 *	H						2		P	HAND WIRE	372
GND EF		E04T1		1-14 *	H						1		P	HAND WIRE	372
GND EF		E05T1		1-15 *	H						2		P	HAND WIRE	372
GND EF		E06T1		1-16 *	H						1		P	HAND WIRE	372
GND EF		E07T1		1-17 *	H						2		P	HAND WIRE	372
GND EF		E08T1		1-18 *	H						1		P	HAND WIRE	372
GND EF		E09T1		1-19 *	H						2		P	HAND WIRE	372
GND EF		F09C2		1-20 *	H						1		P	HAND WIRE	372
GND EF		F08C2		1-21 *	H						2		P	HAND WIRE	372
GND EF		F07C2		1-22 *	H						1		P	HAND WIRE	372
GND EF		F06C2		1-23 *	H						2		P	HAND WIRE	372
GND EF		F05C2		1-24 *	H						1		P	HAND WIRE	372
GND EF		F04C2		1-25 *	H						2		P	HAND WIRE	372
GND EF		F03C2		1-26 *	H						1		P	HAND WIRE	372
GND EF		F02C2		1-27 *	H						2		P	HAND WIRE	372
GND EF		F01C2		1-28 *	H						1		P	HAND WIRE	372
GND EF		F01T1		1-29 *	H						2		P	HAND WIRE	372
GND EF		F02T1		1-30 *	H						1		P	HAND WIRE	372
GND EF		F03T1		1-31 *	H						2		P	HAND WIRE	372
GND EF		F04T1		1-32 *	H						1		P	HAND WIRE	372
GND EF		F05T1		1-33 *	H						2		P	HAND WIRE	372
GND EF		F06T1		1-34 *	H						1		P	HAND WIRE	372
GND EF		F07T1		1-35 *	H						2		P	HAND WIRE	372
GND EF		F08T1		1-36 *	H						1		P	HAND WIRE	372
GND EF		F09T1		1-37 *	H						2		P	HAND WIRE	372
GND EF		F09J2		1-38 *									P	HAND WIRE	372
				1										TO HERE	372
GPC=1													105-6/8		372
GPC=1	L	A01N2		1-01 *					KF=4		1				
GPC=1	L	A02A1		1-02 *					KE=5						373
				1											373
GPC=2													3-6/8		373
GPC=2	L	A02E1		1-01 *					KE=5		1	SOURCE			
GPC=2	L	D01N1		1-02 *					KF=4						374
				1											374
													11-4/8		374

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
GPC=5															
GPC=5	L	A02J1		1-01 *					KE-25		1	SOURCE (KE-5)			
GPC=5	L	C01T2		1-02 *					KF-2						375
				1											375
GPC=6													8-6/8		375
GPC=6	L	A02K2		1-01 *					KE-5		1	SOURCE			
GPC=6	L	D01R1		1-02 *					KF-4						376
				1											376
GPC=7													11-2/8		376
GPC=7	L	A02J2		1-01 *					KE-5		1	SOURCE			
GPC=7	L	D01T2		1-02 *					KF-4						377
				1											377
													11-4/8		377
GRANT BR	H	D07M1							K4-56			SOURCE (K4-5)		1-PIN RUN	378
HALT SW	L	B06B1		1-01 *					K5-7		2	SOURCE			
HALT SW	L	C07D1		1-02 *					K4-5		1				379
HALT SW	L	F07S1		1-03 *					K4-3		2				379
HALT SW	L	F05P1		1-04 *					K3-247						379
HALT SW				1											379
													20-4/8		379
HSR00 (1)	H	C01N2							KF-2			SOURCE		1-PIN RUN	380
HSR01 (1)	H	C01N1							KF-2			SOURCE		1-PIN RUN	381
HSR02 (1)	H	C01P1							KF-2			SOURCE		1-PIN RUN	382
HSR03 (1)	H	C01R1							KF-2			SOURCE		1-PIN RUN	383
HSR04 (1)	H	B01C1							KF-2			SOURCE		1-PIN RUN	384
HSR05 (1)	H	A01P1							KF-2			SOURCE		1-PIN RUN	385
HSR06 (1)	H	A01L1							KF-2			SOURCE		1-PIN RUN	386
HSR07 (1)	H	A01M1							KF-2			SOURCE		1-PIN RUN	387
HSR08 (1)	H	C01S2							KF-2			SOURCE		1-PIN RUN	388
HSR09 (1)	H	C01R2							KF-2			SOURCE		1-PIN RUN	389
HSR10 (1)	H	C01P2							KF-2			SOURCE		1-PIN RUN	390
HSR11 (1)	H	C01S1							KF-2			SOURCE		1-PIN RUN	391
HSR12 (1)	H	B01F2							KF-2			SOURCE		1-PIN RUN	392

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
HSR13 (1)	H	B01E2						KF-2				SOURCE		1-PIN RUN	393
HSR14 (1)	H	B01D2						KF-2				SOURCE		1-PIN RUN	394
HSR15	L	A01H1		1-01 *				KF-2			1	SOURCE			395
HSR15	L	C02A1		1-02 *				KE-2							395
HSR15				1									7-0/8		395
HSR15 (1)	H	B01E1						KF-2				SOURCE		1-PIN RUN	396
IDLE	L	A06M2		1-01 *				K5-7			1				397
IDLE	L	D07J2		1-02 *				K4-24				SOURCE (K4-2)			397
IDLE				1									10-2/8		397
ILL INSTR	L	C06H1		1-01 *				K5-5			1				398
ILL INSTR	L	F05R1		1-02 *				K3-6				SOURCE			398
ILL INSTR				1									11-4/8		398
IN	H	D09H1		1-01 *				DD			1	SOURCE			399
IN	H	E09M1		1-02 *				DD				SOURCE			399
IN				1									5-2/8		399
INH PS CLK 1	L	D02E2	D06K1	1-01 *				KE-5			2	SOURCE			400
INH PS CLK 1	L	D06K1		1-02 *							1				400
INH PS CLK 1	L	E08R2		1-03 *				KT-2							400
INH PS CLK 1				1									10-2/8		400
INH PS CLK 2	L	C08M2	D06J1	1-01 *				KT-2			1	SOURCE			401
INH PS CLK 2	L	D06J1		1-02 *											401
INH PS CLK 2				1									5-2/8		401
INIT	H	B06F1		1-01 *				K5-468			1	SOURCE (K5-8)			402
INIT	H	D07R2		1-02 *				K4-35							402
INIT				1									9-0/8		402
INIT*RESET	H	A06V2						K5-8				SOURCE		1-PIN RUN	403
INIT1	L	B06A1						K5-2468				SOURCE (K5-8)		1-PIN RUN	404
INIT2	L	A04K1	A06T2	1-01 *	2			K4-3			2				405
INIT2	L	A06T2		1-02 *				K5-8			1	SOURCE	7-2		405
INIT2	L	F07F1		1-03 *				K4-4							405
INIT2				1									19-1/8		405
INTR (1)	H	B07J1		1-01 *				K4-4			1				406
INTR (1)	H	C06K1		1-02 *				K5-4				SOURCE			406
INTR (1)				1									5-2/8		406

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
INTR A	H	D09N1		1-01 *				DD			1	SOURCE			407
INTR A	H	F09U1		1-02 *				DD							407
INTR A				1									8-2/8		407
INTR B	H	C09J1		1-01 *				DD			1	SOURCE			408
INTR B	H	F09K2		1-02 *				DD							408
INTR B				1									10-4/8		408
INTR ENB A	H	D09M1		1-01 *				DD			1	SOURCE			409
INTR ENB A	H	F09V1		1-02 *				DD							409
INTR ENB A				1									8-4/8		409
INTR ENB B	H	C09L1		1-01 *				DD			1	SOURCE			410
INTR ENB B	H	F09H2		1-02 *				DD							410
INTR ENB B				1									10-0/8		410
IOT	L	C06H2		1-01 *				K5-5			1				411
IOT	L	D05K2		1-02 *				K3-6				SOURCE			411
IOT				1									5-4/8		411
IR(02:00)=6	L	E05M2		1-01 *				K3-4			1				412
IR(02:00)=6	L	E08L1		1-02 *				KT-9							412
IR(02:00)=6				1									3-6/8		412
IR(08:06)=0	L	C01C1		1-01 *				KF-4			1				413
IR(08:06)=0	L	D05E2		1-02 *				K3-3				SOURCE			413
IR(08:06)=0				1									6-2/8		413
IR(08:06)=6	L	D05F2		1-01 *	1			K3-3			1	SOURCE			414
IR(08:06)=6	L	E08H1		1-02 *				KT-9							414
IR(08:06)=6				1									5-4/8		414
IR(14:12)=0	L	A05U2		1-01 *				K3-356			1	SOURCE			415
IR(14:12)=0	L	D06V2		1-02 *				K5-3							415
IR(14:12)=0				1									10-6/8		415
IR(14:12)=7	H	B05E2		1-01 *				K3-6			1				416
IR(14:12)=7	H	C02H1		1-02 *				KE-4							416
IR(14:12)=7				1									5-6/8		416
IR00 (1)	H	F04M1		1-01 *				K1-8			2				417
IR00 (1)	H	F05N1		1-02 *				K3-34			1	SOURCE			417
IR00 (1)	H	F08L2		1-03 *				KT-7							417
IR00 (1)				1									7-2/8		417

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
IR01 (1)	H	F04F2		1-01 *					K1-8		1				418
IR01 (1)	H	F05E1		1-02 *					K3-346		2	SOURCE			418
IR01 (1)	H	F08E1		1-03 *					KT-7						418
IR01 (1)				1									6-2/8		418
IR02 (1)	H	F04C1		1-01 *					K1-8		2				419
IR02 (1)	H	F05D1		1-02 *					K3-34		1	SOURCE			419
IR02 (1)	H	F08E2		1-03 *					KT-7						419
IR02 (1)				1									7-0/8		419
IR03 (1)	H	C02J2		1-01 *					KE-4		1				420
IR03 (1)	H	C05S1		1-02 *					K3-235		2	SOURCE (K3-3)			420
IR03 (1)	H	D01K2		1-03 *					KF-4		1				420
IR03 (1)	H	F08H2		1-04 *					KT-7						420
IR03 (1)				1									17-4/8		420
IR04 (1)	H	B02J2		1-01 *					KE-4		1				421
IR04 (1)	H	D01J2		1-02 *					KF-4		2				421
IR04 (1)	H	E05H1		1-03 *					K3-2356		1	SOURCE (K3-3)			421
IR04 (1)	H	F08M2		1-04 *					KT-7						421
IR04 (1)				1									19-4/8		421
IR05 (1)	H	B02J1		1-01 *					KE-4		1				422
IR05 (1)	H	D01K1		1-02 *					KF-4		2				422
IR05 (1)	H	E05K1		1-03 *					K3-2356		1	SOURCE (K3-3)			422
IR05 (1)	H	F08J1		1-04 *					KT-7						422
IR05 (1)				1									19-4/8		422
IR06 (1)	H	D05R1		1-01 *					K3-3456		1	SOURCE (K3-3)			423
IR06 (1)	H	F04N1		1-02 *					K1-8		2				423
IR06 (1)	H	F08N1		1-03 *					KT-7						423
IR06 (1)				1									11-6/8		423
IR07 (1)	H	D05M2		1-01 *					K3-3456		1	SOURCE (K3-3)			424
IR07 (1)	H	F04H2		1-02 *					K1-8		2				424
IR07 (1)	H	F08M1		1-03 *					KT-7						424
IR07 (1)				1									11-4/8		424
IR08 (1)	H	C05K1		1-01 *					K3-3456		2	SOURCE (K3-3)			425
IR08 (1)	H	D06T2		1-02 *					K5-3		1				425
IR08 (1)	H	F04D1		1-03 *					K1-8		2				425
IR08 (1)	H	F08S2		1-04 *					KT-7						425
IR08 (1)				1									18-0/8		425

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
IR09 (1)	H	B02L2		1-01 *					KE-4		2				426
IR09 (1)	H	C05L1		1-02 *					K3-345		1	SOURCE (K3-3)			426
IR09 (1)	H	F08L1		1-03 *					KT-7						426
IR09 (1)				1									16-4/8		426
IR10 (1)	H	A02N2		1-01 *					KE-4		2				427
IR10 (1)	H	C05C1		1-02 *					K3-345		1	SOURCE (K3-3)			427
IR10 (1)	H	F08T2		1-03 *					KT-7						427
IR10 (1)				1									19-6/8		427
IR11 (1)	H	A02T2		1-01 *					KE-4		2				428
IR11 (1)	H	C05B1		1-02 *					K3-345		1	SOURCE (K3-3)			428
IR11 (1)	H	F08U2		1-03 *					KT-7						428
IR11 (1)				1									19-4/8		428
IR12 (1)	H	B05S1		1-01 *	1				K3-34		1	SOURCE (K3-3) 6-4			429
IR12 (1)	H	F08N2		1-02 *					KT-7						429
IR12 (1)				1									13-5/8		429
IR13 (1)	H	B05L1		1-01 *					K3-34		1	SOURCE (K3-3)			430
IR13 (1)	H	F08P2		1-02 *					KT-7						430
IR13 (1)				1									14-0/8		430
IR14 (1)	H	B05K1		1-01 *					K3-34		1	SOURCE (K3-3)			431
IR14 (1)	H	E08V2		1-02 *					KT-7						431
IR14 (1)				1									12-0/8		431
IR15	H	B05R2		1-01 *					K3-2479		1	SOURCE (K3-4)			432
IR15	H	D06L1		1-02 *					K5-3						432
IR15				1									7-2/8		432
IR15	L	A05B1		1-01 *					K3-469		1	SOURCE (K3-4)			433
IR15	L	C02H2		1-02 *					KE-4		2				433
IR15	L	D06M2		1-03 *					K5-3						433
IR15				1									15-2/8		433
IR15 (1)	H	C05M1							K3-345			SOURCE (K3-3)		1-PIN RUN	434
IR=075XXX	L	A02U2		1-01 *					KE-4		1	SOURCE			435
IR=075XXX	L	D01L1		1-02 *					KF-4						435
IR=075XXX				1									9-6/8		435
JAM CLK	H	E07B1							K4-23			SOURCE (K4-3)		1-PIN RUN	436
JAMUPP	H	C06T2		1-01 *					K5-4		1				437
JAMUPP	H	F07A1		1-02 *					K4-23			SOURCE (K4-3)			437
JAMUPP				1									8-4/8		437

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
JAMUPP	L	D03S2	A03V1	1-01 *	1	K2-5678		1				438
JAMUPP	L	A03V1		1-02 *		K2-3		2				438
JAMUPP	L	C06L1		1-03 *		K5-4		1				438
JAMUPP	L	F07E1		1-04 *		K4-3			SOURCE			438
JAMUPP				1						27-2/8		438
JBERR (0)	H	F07L1				K4-3			SOURCE		1-PIN RUN	439
JPUP (0)	H	B06T2		1-01 *		K5-8		1				440
JPUP (0)	H	F07T2		1-02 *		K4-3			SOURCE			440
JPUP (0)				1						13-0/8		440
KT INSTR	L	D05B1		1-01 *		K3-5		1				441
KT INSTR	L	E08N1		1-02 *		KT-7			SOURCE			441
KT INSTR				1						6-6/8		441
KTSR16	L	B06B2		1-01 *		K5-7		1				442
KTSR16	L	C08K1		1-02 *		KT-9			SOURCE			442
KTSR16				1						6-0/8		442
KTSR17	L	A06B2		1-01 *		K5-7		1				443
KTSR17	L	C08L2		1-02 *		KT-9			SOURCE			443
KTSR17				1						9-0/8		443
LOAD PS	L	B05K2		1-01 *		K3-9		1				444
LOAD PS	L	D06P1		1-02 *		K5-2			SOURCE			444
LOAD PS				1						8-2/8		444
LTC	L	F03R1	C09D1	1-01 *	1	KW-2		1				445
LTC	L	C09D1		1-02 *		DD						445
LTC				1						12-6/8		445
MCLK	L	F01U1		1-01 *	1	KM-2		1	SOURCE			446
MCLK	L	F07V2		1-02 *		K4-2						446
MCLK				1						5-6/8		446
MCLK ENABLE	L	C06S2	E07N1	1-01 *		K5-5		2				447
MCLK ENABLE	L	E07N1		1-02 *		K4-26		1		3-3		447
MCLK ENABLE	L	F01V2		1-03 *		KM-2			SOURCE			447
MCLK ENABLE				1						14-7/8		447
MFP SMO	L	D06V1		1-01 *		K5-5		1				448
MFP SMO	L	D08C1		1-02 *		KT-9			SOURCE			448
MFP SMO				1						4-4/8		448
MFPI (1)	H	E08U2				KT-7			SOURCE		1-PIN RUN	449

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
MODE SEL1	H	E04U1		1-01 *	1	K1-8		1				450
MODE SEL1	H	E08A1		1-02 *		KT-2			SOURCE			450
MODE SEL1				1						5-2/8		450
MSR00	L	A02L2		1-01 *		KE-5		1				451
MSR00	L	D01N2		1-02 *		KF-2			SOURCE			451
MSR00				1						10-6/8		451
MSR00 (1)	H	A02F2		1-01 *		KE-5		1				452
MSR00 (1)	H	D01P2		1-02 *		KF-2		2	SOURCE			452
MSR00 (1)	H	E01H2		1-03 *		KM-2						452
MSR00 (1)				1						15-4/8		452
MSR01 (1)	H	B01K2		1-01 *		KF-24		1	SOURCE (KF-2)			453
MSR01 (1)	H	E01J2		1-02 *		KM-2						453
MSR01 (1)				1						10-0/8		453
MSYN (1)	H	B07D1		1-01 *		K4-246		2	SOURCE (K4-4)			454
MSYN (1)	H	E08P2		1-02 *		KT-2		1				454
MSYN (1)	H	E08N2		1-03 *		KT-256						454
MSYN (1)				1						14-0/8		454
MSYNA	L	A07B1				K4-4			SOURCE		1-PIN RUN	455
MSYNA (1)	H	A07K1				K4-4			SOURCE		1-PIN RUN	456
MTPI (1)	H	E08T2				KT-7			SOURCE		1-PIN RUN	457
MUL	L	C02D1				KE-245			SOURCE (KE-4)		1-PIN RUN	458
N DATA	L	B05D1		1-01 *		K3-9		1				459
N DATA	L	E06S1		1-02 *		K5-2			SOURCE			459
N DATA				1						11-6/8		459
NO MSTOP	L	E07S1		1-01 *		K4-2		1				460
NO MSTOP	L	F01B2		1-02 *		KM-2			SOURCE			460
NO MSTOP				1						5-4/8		460
NO MSYN	L	A07C1		1-01 *		K4-4		1		6-0		461
NO MSYN	L	D08R2		1-02 *		KT-6			SOURCE			461
NO MSYN				1						12-5/8		461
NODAT (0)	H	C06D2		1-01 *		K5-4		1				462
NODAT (0)	H	D07S2		1-02 *		K4-346			SOURCE (K4-6)			462
NODAT (0)				1						6-6/8		462

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
NOSAC (1)	H	D07P2							K4-6			SOURCE		1-PIN RUN	463
NPR (0)	H	D07B1							K4-56			SOURCE (K4-5)		1-PIN RUN	464
ODA ERR	L	C06C1		1-01 *					K5-4		1				465
ODA ERR	L	E07U2		1-02 *					K4-34			SOURCE (K4-4)			465
ODA ERR				1									9-6/8		465
OUT HIGH	H	D09K1		1-01 *					DD		1	SOURCE			466
OUT HIGH	H	E09M2		1-02 *					DD			SOURCE			466
OUT HIGH				1									5-2/8		466
OUT LOW	H	D09D1		1-01 *					DD		1	SOURCE			467
OUT LOW	H	E09N1		1-02 *					DD			SOURCE			467
OUT LOW				1									5-6/8		467
OVFL	H	A02V2		1-01 *					KE-4		1				468
OVFL	H	D01H2	E01E1	1-02 *					KF-4		2	SOURCE			468
OVFL	H	E01E1		1-03 *					KM-2						468
OVFL				1									14-0/8		468
OVFLW ERR	L	B06M1		1-01 *					K5-4		1				469
OVFLW ERR	L	E07S2		1-02 *					K4-34			SOURCE (K4-4)			469
OVFLW ERR				1									11-0/8		469
OVFLW INH	L	E03B2							KJ-2					1-PIN RUN	470
OVLAP (1)	H	C06S1		1-01 *					K5-4		2	SOURCE			471
OVLAP (1)	H	D07D1		1-02 *					K4-5		1				471
OVLAP (1)	H	E05D1		1-03 *					K3-7		2				471
OVLAP (1)	H	F07J2		1-04 *					K4-2						471
OVLAP (1)				1									15-4/8		471
OVLAP CYCLE	L	A07N1		1-01 *					K4-4		1				472
OVLAP CYCLE	L	C05P1		1-02 *					K3-4			SOURCE			472
OVLAP CYCLE				1									8-2/8		472
OVLAP INSTR	H	C05R1		1-01 *					K3-4		1	SOURCE			473
OVLAP INSTR	H	D06E2		1-02 *					K5-4						473
OVLAP INSTR				1									4-2/8		473
P BUT 37	H	C06R2							K5-46			SOURCE (K5-6)		1-PIN RUN	474
P CLK UPP8	H	B03B1		1-01 *					K4-2		1				475
P CLK UPP8	H	C02V1		1-02 *					KE-5			SOURCE			475
P CLK UPP8				1									7-0/8		475

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
P CLR MSYN	L	B07K2		1-01 *	1				K4-45		1	SOURCE (K4-4)			476
P CLR MSYN	L	D08V1		1-02 *					KT-9						476
P CLR MSYN				1									9-0/8		476
P END	H	C02R1		1-01 *					KE-59		1				477
P END	H	D07P1	E04F2	1-02 *					K4-2		2	SOURCE			477
P END	H	E04F2		1-03 *					K1-9						477
P END				1									10-4/8		477
P ENDRESET	L	B06J1		1-01 *					K5-8		1	SOURCE			478
P ENDRESET	L	F07N1		1-02 *					K4-2						478
P ENDRESET				1									13-4/8		478
P ESTART	L	F07N2							K4-2					1-PIN RUN	479
P JAMSTART	H	D07L1							K4-236			SOURCE (K4-3)		1-PIN RUN	480
P JAMSTART	L	F07B1							K4-3			SOURCE (K4-3)		1-PIN RUN	481
P MATCH	L	E04E2							K1-9			SOURCE		1-PIN RUN	482
P MSYN	L	D07K2							K4-5			SOURCE		1-PIN RUN	483
P NO SACK	L	C07J1							K4-5			SOURCE		1-PIN RUN	484
P1	H	A01J2		1-01 *					KF-4		2				485
P1	H	B02V2		1-02 *					KE-5		1				485
P1	H	D06D2		1-03 *					K5-4		2				485
P1	H	E07L1		1-04 *					K4-2			SOURCE			485
P1				1									19-0/8		485
P2	H	B02V1		1-01 *					KE-5		2				486
P2	H	C06J2		1-02 *					K5-4		1				486
P2	H	E07R2	B07B1	1-03 *					K4-2		2	SOURCE			486
P2	H	B07B1	D08U1	1-04 *					K4-4		1				486
P2	H	D08U1		1-05 *					KT-9						486
P2				1									35-2/8		486
P3	H	C02C1		1-01 *					KE-5		2				487
P3	H	C06M2		1-02 *					K5-48		1				487
P3	H	E07F1		1-03 *					K4-25			SOURCE (K4-2)			487
P3				1									12-2/8		487
PART GRANT BR	H	C07L1							K4-5			SOURCE		1-PIN RUN	488

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
PART P END	H	A06P2		1-01 *				K5-6			1				489
PART P END	H	C02U2		1-02 *				KE-5			2				489
PART P END	H	D07R1		1-03 *				K4-2				SOURCE			489
PART P END				1									14-6/8		489
PASTA (1)	H	A05V2		1-01 *				K3-9			1				490
PASTA (1)	H	E06P1		1-02 *				K5-2				SOURCE			490
PASTA (1)				1									12-2/8		490
PASTB	H	A05R1		1-01 *				K3-9			1				491
PASTB	H	E06K2		1-02 *				K5-2				SOURCE			491
PASTB				1									12-4/8		491
PASTC (0)	H	A05A1		1-01 *				K3-9			1				492
PASTC (0)	H	E06N1		1-02 *				K5-2				SOURCE			492
PASTC (0)				1									14-4/8		492
PBA06	H	A08R1		1-01 *				KT-4			1	SOURCE			493
PBA06	H	E08E2		1-02 *				KT-6			2				493
PBA06	H	E01R1		1-03 *				KM-2							493
PBA06				1									18-2/8		493
PBA07	H	A08P2		1-01 *	1			KT-4			1	SOURCE	6-2		494
PBA07	H	E08L2		1-02 *				KT-6			2				494
PBA07	H	E01K1		1-03 *				KM-2							494
PBA07				1									19-3/8		494
PBA08	H	A08N1		1-01 *	1			KT-4			1	SOURCE	5-7		495
PBA08	H	E08D2		1-02 *				KT-6			2				495
PBA08	H	E01S2		1-03 *				KM-2							495
PBA08				1									18-7/8		495
PBA09	H	A08M2		1-01 *	1			KT-4			1	SOURCE	5-4		496
PBA09	H	D08V2		1-02 *				KT-6			2				496
PBA09	H	E01P1		1-03 *				KM-2							496
PBA09				1									18-5/8		496
PBA10	H	B08B1		1-01 *				KT-4			1	SOURCE			497
PBA10	H	E01L1		1-02 *				KM-2							497
PBA10				1									12-4/8		497
PBA11	H	A08V2		1-01 *				KT-4			1	SOURCE			498
PBA11	H	D08U2		1-02 *				KT-6			2				498
PBA11	H	E01F1		1-03 *				KM-2							498
PBA11				1									16-6/8		498

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
PBA12	H	A08T2		1-01 *				KT-4			1	SOURCE			499
PBA12	H	E01J1		1-02 *				KM-2							499
PBA12				1									13-4/8		499
PBA13	H	A08U2		1-01 *				KT-4			1	SOURCE			500
PBA13	H	E01C1		1-02 *				KM-2							500
PBA13				1									12-6/8		500
PBA14	H	B08S1		1-01 *				KT-4			1	SOURCE			501
PBA14	H	E01T2		1-02 *				KM-2							501
PBA14				1									11-4/8		501
PBA15	H	C08A1		1-01 *				KT-4			1	SOURCE			502
PBA15	H	E01K2		1-02 *				KM-2							502
PBA15				1									10-0/8		502
PBA16	H	B08U2		1-01 *				KT-4			1	SOURCE			503
PBA16	H	E01N1		1-02 *				KM-2							503
PBA16				1									11-0/8		503
PBA17	H	B08S2		1-01 *				KT-4			1	SOURCE			504
PBA17	H	E01V1		1-02 *				KM-2							504
PBA17				1									12-0/8		504
PERIF RELEASE	H	D07A1						K4-25				SOURCE (K4-5)		1-PIN RUN	505
PERR (0)	H	B07U1		1-01 *				K4-3			1	SOURCE			506
PERR (0)	H	F06V1		1-02 *				K5-5							506
PERR (0)				1									13-2/8		506
PRIV INSTR	L	E05M1		1-01 *				K3-6			1	SOURCE			507
PRIV INSTR	L	F08P1		1-02 *				KT-7							507
PRIV INSTR				1									6-0/8		507
PROC RELEASE	L	A07N2						K4-45				SOURCE (K4-5)		1-PIN RUN	508
PROC RESPOND	H	A07S1						K4-6				SOURCE		1-PIN RUN	509
PS ADRS	H	A07P2		1-01 *				K4-6			1				510
PS ADRS	H	D06S2		1-02 *				K5-2			2				510
PS ADRS	H	E04D1		1-03 *				K1-7			1	SOURCE			510
PS ADRS	H	E08F2		1-04 *				KT-6			2	SOURCE			510
PS ADRS	H	E05V2		1-05 *				K3-7							510
PS ADRS				1									24-0/8		510

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
PS(C)	H	A05R2		1-01 *				K3-89			1				511
PS(C)	H	B04R1		1-02 *				K1-5			2				511
PS(C)	H	D06F1		1-03 *				K5-2			1	SOURCE			511
PS(C)	H	F01R2		1-04 *				KM-2							511
PS(C)				1									22-0/8		511
PS(N) (1)	H	A05D1		1-01 *				K3-8			1				512
PS(N) (1)	H	F06H1		1-02 *				K5-23			2	SOURCE (K5-2)			512
PS(N) (1)	H	F01L2		1-03 *				KM-2							512
PS(N) (1)				1									21-0/8		512
PS(P FM BUS)	H	B07E1		1-01 *				K4-6			1	SOURCE			513
PS(P FM BUS)	H	E06E1		1-02 *				K5-2							513
PS(P FM BUS)				1									10-2/8		513
PS(P1+P3)	H	E07D1		1-01 *				K4-2			2	SOURCE			514
PS(P1+P3)	H	E06D1		1-02 *				K5-2			1				514
PS(P1+P3)	H	E08S2		1-03 *				KT-29							514
PS(P1+P3)				1									7-0/8		514
PS(T) (1)	H	E05S2		1-01 *				K3-7			2				515
PS(T) (1)	H	F06J2		1-02 *				K5-2			1	SOURCE			515
PS(T) (1)	H	F01J2		1-03 *				KM-2							515
PS(T) (1)				1									9-2/8		515
PS(V) (1)	H	E06L1		1-01 *				K5-23			1	SOURCE (K5-2)			516
PS(V) (1)	H	F01E2		1-02 *				KM-2							516
PS(V) (1)				1									5-6/8		516
PS(Z) (1)	H	E06M1		1-01 *				K5-23			1	SOURCE (K5-2)			517
PS(Z) (1)	H	F01H1		1-02 *				KM-2							517
PS(Z) (1)				1									5-6/8		517
PS05 (1)	H	B07R1		1-01 *				K4-6			1				518
PS05 (1)	H	E06F1		1-02 *				K5-2				SOURCE			518
PS05 (1)				1									9-2/8		518
PS06 (1)	H	C07K2		1-01 *				K4-6			1				519
PS06 (1)	H	F06B1		1-02 *				K5-2				SOURCE			519
PS06 (1)				1									9-6/8		519
PS07 (1)	H	B07R2		1-01 *				K4-6			1				520
PS07 (1)	H	E06P2		1-02 *				K5-2				SOURCE			520
PS07 (1)				1									10-2/8		520
PS12 (1)	H	C08U1						KT-2				SOURCE		1-PIN RUN	521

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
PS13 (1)	H	E08K2						KT-2				SOURCE		1-PIN RUN	522
PS14 (1)	H	E08B1						KT-2				SOURCE		1-PIN RUN	523
PS15	L	C06B2		1-01 *				K5-7			1				524
PS15	L	C08N1		1-02 *				KT-9				SOURCE			524
PS15				1									4-0/8		524
PS15 (0)	H	A07S2		1-01 *				K4-4			1				525
PS15 (0)	H	D08E1		1-02 *				KT-2			2	SOURCE			525
PS15 (0)	H	D05L2		1-03 *				K3-6							525
PS15 (0)				1									13-0/8		525
PTRD (0)	H	C07E1						K4-5				SOURCE		1-PIN RUN	526
PTRD (1)	H	B07V2						K4-56				SOURCE (K4-5)		1-PIN RUN	527
PUPP0 (1)	H	A03T2		1-01 *				K2-2			1	SOURCE			528
PUPP0 (1)	H	F01P1		1-02 *				KM-2							528
PUPP0 (1)				1									15-6/8		528
PUPP1 (1)	H	A03N2		1-01 *				K2-2			1	SOURCE			529
PUPP1 (1)	H	F01L1		1-02 *				KM-2							529
PUPP1 (1)				1									16-0/8		529
PUPP2 (1)	H	A03R2		1-01 *				K2-2			1	SOURCE			530
PUPP2 (1)	H	F01F1		1-02 *				KM-2							530
PUPP2 (1)				1									15-2/8		530
PUPP3 (1)	H	A03M2		1-01 *				K2-2			1	SOURCE			531
PUPP3 (1)	H	F01J1		1-02 *				KM-2							531
PUPP3 (1)				1									15-6/8		531
PUPP4 (1)	H	B03S2		1-01 *				K2-3			1	SOURCE			532
PUPP4 (1)	H	F01C1		1-02 *				KM-2							532
PUPP4 (1)				1									12-0/8		532
PUPP5 (1)	H	B03N2		1-01 *				K2-3			1	SOURCE			533
PUPP5 (1)	H	F01T2		1-02 *				KM-2							533
PUPP5 (1)				1									13-6/8		533
PUPP6 (1)	H	B03L2		1-01 *				K2-3			1	SOURCE			534
PUPP6 (1)	H	F01K2		1-02 *				KM-2							534
PUPP6 (1)				1									13-2/8		534

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
PUPP7 (1)	H	B03H2		1-01 *		K2-3		1	SOURCE			535
PUPP7 (1)	H	F01N1		1-02 *		KM-2						535
PUPP7 (1)				1						14-0/8		535
PUPP8 (1)	H	B03K2		1-01 *		K2-3		1	SOURCE			536
PUPP8 (1)	H	F01V1		1-02 *		KM-2						536
PUPP8 (1)				1						14-4/8		536
PWR RESTART	H	B06H1		1-01 *		K5-8		1	SOURCE			537
PWR RESTART	H	F07P2		1-02 *		K4-3						537
PWR RESTART				1						14-0/8		537
PWRDN (0)	H	C05N1		1-01 *		K3-47		1				538
PWRDN (0)	H	C06F2		1-02 *		K5-48			SOURCE (K5-4)			538
PWRDN (0)				1						3-4/8		538
PWRUP INIT	L	B06H2		1-01 *		K5-8		1	SOURCE			539
PWRUP INIT	L	F07R2		1-02 *		K4-3						539
PWRUP INIT				1						14-0/8		539
R(X6+X7)	H	A05C1		1-01 *		K3-8		2				540
R(X6+X7)	H	C07J2		1-02 *		K4-4		1				540
R(X6+X7)	H	E04P1		1-03 *		K1-8			SOURCE			540
R(X6+X7)				1						17-6/8		540
RADRS0	L	A04E1		1-01 *		K1-8		1	SOURCE			541
RADRS0	L	C07K1		1-02 *		K4-4						541
RADRS0				1						8-6/8		541
RD07	H	C04V2		1-01 *	1	K1-3		1	SOURCE	3-4		542
RD07	H	E06M2		1-02 *		K5-2						542
RD07				1						7-5/8		542
RD15	H	B04D1		1-01 *		K1-5		1	SOURCE			543
RD15	H	E06L2		1-02 *		K5-2						543
RD15				1						11-4/8		543
REG ADRS	H	D08S2		1-01 *		KT-6		2	SOURCE			544
REG ADRS	H	D04U1		1-02 *		K1-7		1	SOURCE			544
REG ADRS	H	F05L2		1-03 *		K3-2						544
REG ADRS				1						11-6/8		544
RELOCATE ENB	L	A06V1		1-01 *		K5-7		1				545
RELOCATE ENB	L	C08L1		1-02 *		KT-9			SOURCE			545
RELOCATE ENB				1						7-0/8		545

digital EQUIPMENT CORPORATION

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
RIF0 (0)	H	C03A1		1-01 *		K2-4		1	SOURCE			546
RIF0 (0)	H	E04P2		1-02 *		K1-8						546
RIF0 (0)				1						9-4/8		546
RIF0 (1)	H	B03T2		1-01 *		K2-4		1	SOURCE			547
RIF0 (1)	H	F04K1		1-02 *		K1-8						547
RIF0 (1)				1						12-0/8		547
RIF1 (1)	H	B03U2		1-01 *		K2-4		1	SOURCE			548
RIF1 (1)	H	F04E2		1-02 *		K1-8						548
RIF1 (1)				1						11-4/8		548
RIF2 (1)	H	B03U1		1-01 *		K2-4		1	SOURCE			549
RIF2 (1)	H	F04D2		1-02 *		K1-8						549
RIF2 (1)				1						11-4/8		549
RIF3 (1)	H	B03S1		1-01 *		K2-4		1	SOURCE			550
RIF3 (1)	H	E04V1		1-02 *		K1-8						550
RIF3 (1)				1						10-6/8		550
ROMA (1)	H	D08L1		1-01 *		KT-2		1	SOURCE			551
ROMA (1)	H	E01P2		1-02 *		KM-2						551
ROMA (1)				1						7-0/8		551
ROMB (1)	H	D08M1		1-01 *		KT-2		1	SOURCE			552
ROMB (1)	H	E01U2		1-02 *		KM-2						552
ROMB (1)				1						7-0/8		552
ROMC (1)	H	D08P1		1-01 *		KT-2		1	SOURCE			553
ROMC (1)	H	E01D1		1-02 *		KM-2						553
ROMC (1)				1						6-2/8		553
ROMD (1)	H	D08S1		1-01 *		KT-2		1	SOURCE			554
ROMD (1)	H	E01M1		1-02 *		KM-2						554
ROMD (1)				1						6-6/8		554
RSVD INSTR	L	C06F1		1-01 *		K5-5		2				555
RSVD INSTR	L	D02C1		1-02 *		KE-5		1				555
RSVD INSTR	L	E05C1		1-03 *		K3-6			SOURCE			555
RSVD INSTR				1						11-2/8		555
S HOOK	H	E08H2		1-01 *		KT-9		1	SOURCE			556
S HOOK	H	F04A1		1-02 *		K1-8						556
S HOOK				1						5-4/8		556

digital EQUIPMENT CORPORATION

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
SALU0 (1)	H	A05E2		1-01 *		K3-8		1				557
SALU0 (1)	H	C03U2		1-02 *		K2-6			SOURCE			557
SALU0 (1)				1						9-4/8		557
SALU1 (1)	H	A05F1		1-01 *		K3-8		1				558
SALU1 (1)	H	C03T2		1-02 *		K2-6			SOURCE			558
SALU1 (1)				1						9-2/8		558
SALU2 (1)	H	A05E1		1-01 *		K3-8		1				559
SALU2 (1)	H	C03P2		1-02 *		K2-6			SOURCE			559
SALU2 (1)				1						9-0/8		559
SALU3 (1)	H	A05D2		1-01 *		K3-8		1				560
SALU3 (1)	H	C03N2		1-02 *		K2-6						560
SALU3 (1)				1						9-0/8		560
SALUM (1)	H	A05N1		1-01 *		K3-8		1				561
SALUM (1)	H	D03E1		1-02 *		K2-6			SOURCE			561
SALUM (1)				1						10-0/8		561
SBAM (1)	H	A04J1		1-01 *		K1-2345		1				562
SBAM (1)	H	C03J2		1-02 *		K2-5			SOURCE			562
SBAM (1)				1						7-6/8		562
SBC0 (1)	H	D03D1		1-01 *		K2-6		1	SOURCE			563
SBC0 (1)	H	E06J1		1-02 *		K5-5						563
SBC0 (1)				1						6-0/8		563
SBC1 (1)	H	C03R2		1-01 *		K2-6		1	SOURCE			564
SBC1 (1)	H	F06R2		1-02 *		K5-5						564
SBC1 (1)				1						11-0/8		564
SBC2 (1)	H	C03U1		1-01 *		K2-6		1	SOURCE			565
SBC2 (1)	H	C06R1		1-02 *		K5-5						565
SBC2 (1)				1						4-2/8		565
SBC3 (1)	H	C03S2		1-01 *		K2-6		1	SOURCE			566
SBC3 (1)	H	F06S2		1-02 *		K5-5						566
SBC3 (1)				1						11-0/8		566
SBC-10	L	F06U1		1-01 *	1	K5-5		1				567
SBC-10	L	C08V1		1-02 *		KT-9						567
SBC-10				1						10-6/8		567
SBC-16	L	E06V1		1-01 *		K5-5		1	SOURCE			568
SBC-16	L	E08J1		1-02 *		KT-9						568
SBC-16				1						4-0/8		568

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
SBMH0 (1)	H	A04V1		1-01 *		K1-45		1				569
SBMH0 (1)	H	C03M1		1-02 *		K2-5			SOURCE			569
SBMH0 (1)				1						7-0/8		569
SBMH1 (1)	H	A04U1		1-01 *		K1-45		1				570
SBMH1 (1)	H	C03N1		1-02 *		K2-5			SOURCE			570
SBMH1 (1)				1						7-2/8		570
SBML0 (1)	H	C03J1		1-01 *		K2-5		1	SOURCE			571
SBML0 (1)	H	D04S1		1-02 *		K1-23						571
SBML0 (1)				1						6-2/8		571
SBML1 (1)	H	C03L1		1-01 *		K2-5		1	SOURCE			572
SBML1 (1)	H	D04U2		1-02 *		K1-23						572
SBML1 (1)				1						6-2/8		572
SDM0 (1)	H	A04M1		1-01 *		K1-2345		1				573
SDM0 (1)	H	C03K2		1-02 *		K2-5			SOURCE			573
SDM0 (1)				1						7-4/8		573
SDM1 (1)	H	A04V2		1-01 *		K1-2345		1				574
SDM1 (1)	H	C03L2		1-02 *		K2-5			SOURCE			574
SDM1 (1)				1						6-6/8		574
SELECT 0	H	D09F1		1-01 *		DD		1				575
SELECT 0	H	E09S2		1-02 *		DD			SOURCE			575
SELECT 0				1						6-0/8		575
SELECT 2	H	D09J1		1-01 *		DD		1				576
SELECT 2	H	E09T2		1-02 *		DD			SOURCE			576
SELECT 2				1						6-0/8		576
SELECT 4	H	D09E1		1-01 *		DD		1				577
SELECT 4	H	E09R2		1-02 *		DD			SOURCE			577
SELECT 4				1						6-2/8		577
SELECT 6	H	D09C1		1-01 *		DD		1				578
SELECT 6	H	E09S1		1-02 *		DD			SOURCE			578
SELECT 6				1						6-2/8		578
SERVICE	H	E05B1				K3-27			SOURCE (K3-7)		1-PIN RUN	579
SET CLK	L	B06K1		1-01 *		K5-4		1				580
SET CLK	L	D07F1		1-02 *		K4-25			SOURCE (K4-2)			580
SET CLK				1						7-4/8		580

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
SET UPP0	L	A03E1		1-01 *	1	K2-2		1				
SET UPP0	L	F07R1		1-02 *		K4-3				11-0		581
SET UPP0				1					SOURCE			581
										18-5/8		581
SET UPP1	L	A03F1		1-01 *		K2-2		1				
SET UPP1	L	F07E2		1-02 *		K4-3						582
SET UPP1				1					SOURCE			582
										16-4/8		582
SET UPP4,3	L	B03C1		1-01 *		K2-23		1				
SET UPP4,3	L	F07M2		1-02 *		K4-3						583
SET UPP4,3				1					SOURCE			583
										14-6/8		583
SET UPP7,6,2	L	B03D1		1-01 *		K2-3		1				
SET UPP7,6,2	L	E07V2		1-02 *		K4-3						584
SET UPP7,6,2				1					SOURCE			584
										12-6/8		584
SET UPP8,5	L	A03A1		1-01 *		K2-3		1				
SET UPP8,5	L	F07D1		1-02 *		K4-3						585
SET UPP8,5				1					SOURCE			585
										17-0/8		585
SLR ADRS	H	A07V2		1-01 *		K4-6		1				
SLR ADRS	H	D08T2		1-02 *		KT-6		2	SOURCE			586
SLR ADRS	H	E04H2		1-03 *		K1-7			SOURCE			586
SLR ADRS				1								586
										15-2/8		586
SM=0	L	C05A1		1-01 *		K3-35		2	SOURCE (K3-3)			
SM=0	L	D06A1		1-02 *		K5-3		1				587
SM=0	L	E08K1		1-03 *		KT-9						587
SM=0				1								587
										11-4/8		587
SM=1	L	B05V2		1-01 *		K3-3		1	SOURCE			
SM=1	L	D06B1		1-02 *		K5-3						588
SM=1				1								588
										5-6/8		588
SM=2	L	B05T2		1-01 *		K3-3		1	SOURCE			
SM=2	L	D06C1		1-02 *		K5-3						589
SM=2				1								589
										6-0/8		589
SM=3	L	B05S2		1-01 *		D3-3		1	SOURCE			
SM=3	L	D06D1		1-02 *		K5-3						590
SM=3				1								590
										6-4/8		590
SM=7	L	B05U2				K3-36			SOURCE (K3-3)		1-PIN RUN	591
SPS(02:00)=7	H	D06B2		1-01 *		K5-8		1				
SPS(02:00)=7	H	E08M2		1-02 *		KT-2						592
SPS(02:00)=7				1								592
										6-2/8		592

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW RV PG Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
SPS0 (1)	H	B05P2		1-01 *		K3-9		1				
SPS0 (1)	H	D03F1		1-02 *		K2-6		2	SOURCE			593
SPS0 (1)	H	D06U2		1-03 *		K5-2						593
SPS0 (1)				1								593
										11-6/8		593
SPS1 (1)	H	B05F2	C06V2	1-01 *		K3-9		1				
SPS1 (1)	H	C06V2		1-02 *		K5-2		2		2-2		594
SPS1 (1)	H	D03H1		1-03 *		K2-6			SOURCE			594
SPS1 (1)				1								594
										11-5/8		594
SPS2 (1)	H	B05A1	C03M2	1-01 *		K3-9		2				
SPS2 (1)	H	C03M2		1-02 *		K2-6		1	SOURCE	3-0		595
SPS2 (1)	H	D06N2		1-03 *		K5-2						595
SPS2 (1)				1								595
										13-1/8		595
SR ADRS	H	A07R1		1-01 *		K4-6		1				
SR ADRS	H	D08P2		1-02 *		KT-6		2	SOURCE			596
SR ADRS	H	D04S2		1-03 *		K1-7			SOURCE			596
SR ADRS				1								596
										15-0/8		596
SR16	H	B04L1		1-01 *		K1-9		1	SOURCE			
SR16	H	C08E2		1-02 *		KT-9						597
SR16				1								597
										5-2/8		597
SR17	H	B04M1		1-01 *		K1-9		1	SOURCE			
SR17	H	C08M1		1-02 *		KT-9						598
SR17				1								598
										5-6/8		598
SRBA (1)	H	C03E2		1-01 *		K2-4		1	SOURCE			
SRBA (1)	H	F04L2		1-02 *		K1-8						599
SRBA (1)				1								599
										11-2/8		599
SRD (1)	H	C03D2		1-01 *		K2-4		1	SOURCE			
SRD (1)	H	F04L1		1-02 *		K1-8						600
SRD (1)				1								600
										11-2/8		600
SRDM0 (1)	H	D01V2		1-01 *		KF-3		1				
SRDM0 (1)	H	E02E1		1-02 *		KE-37			SOURCE (KE-7)			601
SRDM0 (1)				1								601
										3-2/8		601
SRDM1 (1)	H	D01U2		1-01 *		KF-3		1				
SRDM1 (1)	H	D02T2		1-02 *		KE-37			SOURCE (KE-7)			602
SRDM1 (1)				1								602
										3-0/8		602
SRI (1)	H	C03B1		1-01 *		K2-4		1	SOURCE			
SRI (1)	H	F04H1		1-02 *		K1-8						603
SRI (1)				1								603
										11-2/8		603

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
SRS (1)	H	C03E1		1-01 *					K2-4		1	SOURCE			604
SRS (1)	H	F04K2		1-02 *					K1-8						604
SRS (1)				1									11-2/8		604
SSYN INHIBIT	L	D09V1		1-01 *					DD		1				605
SSYN INHIBIT	L	E09B1		1-02 *					DD			SOURCE			605
SSYN INHIBIT				1									2-6/8		605
STALL (0)	H	C06M1		1-01 *					K5-4		2	SOURCE			606
STALL (0)	H	C07H2		1-02 *					K4-4		1				606
STALL (0)	H	D08F1		1-03 *					KT-3						606
STALL (0)				1									8-4/8		606
START SW (0)	H	A06B1		1-01 *					K5-7		1	SOURCE			607
START SW (0)	H	F07U1		1-02 *					K4-3						607
START SW (0)				1									17-6/8		607
SWTCH (1)	H	A06R2		1-01 *					K5-6		1	SOURCE			608
SWTCH (1)	H	F05J2		1-02 *					K3-2						608
SWTCH (1)				1									15-0/8		608
T14 (1)	H	D08A1							KT-2			SOURCE		1-PIN RUN	609
T15 (1)	H	D08B1							KT-2			SOURCE		1-PIN RUN	610
TDATA (0)	H	D07N2							K4-6			SOURCE		1-PIN RUN	611
TRACE	L	B06M2		1-01 *					K5-45		1				612
TRACE	L	F05S1		1-02 *					K3-7			SOURCE			612
TRACE				1									13-6/8		612
TRAP	L	B06S1		1-01 *					K5-5		1				613
TRAP	L	E05E1		1-02 *					K3-6			SOURCE			613
TRAP				1									9-0/8		613
TRAP (1)	H	D06H1		1-01 *					K5-4		1	SOURCE			614
TRAP (1)	H	F01D1		1-02 *					KM-2						614
TRAP (1)				1									8-2/8		614
TRAPS DATA	L	B06N2		1-01 *					K5-4		1				615
TRAPS DATA	L	D05B2		1-02 *					K3-6			SOURCE			615
TRAPS DATA				1									7-2/8		615
TRUE BR	L	D05L1		1-01 *					K3-5		1				616
TRUE BR	L	D06E1		1-02 *					K5-3			SOURCE			616
TRUE BR				1									3-2/8		616

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
TSACK (0)	H	D07J1							K4-6			SOURCE		1-PIN RUN	617
UBF0 (1)	H	C03F2		1-01 *					K2-5		2	SOURCE			618
UBF0 (1)	H	C06N1		1-02 *					K5-34		1				618
UBF0 (1)	H	E05S1	B07L1	1-03 *					K3-2		2				618
UBF0 (1)	H	B07L1		1-04 *					K4-3						618
UBF0 (1)				1									23-4/8		618
UBF1 (1)	H	C03P1		1-01 *					K2-5		2	SOURCE			619
UBF1 (1)	H	C06N2		1-02 *					K5-34		1				619
UBF1 (1)	H	E05P1		1-03 *					K3-2						619
UBF1 (1)				1									12-2/8		619
UBF2 (1)	H	C03R1		1-01 *					K2-5		2	SOURCE			620
UBF2 (1)	H	C06P2		1-02 *					K5-34		1				620
UBF2 (1)	H	E05N1		1-03 *					K3-2						620
UBF2 (1)				1									11-6/8		620
UBF3 (1)	H	B06P2		1-01 *					K5/3		2				621
UBF3 (1)	H	C03S1		1-02 *					K2-5		1	SOURCE			621
UBF3 (1)	H	F05F2		1-03 *					K3-2						621
UBF3 (1)				1									15-4/8		621
UBF4 (1)	H	B06R2		1-01 *					K5-3		2				622
UBF4 (1)	H	C03H2		1-02 *					K2-5		1	SOURCE			622
UBF4 (1)	H	D05K1		1-03 *					K3-2						622
UBF4 (1)				1									10-4/8		622
UNFL	H	A01G2		1-01 *					KF-4		1	SOURCE			623
UNFL	H	B02N2	E01F2	1-02 *					KE-4		2				623
UNFL	H	E01F2		1-03 *					KM-2						623
UNFL				1									15-0/8		623
UPP MATCH	H	C04G2		1-01 *					K1-9		1	SOURCE			624
UPP MATCH	H	F07K2		1-02 *					K4-2						624
UPP MATCH				1									10-6/8		624
V DATA	L	B05H1		1-01 *					K3-9		1	SOURCE			625
V DATA	L	E06U2		1-02 *					K5-2						625
V DATA				1									11-6/8		625
WAIT	L	B05E1		1-01 *					K3-6		1	SOURCE			626
WAIT	L	B06P1		1-02 *					K5-4						626
WAIT				1									3-4/8		626

RUN NAME	A/P	PIN NAME	ORDER PIN	BAY - ORDER	Q	DRAW	RV	PG	Y	X	Z	REMARKS	LENGTH	EXCEPTIONS	RUN NUMBER
WAIT (0)	H	C06P1		1-01 *			K5-4				1	SOURCE			627
WAIT (0)	H	E05J1		1-02 *			K3-7								627
WAIT (0)				1									7-2/8		627
WR R(07:00)	L	E07F2		1-01 *			K4-2				1	SOURCE			628
WR R(07:00)	L	F04V1		1-02 *			K1-8								628
WR R(07:00)				1									7-2/8		628
WR R(15:08)	L	B04A1		1-01 *			K1-8				1				629
WR R(15:08)	L	E07K2		1-02 *			K4-2					SOURCE			629
WR R(15:08)				1									11-6/8		629
WRH (1)	H	D03J2		1-01 *			K2-7				1	SOURCE			630
WRH (1)	H	E07H2		1-02 *			K4-2								630
WRH (1)				1									5-4/8		630
WRL (1)	H	D03H2		1-01 *			K2-7				1	SOURCE			631
WRL (1)	H	E07E2		1-02 *			K4-2								631
WRL (1)				1									5-4/8		631
ZB (1)	H	A01E1		1-01 *			KF-4				1	SOURCE			632
ZB (1)	H	A02M1		1-02 *			KE-4								632
ZB (1)				1									3-2/8		632
ZB+EPS(Z)	H	A01J1		1-01 *			KF-4				1				633
ZB+EPS(Z)	H	B02K2		1-02 *			KE-4					SOURCE			633
ZB+EPS(Z)				1									5-4/8		633

digital EQUIPMENT CORPORATION

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission.

AUTOMATIC WIRE TESTER (AWT) REVISION STATUS

DRAWING NUMBER	INIT REL	
TIO	F	
K-WL-KDII-A-WL	E	F
D-AD-7009009-0-0	B	C

REV. F

NUMBER 7009009-0

SIZE A CODE WT

REVISIONS		
CHK	CHANGE NO.	REV.
—	KDIIA-00009 ORIGINATED	—

DRN. J. Chartier	DATE 6-26-74	digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS
CHK'D. L. Gilbert	DATE 6-28-74	TITLE KDII-A
ENG.	DATE	AWT REVISION STATUS
PROJ. ENG.	DATE	
PROD.	DATE	
FIRST USED ON KDII-A		SIZE A CODE WT NUMBER 7009009-0 REV. F
SCALE — / —		
SHEET 1 OF 1		DIST.

DRA 123

DEC 16-(325)-1097-N174