

This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of items without written permission. COPYRIGHT © 1973  
DIGITAL EQUIPMENT CORPORATION

# NOTES:


\* IF NECESSARY USE I.C. DEC 8875 P/N 1910647  
\* IC DEC 384 P/N 1909486 OR 5384 P/N 1910394 MAY BE SUBSTITUTED FOR 7384 IN E26. EI MUST BE A 7384

## PIN NOMENCLATURE MODULE RKII-D

| QTY | REF DESIGNATION                        | DESCRIPTION                     | PART NO.        | ITEM NO. |
|-----|--|---------------------------------|-----------------|----------|
| 1   | Q1                                     | TRANSISTOR DEC 6534B            | 1503409-01      | 5        |
| 1   | E8                                     | IC SOCKET                       | 1209838         | 49       |
| 7   | W1-W7                                  | INSULATED WAGER 1-2007-1        | 9009185         | 18       |
| 1   | E39                                    | I.C. DEC 7425                   | 1909050         | 47       |
| 2   | E23, E41                               | I.C. DEC 74125                  | 1910651         | 46       |
| 1   | E55                                    | I.C. DEC 8815                   | 1909713         | 45       |
| 1   | E9                                     | I.C. DEC 74155                  | 1909063         | 44       |
| 2   | E17, E52                               | I.C. DEC 74153                  | 1909062         | 43       |
| 1   | E38                                    | I.C. DEC 7408                   | 1910155         | 42       |
| 1   | E45                                    | I.C. DEC 74111                  | 1909367         | 41       |
| 5   | E21, E27, E28, E29, E40                | I.C. DEC 74123                  | 1910018         | 40       |
| 4   | E12, E19, E24, E56                     | I.C. DEC 74161                  | 1910650         | 39       |
| 1   | E57                                    | I.C. DEC 74174                  | 1909667         | 38       |
| 3   | E6, E7, E37                            | I.C. DEC 7474                   | 1905547         | 37       |
| 1   | E53                                    | I.C. DEC 74152                  | 1909061         | 35       |
| 2   | E15, E22                               | I.C. DEC 7437                   | 1910091         | 34       |
| 2   | E1, E26                                | I.C. DEC 7384                   | 1910393         | 33       |
| 1   | E30                                    | I.C. DEC 8881                   | 1909705         | 32       |
| 3   | E2, E3, E10                            | I.C. DEC 74123                  | 1910436         | 31       |
| 3   | E9, E42, E44                           | I.C. DEC 4015                   | 1910087         | 30       |
| 2   | E31, E32                               | I.C. DEC 7420                   | 1905577         | 29       |
| 1   | E16                                    | I.C. DEC 7410                   | 1905576         | 28       |
| 3   | E18, E39, E49                          | I.C. DEC 7400                   | 1905525         | 27       |
| 2   | E46, E50                               | I.C. DEC 7402                   | 1909004         | 26       |
| 8   | E34, E47, E51, E52, E53, E54, E55, E56 | I.C. DEC 74153                  | 1909937         | 25       |
| 1   | E11                                    | I.C. DEC 7456                   | 1910363         | 24       |
| 1   | E25                                    | I.C. DEC 7427                   | 1910878         | 23       |
| 2   | E51, E53                               | I.C. DEC 7404                   | 1909686         | 22       |
| 1   | E43                                    | I.C. DEC 7442                   | 1910046         | 21       |
| 3   | R10, R12, R14                          | RES. 750 $\Omega$ 1/4 W 5%      | 1901401         | 20       |
| 3   | R9, R11, R13                           | RES. 330 $\Omega$ 1/4 W 5%      | 1900295         | 19       |
| 3   | R8, R15, R16                           | RES. 1 K 1/4 W 5%               | 1908365         | 18       |
| 1   | R1                                     | RES. 47K 1/4 W 5%               | 1902177         | 17       |
| 1   | R4                                     | RES. 3K 1/4 W 5%                | 1900482         | 16       |
| 4   | R2, R6, R7, R8                         | RES. 10 K 1/4 W 5%              | 1900475         | 15       |
| 1   | R17                                    | RES. 470 $\Omega$ 1/4 W 5%      | 1900316         | 14       |
| 1   | D1                                     | DIODE IN748A 3.9V               | 1100122         | 13       |
| 2   | C62, C63                               | CAP. 47PF 100V 5% D.M.          | 1000011         | 12       |
| 1   | C65                                    | CAP. 370 PF 100V 5% D.M.        | 1001631         | 11       |
| 1   | C64                                    | CAP. 56PF 100V 5% D.M.          | 1000012         | 10       |
| 1   | C66                                    | CAP. 120 PF 100V 5% D.M.        | 1000018         | 9        |
| 56  | C1-C4, C6-C57                          | CAP. .01 $\mu$ F 100V 80% AXIAL | 1001610         | 8        |
| 4   | C5, C58, C59, C60                      | CAP. 6.8 $\mu$ F 35V, 10% TANT  | 1005306         | 7        |
| 8   |  | EYELET (S.S.-2-7) STAMPED       | 9006232         | 6        |
| 4   |  | HANDLE (RIP-ON) MAGENTA         | 9008337-05      | 5        |
| 1   |  | ETCHED CIRCUIT BOARD            | 9009985         | 4        |
| 27  |  | MODULE GEO. HISTORY             | B-M-H-17254-0-6 | 3        |
| 27  |  | ASY/DRAWING FILE LAYOUT         | B-M-H-17254-0-5 | 2        |
| 27  |  | X-Y COORDINATE HOLE LOCATION    | K-C9-17254-0-4  | 1        |

| IC TYPE          | GND | +5V |
|------------------|-----|-----|
| I.C. DEC 74175   | 8   | 16  |
| I.C. DEC 74161   | 8   | 16  |
| I.C. DEC 7384    | 1   | 8   |
| I.C. DEC 4015    | 8   | 16  |
| I.C. DEC 7496    | 12  | 5   |
| I.C. DEC 74193   | 8   | 16  |
| I.C. DEC 74153   | ?   | 16  |
| I.C. DEC 74123   | 8   | 16  |
| I.C. DEC 7425    | 12  | 5   |
| I.C. DEC 7442    | 8   | 16  |
| IC PIN LOCATIONS |     |     |

GND AND 5V ARE USUALLY PIN 7 AND 14 RESPECTIVELY. EXCEPTIONS ARE STATED ABOVE.



DEC FORM NO. 10

BRUNING 40-522 16099

10.49 REF

8.99 F.B.S. REF.

5 REF

4 REF

3 REF

2 REF

1 REF

0 REF

-1 REF

-2 REF

-3 REF

-4 REF

-5 REF

-6 REF

-7 REF

-8 REF

-9 REF

-10 REF

-11 REF

-12 REF

-13 REF

-14 REF

-15 REF

-16 REF

-17 REF

-18 REF

-19 REF

-20 REF

-21 REF

-22 REF

-23 REF

-24 REF

-25 REF

-26 REF

-27 REF

-28 REF

-29 REF

-30 REF

-31 REF

-32 REF

-33 REF

-34 REF

-35 REF

-36 REF

-37 REF

-38 REF

-39 REF

-40 REF

-41 REF

-42 REF

-43 REF

-44 REF

-45 REF

-46 REF

-47 REF

-48 REF

-49 REF

-50 REF

-51 REF

-52 REF

-53 REF

-54 REF

-55 REF

-56 REF

-57 REF

-58 REF

-59 REF

-60 REF

-61 REF

-62 REF

-63 REF

-64 REF

-65 REF

-66 REF

-67 REF

-68 REF

-69 REF

-70 REF

-71 REF

-72 REF

-73 REF

-74 REF

-75 REF

-76 REF

-77 REF

-78 REF

-79 REF

-80 REF

-81 REF

-82 REF

-83 REF

-84 REF

-85 REF

-86 REF

-87 REF

-88 REF

-89 REF

-90 REF

-91 REF

-92 REF

-93 REF

-94 REF

-95 REF

-96 REF

-97 REF

-98 REF

-99 REF

-100 REF

10.49 REF

8.99 F.B.S. REF.

5 REF

4 REF

3 REF

2 REF

1 REF

0 REF

-1 REF

-2 REF

-3 REF

-4 REF

-5 REF

-6 REF

-7 REF

-8 REF

-9 REF

-10 REF

-11 REF

-12 REF

-13 REF

-14 REF

-15 REF

-16 REF

-17 REF

-18 REF

-19 REF

-20 REF

-21 REF

-22 REF

-23 REF

-24 REF

-25 REF

-26 REF

-27 REF

-28 REF

-29 REF

-30 REF

-31 REF

-32 REF

-33 REF

-34 REF

-35 REF

-36 REF

-37 REF

-38 REF

-39 REF

-40 REF

-41 REF

-42 REF

-43 REF

-44 REF

-45 REF

-46 REF

-47 REF

-48 REF

-49 REF

-50 REF

-51 REF

-52 REF

-53 REF

-54 REF

-55 REF

-56 REF

-57 REF

-58 REF

-59 REF

-60 REF

-61 REF

-62 REF

-63 REF

-64 REF

-65 REF

-66 REF

-67 REF

-68 REF

-69 REF

-70 REF

-71 REF

-72 REF

-73 REF

-74 REF

-75 REF

-76 REF

-77 REF

-78 REF


-79 REF

-80 REF




-81 REF

-82 REF

-83 REF







- NOTES:
1. CUT W3 FOR 16 BIT OPERATION (RK11-D)
  2. CUT W1 FOR 16 BIT OPERATION (RK11-E)  
CUT W2 FOR 16 BIT OPERATION (RK11-D)
  3. CUT W5 FOR NORMAL OPERATION (CHECKS HEADER  
16 TIMES BEFORE FLAGGING SEEK ERROR)  
CUT W4 FOR RK11-C COMPATABILITY  
(CHECKS HEADER ONCE)

|   |          |                                |                     |  |          |
|---|----------|--------------------------------|---------------------|--|----------|
| FIRST USED ON OPTION/MODEL  |          | QTY.                           | DESCRIPTION         | PART NO.   | ITEM NO. |
| RK11-D  |          |                                | PARTS LIST          |  |          |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSION IN INCHES.<br>TOLERANCES                            |          | DRN. <i>R. Bendler</i>         | DATE <i>4-4-73</i>  |  <b>DIGITAL EQUIPMENT CORPORATION</b><br>MAYNARD, MASSACHUSETTS |          |
|   |          | CHECK <i>R. Pers</i>           | DATE <i>5-27-73</i> |  |          |
| DECIMALS  | ANGLES   | ENG. <i>J. Dr</i>              | DATE <i>7-2-73</i>  | TITLE<br><br><b>STATUS CONTROL</b>   |          |
| .XXX = .005   | ± 0° 30' | PRICE <i>ENG. <i>J. Dr</i></i> | DATE <i>7-3-73</i>  |  |          |
| .XX = .02   |          | PROG. <i>R. Bendler</i>        | DATE <i>6/23/73</i> |  |          |
| REMOVE BURRS AND BREAK SHARP<br>CORNERS SURFACE QUALITY <input checked="" type="checkbox"/> |          |                                |                     |  |          |
| MATERIAL  |          | NEXT HIGHER ASSY.              |                     |  |          |
|        |          | B-DD-RK11-0                    |                     |  |          |
| FINISH  |          | SCALE <b>NONE</b>              | SIZE CODE           | NUMBER   | REV.     |
|        |          | SHEET 3 OF                     | D CS                | M7254-0-1  | C        |
|   |          | DIS.                           |                     |  |          |





|   |  |                           |  |                 |  |   |  |          |  |
|---|--|---------------------------|--|-----------------|--|---|--|----------|--|
| FIRST USED ON OPTION/MODEL  |  | QTY.                      |  | DESCRIPTION     |  | PART NO.  |  | ITEM NO. |  |
| RK11-D  |  | PARTS LIST                |  |                 |  |   |  |          |  |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSION IN INCHES<br>TOLERANCES                             |  | DRN<br><i>[Signature]</i> |  | DATE<br>4-4-75  |  |  <b>DIGITAL EQUIPMENT CORPORATION</b><br>MAYNARD MASSACHUSETTS |  |          |  |
|   |  | DATE<br>5-29-75           |  |                 |  |   |  |          |  |
| DECIMALS      ANGLES  |  | SWE<br><i>[Signature]</i> |  | DATE<br>5/21/75 |  | TITLE<br><br><h1>STATUS CONTROL</h1>  |  |          |  |
| .XXK = .005<br>XX = .02<br>X = .1   |  | SWE<br><i>[Signature]</i> |  | DATE<br>5/21/75 |  |   |  |          |  |
| REMOVE BURRS AND BREAK SHARP<br>CORNERS SURFACE QUALITY <input checked="" type="checkbox"/> |  | SWE<br><i>[Signature]</i> |  | DATE<br>5/21/75 |  |   |  |          |  |
| MATERIAL  |  | NEXT HIGHER ASSY.         |  | SIZE CODE       |  | NUMBER  |  | REV.     |  |
|        |  | B-DD-RK11-D               |  | DCS             |  | M7254-Ø-1   |  | F        |  |
| FINISH  |  | SCALE NONE E              |  | DIST.           |  |   |  |          |  |
|        |  | SHEET 4 OF                |  |                 |  |   |  |          |  |



This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied in whole or in part without written permission. COPYRIGHT © 1973 DIGITAL EQUIPMENT CORPORATION


D

C

B

A

| REV | CHG | NO |
|-----|-----|----|
| 1   |     |    |
| 2   |     |    |
| 3   |     |    |
| 4   |     |    |
| 5   |     |    |
| 6   |     |    |
| 7   |     |    |
| 8   |     |    |



| FIRST USED ON OPTION/MODEL                                       | QTY.              | DESCRIPTION | PART NO. | ITEM NO. |
|--|-------------------|-------------|----------|----------|
| RKII-D   |                   |             |          |          |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS IN INCHES<br>TOLERANCES |                   |             |          |          |
| DECIMALS   | ANGLES            |             |          |          |
| .XXX - .000  | ±0°30'            |             |          |          |
| .XX - .02  |                   |             |          |          |
| .X - .1  |                   |             |          |          |
| REMOVE BURRS AND BREAK SHARP<br>CORNERS SURFACE QUALITY          |                   |             |          |          |
| MATERIAL   | NEXT HIGHER ASSY. |             |          |          |
| FINISH   |                   |             |          |          |
| B-DD-RKII-D  |                   | SIZE CODE   | NUMBER   | REV      |
| SHEET 6 OF   |                   | DIST.       |          |          |

STATUS CONTROL (ST 4)

DCS M7254-D-1







1.) IF 11380'S (ITEM#33) ARE NOT AVAILABLE, USE THE STANDARD 380'S. PART NO. 19-09485.



**GND AND 5V ARE USUALLY PIN 7 AND 14  
RESPECTIVELY. EXCEPTIONS ARE STATED ABOVE.**

**IC PIN LOCATIONS**



|                                       |  |  |  |                |  |         |                         |                 |   |   |  |        |  |       |  |  |  |  |
|---------------------------------------|--|--|--|----------------|--|---------|-------------------------|-----------------|---|---|--|--------|--|-------|--|--|--|--|
| FIRST USED ON OPTION MODEL            |  |  |  | PARTS LIST     |  |         |                         |                 |   |   |  |        |  |       |  |  |  |  |
| RK11-D                                |  |  |  | ETCH BOARD REV |  | E       |                         |                 |   |   |  |        |  |       |  |  |  |  |
| REV<br>CHG<br>CHANGE NO.<br>REVISIONS |  |  |  |                |  |         | DRAWN<br>S.F. Mason     | DATE<br>6-10-78 | <div>EQUIPMENT CORPORATION<br/>MAYNARD MASSACHUSETTS</div> | TITLE<br><br>DISK CONTROL<br><br>RK11-D |  |        |  |       |  |  |  |  |
|                                       |  |  |  |                |  |         | CHECKED<br>M.E. Connors | DATE<br>7-2-78  |   |   |  |        |  |       |  |  |  |  |
|                                       |  |  |  |                |  |         | ENG.<br>T.S.            | DATE<br>7/2/78  |   |   |  |        |  |       |  |  |  |  |
|                                       |  |  |  |                |  |         | DESIGNER<br>T.S.        | DATE<br>7-7-78  |   |   |  |        |  |       |  |  |  |  |
|                                       |  |  |  |                |  |         | INSTRUMENTATION<br>T.S. | DATE<br>7/2/78  |   |   |  |        |  |       |  |  |  |  |
|                                       |  |  |  |                |  |         | NEXT HIGHER ASSY        |                 |   |   |  |        |  |       |  |  |  |  |
|                                       |  |  |  |                |  |         | B-DD-RK11-D             |                 |   |   |  |        |  |       |  |  |  |  |
|                                       |  |  |  |                |  |         | SCALE NAME              |                 |   |   |  |        |  |       |  |  |  |  |
|                                       |  |  |  |                |  |         | SHEET 2 OF              |                 |   |   |  |        |  |       |  |  |  |  |
| DEC NO.                               |  |  |  | EIA NO.        |  | DEC NO. |                         | EIA NO.         |   | SIZE CODE                               |  | NUMBER |  | REV.  |  |  |  |  |
| D                                     |  |  |  | CS             |  | M7255   |                         | Ø - I           |   | E                                       |  |        |  |       |  |  |  |  |
| SEMICONDUCTOR CONVERSION CHART        |  |  |  |                |  |         |                         |                 |   |   |  |        |  | DIST. |  |  |  |  |

"THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.  
COPYRIGHT © 1971 DIGITAL EQUIPMENT CORPORATION"

# NOTES:

- 1) INSTALL W1 FOR RK05.
- 2) CUT W4 FOR RK11-C COMPATIBILITY (NORMAL OPERATION)
- 3) FOR RK11-D/RK05) CUT JUMPER W3 FOR RK11-E (18 BIT RK05) CUT JUMPER W2.
- 4) FOR NORMAL OPERATION INSTALL W6 (CHANGES ID BITS ONLY FOR SEARCH COMPLETE INTERRUPT). INSTALL W5 TO CHANGE ID BITS FOR ANY INTERRUPT.
- 5) INSTALL PROPER CRYSTAL IN SPLIT LUGS AS OUTLINED IN TABLE I.


TABLE I

|        | DISK | BITS/WORD | MHZ   | DEC P/N    |
|--------|------|-----------|-------|------------|
| RK11-D | RK05 | 16        | 2.880 | 18-10694-3 |
| RK11-E | RK05 | 18        | 3.090 | 18-10694-4 |


| REV. | CHANGE NO. |
|------|------------|
| CHK  |            |

DEC FORM NO.  
ORD 100-8

|   |                         |                   |   |           |
|---|-------------------------|-------------------|---|-----------|
| FIRST USED ON OPTION/MODEL                              | QTY.                    | DESCRIPTION       | PART NO.  | TEST NO.  |
| RK11-D  |                         |                   |   |           |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSION IN INCHES       | DRN<br>J. F. Jones      | DATE<br>6-22-73   | PARTS LIST  |           |
| TOLERANCES  | CHK'D<br>J. F. Jones    | DATE<br>5-2-73    | digital EQUIPMENT CORPORATION<br>MAYNARD, MASSACHUSETTS |           |
| DECIMALS  | ENG.<br>J. F. Jones     | DATE<br>7-3-73    | TITLE<br>DISK CONTROL                                   |           |
| ANGLES  | PROL-ENG<br>J. F. Jones | DATE<br>7-3-73    | RK11-D  |           |
| REMOVE BURRS AND BREAK SHARP<br>CORNERS SURFACE QUALITY | PROD.<br>J. F. Jones    | DATE<br>7-3-73    |   |           |
| MATERIAL  | NEXT HIGHER ASSY.       |                   |   |           |
| FINISH  | B-DD-RK11-D             | SIZE CODE<br>D CS | NUMBER<br>M7255-0-1                                     | REV.<br>C |
|   | SCALE<br>NONE           | SHEET<br>3 OF     | DIST.   |           |




| FIRST USED ON OPTION MODEL                              | CTY. | DESCRIPTION | PART NO.  | REV. |
|---|------|-------------|---|------|
| RK11-D  |      |             |   |      |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSION IN INCHES       | DATE | DATE        | <div>digital</div> <div>EQUIPMENT CORPORATION</div> |      |
| TOLERANCES  | DATE | DATE        |   |      |
| DECIMALS ANGLES   | DATE | DATE        | <div>DISK CONTROL</div>                             |      |
| xxx = .005  | DATE | DATE        |   |      |
| xx = .02  | DATE | DATE        | <div>DISK 1</div>                                   |      |
| x = .1  | DATE | DATE        |   |      |
| REMOVE BURRS AND BREAK SHARP<br>CORNERS SURFACE QUALITY | DATE | DATE        | <div>DISK 1</div>                                   |      |
| MATERIAL  | DATE | DATE        |   |      |
| FINISH  | DATE | DATE        | <div>DISK 1</div>                                   |      |
| SCALE   | DATE | DATE        |   |      |
| SHEET 4 OF  | DATE | DATE        | <div>DISK 1</div>                                   |      |
|   | DATE | DATE        |   |      |



| FIRST USED ON OPTION/MODEL                                       | QTY. | DESCRIPTION | PART NO.                      | ITEM NO. |
|--|------|-------------|-------------------------------|----------|
| RK11-D   |      |             |                               |          |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSION IN INCHES.<br>TOLERANCES | DRN  | DATE        | PARTS LIST                    |          |
| DECIMALS   | DATE | DATE        | digital EQUIPMENT CORPORATION |          |
| ANGLES   | DATE | DATE        | MAYNARD MASSACHUSETTS         |          |
| XXX + .005   | DATE | DATE        | TITLE                         |          |
| XX + .02   | DATE | DATE        | DISK CONTROL                  |          |
| X + .1   | DATE | DATE        | (DISK 2)                      |          |
| REMOVE BURRS AND BREAK SHARP CORNERS SURFACE QUALITY             | DATE | DATE        | SIZE CODE                     |          |
| MATERIAL   | DATE | DATE        | NUMBER                        |          |
| NEXT HIGHER ASSY.  | DATE | DATE        | REV                           |          |
| FINISH   | DATE | DATE        | B-DD-RK11-D                   |          |
|  | DATE | DATE        | DCSM7255-0-1                  |          |
|  | DATE | DATE        | SHEET 5 OF                    |          |
|  | DATE | DATE        | DIST.                         |          |



This drawing and specifications, herein, are the property of Digital Equipment Corporation and shall not be reproduced or copied in whole or in part as the basis for the manufacture or sale of items without written permission. COPYRIGHT ©  
DIGITAL EQUIPMENT CORPORATION



| FIRST USED ON OPTION/MODEL                                       |         | C.Y.              |  | DESCRIPTION |  | PART NO. |  | ITEM NO. |  |
|--|---------|-------------------|--|-------------|--|----------|--|----------|--|
| RKII-D   |         |                   |  |             |  |          |  |          |  |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSION IN INCHES.<br>TOLERANCES |         | DATE              |  | DATE        |  | DATE     |  | DATE     |  |
| DECIMALS   | ANGLES  | DATE              |  | DATE        |  | DATE     |  | DATE     |  |
| .XXX - .005  | ±0° 30' | DATE              |  | DATE        |  | DATE     |  | DATE     |  |
| .XX - .02  |         | DATE              |  | DATE        |  | DATE     |  | DATE     |  |
| .X - .1  |         | DATE              |  | DATE        |  | DATE     |  | DATE     |  |
| REMOVE BURRS AND BREAK SHARP<br>CORNERS SURFACE QUALITY          |         | DATE              |  | DATE        |  | DATE     |  | DATE     |  |
| MATERIAL   |         | NEXT HIGHER ASSY. |  | DATE        |  | DATE     |  | DATE     |  |
| FINISH   |         | SCALE             |  | NONE        |  | SHEET    |  | 6 OF     |  |
|  |         | DIST.             |  |             |  |          |  |          |  |

|                   |  |                       |  |
|-------------------|--|-----------------------|--|
| PARTS LIST        |  | EQUIPMENT CORPORATION |  |
| TITLE             |  | DISK CONTROL          |  |
| (DISK 3)          |  |                       |  |
| NEXT HIGHER ASSY. |  | B-DD-RKII-D           |  |
| SCALE             |  | NONE                  |  |
| SHEET             |  | 6 OF                  |  |
| DIST.             |  |                       |  |

