



DECUS

PROGRAM LIBRARY

DECUS NO.	12-135
TITLE	MAC8, 8K MACRO ASSEMBLER
AUTHOR	Larry Davis Washington University, St. Louis, Missouri
COMPANY	Submitted by: Robert Hassinger Liberty Mutual Research Center Hopkinton, Massachusetts
DATE	October 9, 1972
SOURCE LANGUAGE	PAL-8

ATTENTION

This is a USER program. Other than requiring that it conform to submittal and review standards, no quality control has been imposed upon this program by DECUS.

The DECUS Program Library is a clearing house only; it does not generate or test programs. No warranty, express or implied, is made by the contributor, Digital Equipment Computer Users Society or Digital Equipment Corporation as to the accuracy or functioning of the program or related material, and no responsibility is assumed by these parties in connection therewith.

MAC8, 8K MACRO ASSEMBLER

DECUS Program Library Write-up

DECUS NO. 8-633

ABSTRACT

MAC8 IS AN 8-K ASSEMBLER WHICH RUNS UNDER PS/8 AND OS/8. IT ALLOWS MACROS TO BE WRITTEN ALONG WITH OTHER ASSEMBLY LANGUAGE INSTRUCTIONS.

USAGE

. R MAC8
*DEV1:BIN. BN, DEV2:LIST. LS, DEV3:BIN1. PA, ...

WHERE THE FIRST OUTPUT FILE IS THE BINARY FILE,
AND THE SECOND OUTPUT FILE IS THE LISTING FILE.

ASSUMED INPUT EXTENSIONS ARE .MC
ASSUMED BINARY OUTPUT EXTENSION IS .BN
ASSUMED LISTING OUTPUT EXTENSION IS .LS

COMMAND DECODER OPTIONS:

/N SYMBOL TABLE ONLY IN THE LISTING
/S OMIT SYMBOL TABLE IN THE LISTING
/L CALL ABSLDR AFTER ASSEMBLING
/G LOAD THE FILE AND START THE PROGRAM.
A STARTING ADDRESS MAY BE SPECIFIED TO ABSLDR BY =NNNNN.

DIFFERENCES BETWEEN MAC8 AND DEC'S MACRO ASSEMBLER:

8K VERSUS 4K
XLIST PSEUDO-OP ADDED
CHAINING TO ABSLDR ADDED.
INPUT AND OUTPUT FROM PS/8 FILES.
NEATLY FORMATTED LISTINGS, INCLUDING DATE AND PAGE NUMBERS.
NO LG ERROR MESSAGE ON PASS 2.

LOADING

. R ABSLDR
*PTR:/B\$
. SA SYS:MAC8; 5600=1000

DECIMAL
OCTAL
FIELD
PAUSE
I
Z
\$
EXPUNGE
FIXTAB
PAGE
=
*
DEFINE
DUBL
FLTG
TEXT
XLIST